

Theming et conception sous WordPress



Qu'est ce que WordPress

Créer en 2003

WordPress est un CMS, permettant de créer rapidement des sites web, sans connaissance de code requise.

Il est possible de créer des thèmes customs, qui eux, nécessitent des connaissances en PHP.

WordPress est écrit en PHP, avec une approche architecture procédurale, avec certains composants orientés objets.

Local by flywheel

The screenshot displays the Local by Flywheel application window. On the left is a green sidebar with icons for user profile, file explorer, cloud sync, document, settings, help, and a plus sign for adding new sites. The main panel shows the configuration for a site named 'Travelloop'. At the top right of the main panel, there is a 'Stop site' button and a clock icon indicating 'Last started: Today'. Below the site name are links for 'Go to site folder', 'Site shell', and 'VS Code'. A tabbed interface shows 'Overview' selected, with 'Database' and 'Tools' as other options. Two buttons, 'WP Admin' and 'Open site', are located to the right of the tabs. The configuration table lists various settings:

Site domain	travelloop.local	Change
SSL	travelloop.local.crt	Trust i
Web server	nginx	
PHP version	8.1.29	Details ↗
Database	MySQL 8.0.16	
One-click admin	☒ Off	Select admin i
WordPress version	6.9	
Multisite	No	
Xdebug	☒ Off	Details ↗

At the bottom of the sidebar, it says '1 site running' and 'Stop all' with a red square icon. The bottom of the main panel features a 'Live Link' section with an 'Enable' toggle and 'Pull'/'Push' buttons with cloud icons.

La base de WordPress

The screenshot shows the WordPress 6.9 dashboard. At the top, there's a header bar with the WordPress logo, the site name 'Traveloop', a notification bell, a '+ New' button, and the user profile 'Howdy, admin'. Below the header is a sidebar menu with options: Dashboard (selected), Home, Updates, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, Settings, and Collapse Menu. The main content area is titled 'Dashboard' and features a large 'Welcome to WordPress!' banner with a 'Dismiss' button. Below the banner are three featured sections: 'Author rich content with blocks and patterns' (with a link to 'Add a new page'), 'Customize your entire site with block themes' (with a link to 'Open site editor'), and 'Switch up your site's look & feel with Styles' (with a link to 'Edit styles'). At the bottom, there's a grid of widgets: 'Site Health Status', 'Quick Draft', 'At a Glance', 'WordPress Events and News', and 'Activity'. To the right of these widgets is a large area labeled 'Drag boxes here' with a dashed border. The footer includes a thank you message for creating with WordPress and the version number 'Version 6.9'.

WordPress 6.9 Dashboard Interface:

- Header:** Traveloop, + New, Howdy, admin, Screen Options, Help.
- Sidebar:** Dashboard, Home, Updates, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, Settings, Collapse Menu.
- Main Content:**
 - Welcome to WordPress!** Learn more about the 6.9 version. (Dismiss)
 - Author rich content with blocks and patterns**
 - Block patterns are pre-configured block layouts. Use them to get inspired or create new pages in a flash.
 - [Add a new page](#)
 - Customize your entire site with block themes**
 - Design everything on your site — from the header down to the footer, all using blocks and patterns.
 - [Open site editor](#)
 - Switch up your site's look & feel with Styles**
 - Tweak your site, or give it a whole new look! Get creative — how about a new color palette or font?
 - [Edit styles](#)
- Widgets:**
 - Site Health Status
 - Quick Draft
 - At a Glance
 - WordPress Events and News
 - Activity
- Drag boxes here** (Large area for customizing the dashboard layout)
- Footer:** Thank you for creating with [WordPress](#). Version 6.9

Comment fonctionne WordPress

WordPress à deux principales entrées de contenu :

- les pages : permettant de créer un contenu statique, n'ayant pas vocation à évoluer (page de contact, landing page).
- les posts : permettant de créer du contenu évolutif (actualités, événements).

Le rôle exact d'un thème WordPress

Un thème WordPress est responsable uniquement de l'affichage du contenu.

Il ne crée pas de donnée, il ne définit pas la logique métier, il ne doit pas contenir de fonctionnalités critiques.

Son rôle est de transformer des données WordPress (posts, pages, ...) en HTML, CSS et JavaScript.

Les médias

WordPress stocke l'ensemble des images et fichiers dans une médiathèque centralisée.

Ces médias peuvent être :

- associés à un contenu (page, article)
- réutilisés à plusieurs endroits du site

Les médias constituent des données, au même titre que les contenus textuels.

Leur affichage et leur mise en forme relèvent du thème WordPress.

Thème existant, enfant et custom

Un **thème existant** est un thème fourni par WordPress ou par n'importe quelle personne. Il peut-être payant et est souvent fait pour répondre aux besoins de sites génériques.

Un **thème enfant** est un thème dérivé d'un thème existant, que l'on va étendre avec de nouvelles fonctionnalités.


Un **thème custom** est créé de zéro, souvent pour un besoin bien spécifique.

Déclarer un nouveau thème

Un thème WordPress minimal fonctionne avec :

- style.css → *déclaration du thème*
- index.php → *template de secours*

Tous les autres fichiers sont optionnels, mais permettent une meilleure organisation et lisibilité du code.



Déclarer un nouveau thème


Dans le fichier style.css à la racine du projet

```
1  /*
2  Theme Name: Traveloop
3  Theme URI: https://traveloop.com
4  Author: Nicolas Vero
5  Description: WordPress theme for a travel agency
6  Version: 1.0
7  */
```

Structure d'un thème

Pour maintenir un thème propre et évolutif, on adopte une structure claire :

- séparation PHP / assets
- découpage des templates
- centralisation des fonctionnalités



Le fichier functions.php


Le fichier functions.php est chargé automatiquement par WordPress.

Il permet de déclarer l'ensemble des fonctions qui seront utilisées par notre thème (utilitaire, hooks, custom post type).

Il ne doit jamais contenir de HTML (séparation de la logique et du rendu).

Le fichier functions.php

Le fichier functions.php est l'unique point d'entrée. Mais il est possible de le découper en sous fichiers inclus dans functions.php



A file explorer view showing the structure of the WordPress 'includes' directory. The 'includes' folder is expanded, showing subfolders 'hooks', 'post_types', and 'taxonomies'. Each subfolder contains a PHP file: 'images.php' in 'hooks', 'country.php' in 'post_types', and 'continents.php' in 'taxonomies'.


- includes
 - hooks
 - images.php
 - post_types
 - country.php
 - taxonomies
 - continents.php

```
1 require_once get_template_directory() . '/includes/hooks/images.php';  
2 require_once get_template_directory() . '/includes/post_types/country.php';  
3 require_once get_template_directory() . '/includes/taxonomies/continents.php';
```

Comment WordPress choisit un template

Lorsqu'un utilisateur visite une page, WordPress :

1. Analyse l'URL demandée
2. Identifie le type de contenu
3. Parcourt la template hierarchy
4. Utilise le premier fichier correspondant trouvé



Designed By Michelle Schulp of marktimedia.com | @marktimedia | wptierchy.com by @ramiabraham

Templates les plus utilisés

En pratique, on utilise principalement :

- page.php
- single.php
- archive.php
- single-{post_type}.php
- archive-{post_type}.php
- index.php - *sert de filet de sécurité*

Afficher du contenu : The Loop

La Loop est le mécanisme central de WordPress permettant d'afficher du contenu.

Elle parcourt les résultats de la requête courante et expose chaque élément sous forme de post.

```
1  if (have_posts()) {  
2      while (have_posts()) {  
3          the_post();  
4          the_title();  
5          the_content();  
6      }  
7  }
```

Header, footer, template-parts

WordPress fournit des fonctions pour structurer le HTML :

- `get_header()`
- `get_footer()`
- `get_template_part()`

Cela permet la réutilisation du code, pour une meilleure cohérence globale.

Header, footer, template-parts

```
1 <!DOCTYPE html>
2 <html <?php language_attributes(); ?>>
3 <head>
4     <meta charset="<?php bloginfo('charset'); ?>">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title><?php wp_title(); ?></title>
7
8     <?php wp_head(); ?>
9 </head>
10 <body <?php body_class(); ?>>
```

```
1 <?php wp_footer(); ?>
2 </body>
3 </html>
```

```
1 <?php
2
3 get_header();
4
5 if (have_posts()) {
6     while (have_posts()) {
7         the_post();
8         the_title();
9         the_content();
10    }
11 }
12
13 get_footer();
```

Custom Post Types

Permet de définir des types personnalisés en plus de “Post”.



```
1 register_post_type(  
2     string $post_type,  
3     array|string $args = array()  
4 );
```

https://developer.wordpress.org/reference/functions/register_post_type/

Custom Post Types

```
1 <?php
2
3 function travel_register_country_cpt_complete_simple() {
4     $labels = array(
5         'name'           => 'Countries',
6         'singular_name'  => 'Country',
7         'menu_name'      => 'Countries',
8         'all_items'      => 'All Countries',
9         'add_new'        => 'Add New',
10        'add_new_item'    => 'Add New Country',
11        'edit_item'       => 'Edit Country',
12        'new_item'        => 'New Country',
13        'view_item'       => 'View Country',
14        'search_items'    => 'Search Countries',
15        'not_found'       => 'No countries found.',
16        'not_found_in_trash' => 'No countries found in Trash.',
17        'featured_image'  => 'Country Flag or Cover Image',
18        'set_featured_image' => 'Set cover image',
19        'remove_featured_image' => 'Remove cover image',
20    );
21
22    $args = array(
23        'labels'           => $labels,
24        'description'      => 'Travel destinations by country.',
25        'public'           => true,
26        'has_archive'       => true,
27        'show_in_rest'     => true,
28        'menu_icon'        => 'dashicons-location-alt',
29        'supports'         => ['title', 'editor', 'thumbnail', 'excerpt'],
30        'rewrite'          => ['slug' => 'country'],
31    );
32
33    register_post_type('country', $args);
34 }
35 add_action('init', 'travel_register_country_cpt_complete_simple');
36
```

<https://developer.wordpress.org/resource/dashicons/>

Custom Post Types

The screenshot shows the WordPress 6.9 dashboard for a user named 'admin'. The top navigation bar includes the WordPress logo, the site name 'Traveloop', a notification bell, and a '+ New' button. The user's name 'Howdy, admin' is in the top right corner. The left sidebar contains a menu with 'Dashboard' (active), 'Home', 'Updates', 'Posts', 'Media', 'Pages', 'Comments', 'Countries', 'Appearance', 'Plugins', 'Users', 'Tools', 'Settings', and 'Collapse Menu'. The main content area features a large 'Welcome to WordPress!' banner with a link to 'Learn more about the 6.9 version.' Below the banner are three cards: 'Author rich content with blocks and patterns' (with a pencil icon), 'Start Customizing' (with a square icon), and 'Discover a new way to build your site.' (with a circle icon). Each card provides a brief description and a link to learn more. At the bottom, there are several widgets: 'Site Health Status', 'Quick Draft', 'At a Glance', 'WordPress Events and News', and 'Activity'. To the right of these widgets are two large dashed boxes labeled 'Drag boxes here'. The footer includes a thank you message for creating with WordPress and the version number 'Version 6.9'.

WordPress Traveloop 0 + New Howdy, admin

Dashboard

Home
Updates

Posts
Media
Pages
Comments
Countries
Appearance
Plugins
Users
Tools
Settings
Collapse Menu

Dashboard

Screen Options Help

Dismiss

Welcome to WordPress!

[Learn more about the 6.9 version.](#)



Author rich content with blocks and patterns

Block patterns are pre-configured block layouts. Use them to get inspired or create new pages in a flash.

[Add a new page](#)



Start Customizing

Configure your site's logo, header, menus, and more in the Customizer.

[Open the Customizer](#)



Discover a new way to build your site.

There is a new kind of WordPress theme, called a block theme, that lets you build the site you've always wanted — with blocks and styles.

[Learn about block themes](#)

Site Health Status ^ v

Quick Draft ^ v

At a Glance ^ v

WordPress Events and News ^ v

Activity ^ v

Drag boxes here

Drag boxes here

Thank you for creating with [WordPress](#).

Version 6.9

Lien entre CPT et templates

Lorsqu'un Custom Post Type (CPT) est déclaré :

WordPress cherche automatiquement :

- `single-{custom_post_type}.php`
Page d'affichage d'un CPT (/country/france)
- `archive-{custom_post_type}.php`
Page d'affichage de tous les CPT (/country)

Les plugins WordPress

Un plugin WordPress permet d'ajouter ou de modifier des fonctionnalités, sans dépendre du thème utilisé.

Un plugin peut :

- ajouter une logique métier
- créer ou modifier des données
- étendre le comportement de WordPress

Contrairement au thème, un plugin ne gère pas l'affichage du site.

Une fonctionnalité essentielle doit toujours être placée dans un plugin, afin qu'elle reste active même si le thème change.

Les plugins WordPress

Des plugins peuvent être ajoutés depuis la page `/wp-admin/plugins.php`

Une fois installé, un plugin doit être activé afin d'être utilisé.



Les plugins WordPress : Classic Editor

Le Classic Editor est un plugin permettant d'utiliser l'éditeur historique de WordPress.

Dans de nombreux projets utilisant des champs personnalisés (SCF), l'édition du contenu se fait principalement via ces champs.

Dans ce contexte, Gutenberg est souvent peu utilisé, et le Classic Editor permet de :

- simplifier l'interface d'édition
- éviter la redondance entre champs et blocs
- se concentrer sur la structure des données

Les plugins WordPress : Classic Editor

The screenshot displays the WordPress Classic Editor for a page titled "Privacy Policy". The top navigation bar includes the WordPress logo, a plus icon for adding blocks, and navigation arrows. The page title "Privacy Policy" and a "Page" tab are visible in the top right. The main content area is divided into sections: "Privacy Policy", "Who we are", "Comments", and "Media". Each section has a "Suggested text" placeholder. The right-hand sidebar provides metadata for the "Privacy Policy" page, including word count (610 words), read time (3 minutes), last edited time (28 minutes ago), status (Draft), publish options (Immediately), slug (privacy-policy), author (admin), discussion settings (Pings only), and a "Move to trash" button.

Privacy Policy

Who we are

Suggested text: Our website address is: <http://traveloop.local>.

Comments

Suggested text: When visitors leave comments on the site we collect the data shown in the comments form, and also the visitor's IP address and browser user agent string to help spam detection.

An anonymized string created from your email address (also called a hash) may be provided to the Gravatar service to see if you are using it. The Gravatar service privacy policy is available here: <https://automattic.com/privacy/>. After approval of your comment, your profile picture is visible to the public in the context of your comment.

Media

Suggested text: If you upload images to the website, you should avoid uploading images with embedded location data (EXIF GPS) included. Visitors to the website can download and extract any location data from images on the website.

Page Metadata:

- Page: Privacy Policy
- 610 words, 3 minutes read time. Last edited 28 minutes ago.
- Status: Draft
- Publish: Immediately
- Slug: privacy-policy
- Author: admin
- Discussion: Pings only
- Parent: None
- Move to trash

Les plugins WordPress : Classic Editor

The screenshot shows the WordPress Classic Editor interface. On the left is a dark sidebar with navigation links: Dashboard, Posts, Media, Pages (highlighted), All Pages, Add Page, Comments, Countries, Appearance, Plugins, Users, Tools, Settings, and Collapse Menu. The main content area is titled 'Edit Page' with an 'Add Page' button. Below this is the title 'Privacy Policy' and a permalink: <http://traveloop.local/privacy-policy/> with an 'Edit' button. A toolbar contains an 'Add Media' button and various text formatting options (Paragraph, Bold, Italic, Text, List, Link, Unlink, Table, etc.). The content area contains three sections: 'Who we are', 'Comments', and 'Media', each with a 'Suggested text' placeholder. The 'Comments' section includes a paragraph about data collection and a link to the Gravatar privacy policy. The 'Media' section includes a paragraph about EXIF GPS data. The 'Cookies' section includes a paragraph about cookies and a link to the login page. On the right side, there are two panels: 'Publish' and 'Page Attributes'. The 'Publish' panel shows 'Status: Draft', 'Visibility: Public', 'Publish on: Dec 12, 2025 at 23:31', and buttons for 'Save Draft', 'Preview', 'Move to Trash', and 'Publish'. The 'Page Attributes' panel shows 'Parent: (no parent)' and 'Order: 0'.

Howdy, admin

Screen Options Help

Edit Page Add Page

Privacy Policy

Permalink: <http://traveloop.local/privacy-policy/> Edit

Add Media Visual Code

Paragraph B I Text List Link Unlink Table

Who we are

Suggested text: Our website address is: <http://traveloop.local/>.

Comments

Suggested text: When visitors leave comments on the site we collect the data shown in the comments form, and also the visitor's IP address and browser user agent string to help spam detection.

An anonymized string created from your email address (also called a hash) may be provided to the Gravatar service to see if you are using it. The Gravatar service privacy policy is available here: <https://automattic.com/privacy/>. After approval of your comment, your profile picture is visible to the public in the context of your comment.

Media

Suggested text: If you upload images to the website, you should avoid uploading images with embedded location data (EXIF GPS) included. Visitors to the website can download and extract any location data from images on the website.

Cookies

Suggested text: If you leave a comment on our site you may opt-in to saving your name, email address and website in cookies. These are for your convenience so that you do not have to fill in your details again when you leave another comment. These cookies will last for one year.

If you visit our login page, we will set a temporary cookie to determine if your browser accepts cookies. This cookie contains no personal data and is discarded when you close your browser.

When you log in, we will also set up several cookies to save your login information and your screen display choices. Login cookies last for two days, and screen options cookies last for a year. If you select "Remember Me", your login will persist for two weeks. If you log out of your account, the login cookies will be removed.

If you edit or publish an article, an additional cookie will be saved in your browser. This cookie includes no personal data and simply indicates the post ID of the article you just edited. It serves

Publish

Save Draft Preview

Status: Draft Edit

Visibility: Public Edit

Publish on: Dec 12, 2025 at 23:31 Edit

Move to Trash Publish

Page Attributes

Parent

(no parent) v

Order

0

Need help? Use the Help tab above the screen title.

Les plugins WordPress : SCF

Secure Custom Fields (SCF) permet de créer des champs personnalisés structurés, associés à un contenu WordPress (page, post, CPT).

Ces champs permettent de :

- séparer le contenu de la mise en forme
- guider les intégrateurs dans la saisie
- éviter le contenu en dur dans les templates

Les valeurs saisies sont stockées en base de données et peuvent être utilisées dans les templates PHP du thème.

<https://fr.wordpress.org/plugins/secure-custom-fields/>

Les plugins WordPress : SCF

Select Field Type

Q Search fields...

Popular

Basic

Content

Choice

Relational

Advanced

Layout

PRO

T

Text

T

Text Area

@

Email

🌐

URL

📎

File

☑

Select

👁

True / False

🔗

Link

📄

Post Object

🔗

Relationship

∞

Repeater

🔲

Flexible Content

🖼

Gallery

📄

Clone

Field Label

Cancel

Select Field

Text

A basic text input, useful for storing single string values.

Movie title

Les plugins WordPress : SCF

Add New Field Group

Contries

+ Add Field

Save Changes

Fields

#	Label	Name	Type
1	Country name	country_name	Text
2	Country image	country_image	Image
3	Country continent	country_	Text

+ Add Field

Settings

Location RulesPresentationGroup Settings

Rules

Show this field group if

Post Type

is equal to


Country

and

or

Add rule group

Les plugins WordPress : SCF



The screenshot shows the WordPress dashboard with the 'Add New Country' page open. The left sidebar contains the following menu items: Dashboard, Posts, Media, Pages, Comments, Countries (selected), All Countries, Add New Country, Appearance, Plugins, Users, Tools, Settings, SCF, and Collapse Menu. The main content area is titled 'Add New Country' and features a text input for 'Add title'. Below the title is a rich text editor with a toolbar showing 'Paragraph', bold, italic, list, link, unlink, and media icons. A 'Word count: 0' indicator is present. The 'Countries' section contains three input fields: 'Country name', 'Country image' (with 'No image selected' and an 'Add image' button), and 'Country continent'. An 'Excerpt' section with a text area is at the bottom, accompanied by a note: 'Excerpts are optional hand-crafted summaries of your content that can be used in your theme. [Learn more about manual excerpts.](#)'. The right sidebar includes a 'Publish' section with buttons for 'Save Draft', 'Preview', and 'Publish', and status/visibility options like 'Status: Draft', 'Visibility: Public', and 'Publish immediately'. The top of the dashboard shows 'Howdy, admin' and a 'Screen Options' dropdown. The footer includes the text 'Thank you for creating with WordPress.' and 'Version 6.9'.

Récupérer les champs de SCF

Secure Custom Fields permet de créer des champs personnalisés structurés, associés à un contenu WordPress (page, post, CPT).

Ces champs permettent de :

- séparer le contenu de la mise en forme
- guider les intégrateurs dans la saisie
- éviter le contenu en dur dans les templates

Les valeurs saisies sont stockées en base de données et peuvent être utilisées dans les templates PHP du thème.

<https://fr.wordpress.org/plugins/secure-custom-fields/>

Le template single-country.php

```
1  <?php
2  $post_id = get_the_ID();
3
4  $country_name = get_field('country_name');
5  $country_image = get_field('country_image');
6  $country_continent = get_field('country_continent');
7  ?>
8
9  <section>
10     
11     <p><?= "$country_name $country_continent" ?></p>
12 </section>
```

Le template archive-country.php

```
1  <?php
2  get_header();
3  ?>
4
5  <main class="country-archive">
6      <h1>All Countries</h1>
7
8      <?php if (have_posts()): ?>
9          <div class="country-archive-list">
10              <?php while (have_posts()): the_post();
11                  $country_name = get_field('country_name');
12                  $country_image = get_field('country_image');
13                  $country_continent = get_field('country_continent');
14              ?>
15              <article class="country-card-component">
16                  <?php if ($country_image): ?>
17                      " />
18                  <?php endif; ?>
19                  <p><?=$country_name $country_continent ?></p>
20                  <a href="<?=$get_permalink() ?>">Read more</a>
21              </article>
22          <?php endwhile; ?>
23      </div>
24  <?php endif; ?>
25 </main>
26
27 <?php get_footer(); ?>
```

Les templates parts

WordPress possède un système permettant d'aller chercher des templates définis.

Cela se rapproche du système de composants que l'on peut avoir en React.

```
1 get_template_part('templates/country/card');
```

Les requêtes en base avec WP_Query

WP_Query est un objet permettant d'aller faire des requêtes directement dans la base de donnée.

WP_Query crée une requête secondaire en plus de la principale que WordPress génère pour la page.

Après une requête secondaire, il est nécessaire d'appeler la fonction `wp_reset_postdata()` pour restaurer le contexte global (WordPress retourne à l'état d'avant notre requête).

Les requêtes en base avec WP_Query

```
1  $query = new WP_Query([
2      'post_type' => 'country',
3      'posts_per_page' => 3,
4  ]);
5
6  if ($query->have_posts()) {
7      ?><div class="country-card-list"><?php
8      while ($query->have_posts()) {
9          $query->the_post();
10         get_template_part('templates/country/card');
11     }
12     wp_reset_postdata();
13     ?></div><?php
14 }
```


Taxonomies

Une taxonomie sous WordPress est une façon de regrouper et de classer du contenu similaire ou lié.

C'est le mécanisme qui permet d'organiser des types de contenu pour les rendre plus faciles à naviguer et à trouver.

Custom Taxonomies

```
1 function traveloop_register_continent_taxonomy() {  
2     register_taxonomy(  
3         'continent',  
4         ['country'],  
5         [  
6             'labels' => [  
7                 'name' => 'Continents',  
8                 'singular_name' => 'Continent',  
9             ],  
10            'public' => true,  
11            'hierarchical' => true,  
12            'show_admin_column' => true,  
13            'rewrite' => [  
14                'slug' => 'continent',  
15            ],  
16        ]  
17    );  
18 }  
19 add_action('init', 'traveloop_register_continent_taxonomy');
```



Hook WordPress

Les Hooks sont des fonctions qui permettent d'interagir avec le coeur de WordPress à des moments clés d'exécution.

Il existe deux types de hooks :

- les **actions**, permettent d'exécuter du code à un moment précis
- les **filtres**, permettent de modifier une valeur avant qu'elle ne soit utilisée

Par exemple, on peut :

Calculer le nombre de mots d'un article à chaque mise à jour pour estimer le temps de lecture (action)

ajouter l'attribut alt aux images qui n'en ont pas (filtre)

Hook WordPress (ajout alt img)

```
1 function traveloop_add_empty_alt_to_images($content) {
2     if (strpos($content, '<img') === false) {
3         return $content;
4     }
5
6     $content = str_replace(
7         '<img ',
8         '<img alt="" ',
9         $content
10    );
11
12    return $content;
13 }
14 add_filter('the_content', 'traveleop_add_empty_alt_to_images');
```

Les tâches de cron


Les tâches de cron sont des événements programmés pour s'exécuter à un moment donné ou à intervalles régulières.

Nous pourrions par exemple avoir une tâche de cron qui tourne tous les soirs à 23h pour récupérer les dernières actualités via un flux RSS.

Timber et Twig

Timber est une bibliothèque PHP qui sert de couche intermédiaire pour structurer les données et les passer à Twig afin de rendre les templates plus clairs et maintenables.

Twig est un moteur de templates PHP qui sert à générer du HTML proprement en séparant la logique métier de la présentation.



Pourquoi utiliser Timber et Twig ?

Le code PHP mélangé au HTML dans les fichiers de template rend le code difficile à lire, à maintenir et à tester.

Timber et Twig sépare ce que fais PHP seul :

- Timber (PHP) s'occupe de la Logique et des Données
- Twig (Moteur de Templates) s'occupe du Rendu (HTML / CSS)

Comment utiliser Twig

Timber va donc séparer la logique de l'affichage grâce à deux fichiers distincts.