

Determinants of HIV

M. Moellenkamp & N. Rosenberg

December 4th, 2014

Outline

- Motivation
- Research Question
- Methodology and Datasets
- Literature Review
- Findings
- Conclusion and Limitations

Motivation and Research Question

- 1 Understand why some countries failed to achieve MDG 6A
 - *MDG 6: Combat HIV/AIDS, malaria and other diseases*
 - *Target 6A: Have halted by 2015 and begun to reverse the spread of HIV/AIDS*

Source: <http://www.mdgmonitor.org/goal6.cfm>

- 2 Explore disease-specific determinants of health

Research Question: Are community level factors significant determinants of HIV/AIDS incidence rates?

Literature Review

The Model

To answer our research question we will estimate the following equation:

$$I_{it} = \beta_0 + \beta_1 SE_{it} + \beta_2 WLC_{it} + \beta_3 SCN_{it} + \beta_4 ILF_{it} + \epsilon_{it}$$

Where I stands for HIV/AIDS incidence, SE stands for socioeconomic factors, WLC stands for working and living conditions, SCN stands for social and community networks and ILF stands for individual lifestyle factors.

Methodology and Dataset


Methodology

- We will. . .

Datasets

- We will use the World Development Indicators (WDI) for the independent variables and a dataset from UNAIDS for the HIV/AIDS prevalence rate.

Findings



Conclusions and Limitation