
Testcases (examples/main) included in the full DualSPHysics package v5.0 in http://dual.sphysics.org/index.php/downloads/




06_WAVEMAKER • 3-D tank with Periodicity in Y direction and piston with sinusoidal movement. Video Density diffusion term is applied. 07_WAVEMAKERFILE Time: 0.00 s • 2-D tank with piston motion loaded from external file and external structure (STL). Video Time: 6.75 s Validation data from CIEMito experiment: numerical computation of wave surface elevation and force exerted onto the wall. 08_WAVESFLAP • 2-D regular waves generated with flap and comparison with 2nd order wave theory (beach). Video 2-D irregular waves generated with flap and comparison with 2nd order wave theory (beach). 09_WAVESPISTON 2-D regular waves with piston and comparison with 2nd order wave theory (beach & damping). Video • 2-D irregular waves with piston and comparison with 2nd order wave theory (beach & damping). Video 10_WAVESPISTONAWAS **AWAS** AWAS Time: 24.8 s Time: 49.2 s • 2-D regular waves generated with piston interacting with a vertical wall with and without AWAS. Forces against the wall and dike with and without AWAS are compared. Video No AWAS No AWAS • 2-D regular waves generated with piston interacting with a trapezoidal dike with and without AWAS. Forces against the wall and dike with and without AWAS are compared. Video

11_FLOATING


- 3-D floating box in a wave tank with Periodicity in Y direction and piston with sinusoidal movement. Delta-SPH is used. Video
- 2-D falling sphere that uses laminar+SPS viscosity. Validation data from [Fekken, 2004] and [Moyo and Greenhow, 2000]. Video


Time: 8.0 s



12_FLOATINGWAVES


- 2-D floating box under the action of non-linear waves with flap that reads rotational motion from a file and uses laminar+SPS viscosity. <u>Video</u>
 Validation data (motions of the box) from [Hadzic et al., 2005].
- 2-D floating box under the action of regular waves with piston. <u>Video</u> Validation data (motions of the box) from [Ren et al., 2015].






13_PUMP


• 3-D external geometries are imported (STL) and filling algorithm is used. Rotational movement is imposed. Video




14_DEM

- 2-D case only with DEM of a ball that impacts with blocks. Example without fluid particles. <u>Video</u>
- 3-D dam-break and blocks where interaction between blocks and with walls used DEM and properties of materials. <u>Video</u>
- 2-D case with 2000 floating objects that interact in terms of DEM approach. <u>Video</u>







15_Poiseuille Time: 1.00 s Velocity-X [m/s] • 2-D case of Poiseuille flow with laminar+SPS viscosity and using high resolution. Video Time: 2.50 s 16_SOLITARYWAVES Time: 4.40 s Time: 2.00 s 1) Rayleigh • 2-D solitary wave generated with 3 different theories. <u>Video</u> Time: 4.00 s 2) Boussinesq 2-D case of triple solitary waves. Video 3) KdV Time: 7.50 s 17_WAVERUNUP • 3-D regular waves interacting with a layer armour breakwater (STL) • Gauge system is used to compute Run-up. Video Validation data from CIEMito: wave surface elevation and wave run-up.