

funciones

5 ejemplos

cada función

SQL

COUNT

total de ordenes:

1. SELECT COUNT (*) AS total-ordenes FROM orders;

filtrar por columnas no null

2. SELECT COUNT (price) ordenes_con_precio FROM orders;

clientes unicos

3. SELECT COUNT (DISTINCT customer_id) FROM orders;

Empleados por departamento

4. SELECT dept, COUNT (*) FROM employees GROUP BY dept;

ordenes por cliente con filtro

5. SELECT customer_id, COUNT (*) AS num-ordenes
FROM orders

GROUP BY customer_id

HAVING COUNT (*) > 5;

Sum

total de ventas

1. SELECT SUM (amount) AS total-ventas FROM sales;

ingreso por cliente

2. SELECT customer_id, SUM (price * quantity) AS ingreso
FROM orders

GROUP BY customer_id;

salarios por departamento

3. Select dept, SUM (salary) FROM employees GROUP BY dept;

suma condicional

4. SELECT SUM (case WHEN status = 'completed' THEN total ELSE
0 END) AS ventas-completadas
FROM orders;

AVG

Promedio valores de notas

1 SELECT AVG (score) AS promedio from exam-results;

Salario medio por departamento

2 SELECT dept, AVG (salary) from employees Group By dept;

Promedio de stock

3 SELECT category, AVG (units_in_stock) from products Group by category;

Promedio filtro

4 SELECT AVG (price) from cars WHERE price > 20000;

Promedio movil con ventana

5 SELECT date, AVG (price) over(
order by date Rows BETWEEN 6 Preceding AND current row
) AS avg_7_days
from stock_prices;

MAX

Precio mas alto

1 SELECT MAX (price) from products;

ultima fecha de ingreso

2 select MAX (order-date) from orders;

salario maximo por departamento

3 Select dept MAX (SALARY) from employees Group by dept;

Mayor venta del dia

4 SELECT store_id, MAX (sale_amount)
from daily_sales

Group By store_id;

ultima fecha registrada

select MAX (updated_at) from my_table;

MIN

Precio mas bajo

1 SELECT MIN (price) from products;

Primer ingreso

2 SELECT MIN (order-date) from orders;

salario minimo por departamento

3 SELECT dept, MIN (salary) from employees Group by dept;

pedido con menor cantidad

4 SELECT order-id, MIN (quantity) from order_lines Group by order-id;

Menor fecha de nacimiento

5 SELECT MIN (date-of-birth) from students;

UPPER / LOWER

Nombres en mayusculas

1 SELECT UPPER (name) from employees;

correos en minusculas

2 SELECT lower (email) from users;

Comparación insensible

3 select * from products WHERE UPPER (category) = 'TOYS';

unir nombres

4 SELECT UPPER first_name, ' ', last_name) as nombre-completo
from customers;

Mostrar ciudades

5 SELECT DISTINCT (UPPER (city)) from address;

SUBSTRING / LENGTH / ROUND

Primeros 3 caracteres

1 SELECT substring code , 1, 3) from products;

lexico mas corto

2 SELECT name from items

where length (name) = (Select MIN (length name) from items);

Redondeo de precios

3 select Round (price, 2) from products;

longitud de descripción

4 select length (description) from products;

Extraer middle del SKU

5 select substring (sku, 4, 5) AS sku-parcial from inventory;

NOW / EXTRACT

fecha y hora actual

1 select now ();

Año de creación

2 select extract (year from created_at) from users;

Mes de orden

3 select extract (MONTH from order-date) AS mes, count (*)
from orders group by mes;

Filtro año

4 select * from sales WHERE extract (year from sale-date)=2025;

Timestamp legible

5 select DATE (created_at) AS fecha from logs;

STRING-AGG / GROUP-concat

Productos por categoría

1 select category, STRING-AGG (name, ',') AS productos
from products group by category;

Emails por cliente

2 select customer_id, STRING-AGG (email, ',') from emails group by
customer_id;

lista de tags

3 select post_id, group-concat (tag) AS tags

from post_tags group by post_id;

Artistas de album

4 select album_id, STRING_AGG(artist, ' &') from
album_artists group by album_id;

Ciudades por pais

5 SELECT country, STRING_AGG(DISTINCT city, ', ')

As ciudades

from addresses group by country;

LEAD

siguiente monto de venta

1 SELECT id, amount,
LEAD(amount) over (order by sale_date) As Next-amount
from sales;

venta siguiente por cliente

2. SELECT customer, sale_date, amount,
LEAD(amount) over (partition By customer order by
sale_date) As next-amount
from sales;

offset de dos filas adelante

3 SELECT id, amount,
LEAD(amount, 2) over (order by sale_date) As two-ahead
from sales;

Proximo Precio del producto

4 Select id, price
LEAD(price, 1, 0) over (order by date) As Next-Price
from price_history;

ventas mes a mes

5 SELECT month, sales, LEAD(sales, 2, 'NA') over (order by
month) As sales-in-2-months from monthly-sales;