YCBS 257 Data at Scale Group Assignment

Nicole Hong Ahmed Ibrahim Pranavkumar Pathak

November 17, 2022



Team 3

#### Introduction

Capable of Big Data processing

Selecting appropriate fields from a given file

Identifying the last position of flight & computing a distance

#### Objective



#### **Map Reduce**

Extract Flight Data and Summarize Flight Distance between Beijing and Data points, using Map Reduce



#### **JSON to CSV**

Reformat JSON
Objects & Strings to
CSV List



#### **Analysis**


Analyze Flight Data in CSV

#### Dataset Description

Data is coming from the following API:
Flight Aware Service Firehose: <a href="https://flightaware.com/commercial/firehose/">https://flightaware.com/commercial/firehose/</a>

Important Fields				
pitr	The POSIX epoch time the message was sent by the airplane (seconds since 1 January 1970)			
type	The type of message			
id	A unique id of that flight.			
ident	The flight number (not unique)			
dest	The destination airport code			
orig	The departure/origin airport code			
lat	Latitude			
lon	Longitude			
Clock	Timestamp			

#### Workflow



# Mapper - Workflow

**Split** 

Lines -> JSON

| Filter | Filt

Reader

File -> lines

File

JSON -> map(Key, Value)


Mapper

Sorted output file

**Output** 

File

### Input File



#### **Verification**

- Is the data structured in a table-like text file? Yes.
- Does every record span only 1 line? Yes.

{"pitr":"1535817842","type":"flightplan","ident":"UAL1080","aircrafttype":"B739","alt":"27000","dest":"KEWR","edt":
"1535896200","eta":"1535912391","facility\_hash":"81E755935A704D47","facility\_name":"","fdt":"1535896320","id":"UAL1
080-1535693184-


airline-0290","orig":"KSAN","reg":"N68880","route":"KSAN.ZZOOO2.IPL.J2.HEEDS.J2.HOGGZ.J2.GBN..ONM..KA30W .KK39C..CHELI..KK45G..KI51M..ROD..DORET.J584.SLT.FQM3.KEWR", "speed": "490", "status": "S", "waypoints": [{"lat": 32.7 3000,"lon":-117.19000},{"lat":32.75000,"lon":-117.28000},{"lat":32.73000,"lon":-117.27000},{"lat":32.68000,"lon ,{"lat":32.66000,"lon":-117.25000},{"lat":32.63000,"lon":-117.25000},{"lat":32.63000,"lon":-117.24000},{"l at":32.63000,"lon":-117.21000},{"lat":32.63000,"lon":-117.18000},{"lat":32.61000,"lon":-116.99000},{"lat":32.60000 lon":-116.92000},{"lat":32.63000,"lon":-116.80000},{"lat":32.63000,"lon":-116.79000},{"lat":32.63000,"lon":-116.77 000},{"lat":32.63000,"lon":-116.76000},{"lat":32.64000,"lon":-116.72000},{"lat":32.64000,"lon":-116.64000},{"lat":3 2.65000,"lon":-116.57000},{"lat":32.65000,"lon":-116.53000},{"lat":32.66000,"lon":-116.49000},{"lat":32.67000,"lon" :-116.38000},{"lat":32.68000,"lon":-116.24000},{"lat":32.69000,"lon":-116.17000},{"lat":32.69000,"lon":-116.14000} ("lat":32.70000,"lon":-116.03000},{"lat":32.70000,"lon":-116.03000},{"lat":32.75000,"lon":-115.51000},{"lat":32.760 00,"lon":-115.01000},{"lat":32.77000,"lon":-114.60000},{"lat":32.77000,"<u>lon":-114.07000},{"lat":32.78000,"lon</u>":-114 :33.51000,"lon":-110.50000},{"lat":33.59000,"lon":-110.17000},{"lat":33.67000,"lon":-109.83000},{"lat":33.91000,"l on":-108.79000},{"lat":34.34000,"lon":-106.82000},{"lat":34.38000,"lon":-106.66000},{"lat":34.88000,"lon":-104.5500 0},{"lat":35.00000,"lon":-104.00000},{"lat":35.03000,"lon":-103.89000},{"lat":35.26000,"lon":-102.98000},{"lat":35. .{"lat":36.14000,"lon":-99.47000},{"lat":36.38000,"lon":-98.49000},{"lat":36.50000,"lon":-98.00000},{"lat "lon":-97.74000},{"lat":36.72000,"lon":-97.00000},{"lat":36.94000,"lon":-96.00000} -94.93000},{"lat":37.50000,"lon":-94.00000},{"lat":37.68000,"lon":-93.07000},{"lat":37.76000,"lon":-92.60 -88.00000},{"lat":38.75000,"lon":-87.48000},{"lat":38.99000,"lon":-86.96000},{"lat":39.15000,"lon":-86.61000}

File name: 'groupassignmentdata.txt'

• File size: 12540 KB

• # rows: 19404

# Input Split



Every line in the text file is sent to the record reader.

```
# Define File I/O for mapper.
finput=open('groupassignmentdata.txt','r')
foutput=open('groupassignmentdata_mapped.txt','w')
```

```
# The 'input splitter' reads every line within the
input file object.
for line in finput:
    # Each line is sent to the 'record reader'.
    recordreader(line)
# Once each line has been read and processed, the
file I/O will close.
finput.close()
foutput.close()
```

### Record Reader



#### Every line is parsed and transformed into a JSON object.

```
# JSON library needed for 'record reader'.
import json


def recordreader(line):
    # Necessary to convert from text to JSON.
    data=json.loads(line)
    # The data can be passed to the key-value mapper.
    keyvaluemapper(data)
```

# Key Value Mapper



- Key: flight unique id,
- Values: ids, clock, latitude and longitude,
- Filter: Only position records.

#### Output




#### The output block writes to the output file two tabseparated columns being the keys and values.

```
SWA5019-1535606759-airline-0441
                                     {"ident": "SNA5019", "id": "SNA5019-1535606759-airline-0441", "clock": "1535817036", "lat": "39.16516", "lon": "-92.07074", "pitr": "1535817042"}
AZA1679-1535606747-airline-0175
                                     {"ident": "AZA1679", "id": "AZA1679-1535606747-airline-0175", "clock": "1535817836", "lat": "42.61734", "lon": "11.45730", "pitr": "1535817842"}
                                     ("ident": "AFL1125", "id": "AFL1125-1535606756-airline-0074", "clock": "1535817834", "lat": "51.04271", "lon": "39.23000", "pitr": "1535817842"},
AFL1125-1535606756-airline-0074
                                     {"ident": "ETD401", "id": "ETD401-1535606750-airline-0002", "clock": "1535817835", "lat": "17.38422", "lon": "84.39370", "pitr": "1535817842"}
ETD401-1535606750-airline-0002
                              {"ident": "N358T5", "id": "N358T5-1535806280-2-0-195", "clock": "1535817834", "lat": "41.63000", "lon": "-100.51694", "pitr": "1535817842"}
N358TS-1535806288-2-0-195
SWA4164-1535606759-airline-0592
                                     {"ident": "SWA4164", "id": "SWA4164-1535606759-airline-0592", "clock": "1535817834", "lat": "33.94342", "lon": "-118.48234", "pitr": "1535817842"}
 OTR1380-1535606755-airline-0075
                                     "ident": "QTR1380", "id": "QTR1380-1535606755-airline-0075", "clock": "1535817835", "lat": "36.26680", "lon": "17.06375", "pitr": "1535817842"}
                                     {"ident": "FFT164", "id": "FFT164-1535606750-airline-0257", "clock": "1535817833", "lat": "38.22253", "lon": "-89.87062", "pitr": "1535817842"}
FFT164-1535606750-airline-0257
UAE75-1535606750-airline-0027 {"ident": "UAE75", "id": "UAE75-1535606750-airline-0027", "clock": "1535817836", "lat": "48.90932", "lon": "17.46595", "pitr": "1535817842"}
AFL1224-1535606756-airline-0111
                                     {"ident": "AFL1224", "id": "AFL1224-1535606756-airline-0111", "clock": "1535017834", "lat": "55.66614", "lon": "40.62512", "pitr": "1535017842"}
                                     {"ident": "CES2926", "id": "CES2926-1535606754-airline-0127", "clock": "1535817835", "lat": "30.60539", "lon": "113.26727", "pitr": "1535817842"}
CES2926-1535606754-airline-0127
                                         "N8783L", "id": "N8783L-1535806760-4-0-111", "clock": "1535817834", "lat": "39.13472", "lon": "-105.44000", "pitr": "1535817842"}
EZY2836-1535606757-airline-0082
                                     {"ident": "EZY2836", "id": "EZY2836-1535606757-airline-0082", "clock": "1535817835", "lat": "43.50665", "lon": "12.39376", "pitr": "1535817842"}
                                     {"ident": "DAL2301", "id": "DAL2301-1535606749-airline-0544", "clock": "1535817834", "lat": "43.09750", "lon": "-100.37111", "pitr": "1535817842"}
DAL2301-1535606749-airline-0544
```

```
def mapperoutput(key,value):
    dataline = key+"\t"+json.dumps(value)+"\n"
    print(dataline)
    foutput.write(dataline)
```

#### Output & Sorted File



A sort command is used to sort the records in the original output in alphabetic order.

! sort < groupassignmentdata\_mapped.txt > groupassignmentdata\_mapped\_sorted.txt

```
SWA5019-1535606759-airline-0441 {"ident": "SWA5019", "id": "SWA5019-1535606759-airline-0441", "clock": "1535817836", "lat": "39.16516", "lon": "-92.07874", "pitr": "1535817842"}

A7A1679-1535606747-airline-0175 {"ident": "AZA1679", "id": "AZA1679-1535606747-airline-0175", "clock": "1535817836", "lat": "42.61734", "lon": "11.45730", "pitr": "1535817842"}

AFL1125-1535606756-airline-0002 {"ident": "ETD401", "id": "ETD401-1535606756-airline-0002", "clock": "1535817834", "lat": "17.38422", "lon": "84.39370", "pitr": "1535817842"}

BYMA164-15355006759-airline-0902 {"ident": "W15358178, "id": "W1558178, "lat": "1535817834", "lat": "17.84222", "lon": "84.39370", "pitr": "1535817842"}

SWA4164-15355006759-airline-0959 {"ident": "SWA4164, "id": "SWA4164-1535606759-airline-09592", "clock": "1535817834", "lat": "33.94342", "lon": "-118.48234", "pitr": "1535817842"}

SWA4164-1535606759-airline-0955 {"ident": "W18380", "id": "QTR1380", "id": "QTR1380", "id": "GTR1380", "clock": "1535817835", "lat": "33.24342", "lon": "-118.48234", "pitr": "1535817842"}

FFF164-15355006759-airline-0075 {"ident": "W1875", "id": "W1875", "id": "W1875", "id": "W1875", "clock": "1535817835", "lat": "33.22253", "lon": "-83.87662", "pitr": "1535817842"}


WAE75-1535606750-airline-0027 {"ident": "UAE75-1535606750-airline-0027", "clock": "1535817836", "lat": "48.90932", "lon": "17.46595", "pitr": "1535817842"}

WAE75-1535606756-airline-0111 {"ident": "W1875", "id": "W1875", "i
```


```
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817844", "lat": "39.83317", "lon": "-82.60590", "pitr": "1535817850"}
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817862", "lat": "39.83317", "lon": "-82.59790", "pitr": "1535817869"}
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817880", "lat": "39.84276", "lon": "-82.59790", "pitr": "1535817860"}
9H8362-1535606746-airline-0081 {"ident": "9H8362", "id": "9H8362-1535606746-airline-0081", "clock": "1535817858", "lat": "34.37253", "lon": "108.75512", "pitr": "1535817862"}
9H8392-1535606746-airline-0346 {"ident": "9H8392", "id": "9H8392-1535606746-airline-0346", "clock": "1535817858", "lat": "29.89295", "lon": "107.58849", "pitr": "1535817862"}
9H8400-1535606746-airline-0462 {"ident": "9H8400", "id": "9H8400-1535606746-airline-0462", "clock": "1535817858", "lat": "37.44200", "lon": "112.57389", "pitr": "1535817862"}
A07185-1535606746-airline-0261 {"ident": "A07185", "id": "A07185-1535606746-airline-0261", "clock": "1535817850", "lat": "-36.93115", "lon": "-57.68760", "pitr": "1535817888"}
AAF337-1535606759-airline-0173 {"ident": "AAF750", "id": "AAF257-1535606759-airline-0173", "clock": "1535817850", "lat": "37.29267", "lon": "37.49780", "pitr": "15358178862"}
AAF381-1535606759-airline-0431 {"ident": "AAF750", "id": "AAF750-1535606759-airline-0416", "clock": "1535817880", "lat": "37.292677", "lon": "4.70770", "pitr": "1535817886"}
AAF750-1535606759-airline-0116 {"ident": "AAF750", "id": "AAF750-1535606759-airline-0116", "clock": "1535817880", "lat": "42.56271", "lon": "4.70770", "pitr": "1535817880"}
AAF750-1535606759-airline-0116 {"ident": "AAF750", "id": "AAF750-1535606759-airline-0116", "clock": "1535817880", "lat": "42.56271", "lon": "4.71154", "pitr": "1535817880"}
```



# Reducer: General Process



# Reducer: Mapper Output & Input Split



```
finput = open('groupassignmentdata_mapped_sorted.txt','r')
foutput = open('groupassignmentdata_reducerout.txt','w')
```

• Set up:

- finput = Input File from the Sorted
Mapper Output File

- foutput = Output File

```
for line in finput:
```

```
if (line != ""):
    grouper(line)
```

Read the input line by line

Each line sent to the grouper function

# Reducer: Group Values by Key



Sorted Mapper Output File

```
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817844", "lat": "39.83317", "lon": "-82.60590", "
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817862", "lat": "39.83764", "lon": "-82.59790", "
40-1535813644-adhoc-0 {"ident": "40", "id": "40-1535813644-adhoc-0", "clock": "1535817880", "lat": "39.84276", "lon": "-82.58960", "
airline-0261 {"ident": "A07185", "id": "A07185-1535606746-airline-0261", "clock": "1535817850", "lat": "-36.93115", "lon": "-57.6876
airline-0261 {"ident": "A07185", "id": "A07185-1535606746-airline-0261", "clock": "1535817881", "lat": "-36.89484", "lon": "-57.6914
airline-0116 {"ident": "AAF750", "id": "AAF750-1535606759-airline-0116", "clock": "1535817850", "lat": "42.49988", "lon": "4.70770",
airline-0116 {"ident": "AAF750", "id": "AAF750-1535606759-airline-0116", "clock": "1535817882", "lat": "42.56271", "lon": "4.71154",
```

```
def grouper(line):
    global previous_key, data_array
    key, value = line.split("\t", 1)

if (key == previous_key or previous_key == ""):
    data_array.append(json.loads(value))

else:
    summarize(data_array)
    data_array = [json.loads(value)]
previous_key = key
```

- Mapper Output File is sorted by Key-Value, so all keys are grouped next to each other
- The reducer keeps all the values of a same key together
- When a new key appears, the collected values are passed for summarization

# Reducer: Summarize & Output

```
if (len(data_array) > 0):
    summarize(data_array)

foutput.close()
finput.close()
```

```
Mapper Output Split Split Split Summarize Output File
```

 Each set of data array is passed to 'summarize' function

- The summarize function to form data:
  - takes an array of values as input
  - grabs "ident" & "id" data
  - computes 'distance' from "lat" & "lon"
     data via 'haversine' function
- Data is then passed to 'reduceroutput' function

def reduceroutput(data):
 dataline = json.dumps(data) + "\n"
 foutput.write(dataline)

- A new JSON output object is built with sums and any other calculation as a result of the dataframe
- The function produces the new JSON object as an output.

#### Summarize: Distance Calculation

#### **Haversine Function:**

- 1 Parameters: latitudes  $\phi^1$   $\phi^2$  & longitudes  $\lambda^1$   $\lambda^2$  of two points
- Convert latitudes & longitudes in decimal degrees to radians, using 'map' function
- 3 Haversine formula:
  - a = Apply sine and cosine
  - c = Square root to 'a', multiply2, and apply arcsine
  - Return Value = apply r to 'c' to return distance in km

$$d = 2r\arcsin\left(\sqrt{\sin^2\left(\frac{\phi_2 - \phi_1}{2}\right) + \cos(\phi_1)\cos(\phi_2)\sin^2\left(\frac{\lambda_2 - \lambda_1}{2}\right)}\right)$$

- φ1 Latitude of Beijing
- φ2 Latitude of Dataset Point
- **λ1** Longitude of Beijing
- λ2 Longitude of Dataset Point
- 6,371 Radius of earth in kilometers
- Distance in kilometers

# Reducer: Output File

- The output in a text file with lines of JSON objects
- Each line is flight data relating to the following keys:
  - 'indent'
  - → 'id'
  - → 'distance'
- There are 9,747 lines generated from 'reduceroutput' function

```
{"ident": "40", "id": "40-1535813644-adhoc-0", "distance": 2862.2533535251728}
{"ident": "9H8362", "id": "9H8362-1535606746-airline-0081", "distance": 10586.255126854872}
{"ident": "9H8392", "id": "9H8392-1535606746-airline-0346", "distance": 11063.893125972274}
{"ident": "9H8400", "id": "9H8400-1535606746-airline-0462", "distance": 10110.524002180433}
{"ident": "A07185", "id": "A07185-1535606746-airline-0261", "distance": 10392.521979949335}
{"ident": "AAF257", "id": "AAF257-1535606759-airline-0173", "distance": 9304.352465010601}
{"ident": "AAF338", "id": "AAF338-1535606759-airline-0431", "distance": 8549.911192190686}
{"ident": "AAF750", "id": "AAF750-1535606759-airline-0116", "distance": 9122.480689506765}
{"ident": "AAH17", "id": "AAH17-1535785211-0-0-178", "distance": 4493.116111511879}
{"ident": "AAL1002", "id": "AAL1002-1535606746-airline-0022", "distance": 2593.975346684736}
{"ident": "AAL101", "id": "AAL101-1535606746-airline-0046", "distance": 3728.3033220923103}
{"ident": "AAL1019", "id": "AAL1019-1535606746-airline-0093", "distance": 1674.133945693281}
{"ident": "AAL1025", "id": "AAL1025-1535606746-airline-0164", "distance": 3431.605885325495}
{"ident": "AAL1028", "id": "AAL1028-1535606746-airline-0039", "distance": 3867.566040800657}
{"ident": "AAL1035", "id": "AAL1035-1535606746-airline-0035", "distance": 509.5597749615147}
{"ident": "AAL1036", "id": "AAL1036-1535606746-airline-0001", "distance": 3649.890295131772}
{"ident": "AAL1041", "id": "AAL1041-1535606746-airline-0123", "distance": 4120.661256671775}
{"ident": "AAL1042", "id": "AAL1042-1535606745-airline-0160", "distance": 3221.1958261068676}
{"ident": "AAL105", "id": "AAL105-1535606746-airline-0586", "distance": 6452.547104827609}
{"ident": "AAL1055", "id": "AAL1055-1535606746-airline-0235", "distance": 1635.324869403191}
{"ident": "AAL1056", "id": "AAL1056-1535606746-airline-0019", "distance": 1948.6990383676057}
{"ident": "AAL1064", "id": "AAL1064-1535606746-airline-0072", "distance": 836.58331730565}
{"ident": "AAL1078", "id": "AAL1078-1535606746-airline-0451", "distance": 3365.7252730063788}
{"ident": "AAL1079", "id": "AAL1079-1535606746-airline-0224", "distance": 511.3284677495727}
{"ident": "AAL1081", "id": "AAL1081-1535606746-airline-0456", "distance": 1163.352149572609}
```

## Create CSV List of All Flights

Convert JSON objects in text file to Pandas dataframe

```
with open('groupassignmentdata_reducerout.txt') as f:
    lines = f.readlines()
```

```
data output = []
for line in lines:
    data output.append(json.loads(line))
df = pd.DataFrame(data output)
```

ident distance 40-1535813644-adhoc-0 2862.253354 9H8362-1535606746-airline-0081 10586.255127 9H8392-1535606746-airline-0346 11063.893126 9H8400-1535606746-airline-0462 10110.524002 A07185-1535606746-airline-0261 10392.521980

Sort dataframe by distance in ascending order


df\_sorted = df.sort\_values(by=['distance']) df sorted

Export dataframe to CSV file

```
df sorted.to csv(
 flight list sorted by distance.csv',
 index=False)
```

Д	AutoSave Off 🖫 🧳	sorted_by_distance.csv ∨				
Fi	ile Home Insert	Page Layout For	rmulas Data	a Review View		
N34 - : × ✓ fx						
	А	В		С		
1	ident	id		distance		
2	SWA3339	SWA3339-1535606759-	airline-0526	67.65143285		
3	DAL502	DAL502-1535606749-ai	rline-0514	91.89590025		
4	N395JJ	N395JJ-1535816043-0-0	0-19	96.47376021		
5	SWA5266	SWA5266-1535606759-	airline-0597	105.8117712		
6	SWA3266	SWA3266-1535606759-	airline-0572	107.9799315		
7	UAL2129	UAL2129-1535606757-a	airline-0118	112.125186		
8	ASA1351	ASA1351-1535606747-a	airline-0333	118.5053184		
9	SWA4097	SWA4097-1535606759-	airline-0654	119.39001		

	ident	id	distance
7978	SWA3339	SWA3339-1535606759-airline-0526	67.651433
3293	DAL502	DAL502-1535606749-airline-0514	91.895900
5968	N395JJ	N395JJ-1535816043-0-0-19	96.473760
8123	SWA5266	SWA5266-1535606759-airline-0597	105.811771
7973	SWA3266	SWA3266-1535606759-airline-0572	107.979932
•••			



#### Conclusion

- Average distance for 9,747 flights was 8,382 km.
- Flight with the closest distance relative to Beijing was • China Southern Airline (CSN6284). The distance was 20 km.
- Flight with the furthest distance was *Aerolineas Argentinas Flight* (ARG1554). The distance was 19,722 km.
- American Airlines Group (AAL) had the most flights (443 times), and its relative average distance was 10,976 km.
- Grand China Air (GDC) had the lowest average
  distance of 71 km, and Andes Linease Aereas Flight
  (ANS) had the highest average distance of 19,589 km.

#### Thank You

Merci

