

```

import { useEffect, useState } from 'react';
import {
  Heart,
  MoreHorizontal,
  Play,
  Pause,
  SkipBack,
  SkipForward,
  Repeat,
  Shuffle,
  ChevronDown,
  Moon,
  Sun,
} from 'lucide-react';
import heroThumbnail from '../assets/hero.png';
import { usePlayerStore } from '../store/usePlayerStore';
import { useVisualizer } from '../hooks/useVisualizer';
import { VolumeControl } from '../VolumeControl';

interface NowPlayingProps {
  setView: (view: 'home' | 'library') => void;
}

export const NowPlaying = ({ setView }: NowPlayingProps) => {
  const [isLightMode, setIsLightMode] = useState(
    document.documentElement.classList.contains('light')
  );
  const {
    songs,
    currentTrack,
    lastTrack,
    isPlaying,
    togglePlay,
    seek,
    duration,
    setSeek,
    volume,
    setVolume,
    setTrack,
  } = usePlayerStore();

  const audioData = useVisualizer();
  const featuredTrack = currentTrack ?? lastTrack ?? songs[songs.length - 1] ?? songs ?? null;

  const formatTime = (s: number) =>
    `${Math.floor(s / 60)}:${Math.floor(s % 60)
      .toString()
      .padStart(2, '0')}`;

  const progressPercent = (seek / duration) * 100 || 0;

  useEffect(() => {
    const syncTheme = () => {

```

```

setIsLightMode(document.documentElement.classList.contains('light'));
};
window.addEventListener('themechange', syncTheme);
return () => window.removeEventListener('themechange', syncTheme);
}, []);

const toggleTheme = () => {
  document.documentElement.classList.toggle('light');
  window.dispatchEvent(new Event('themechange'));
};

// VISTA SIN TRACK SELECCIONADO (HOME / PREVIEW)
if (!currentTrack) {
  return (
    <div className="flex-1 h-full flex flex-col items-center justify-
between p-3 sm:p-4 md:p-10 pb-6 md:pb-0 relative overflow-hidden
transition-colors duration-500 bg-[var(--bg-main)]">
      <div className="absolute inset-0 -z-10 opacity-20 blur-[140px]
scale-150 transition-all duration-1000">
        <img
          src={featuredTrack?.coverUrl || heroThumbnail}
          alt=""
          className="w-full h-full object-cover"
        />
      </div>
      <div className="w-full max-w-4xl flex flex-col items-center
justify-between gap-4 h-full">
        <div className="w-full flex justify-between items-center
shrink-0 px-2 py-2">
          <button
            onClick={() => setView('library')}
            className="p-2 -ml-2 text-[var(--text-main)] opacity-40
hover:opacity-100 transition-all active:scale-90"
          >
            <ChevronDown size={32} strokeWidth={2.5} />
          </button>
          <span className="text-[10px] uppercase tracking-[0.5em] text-
[var(--text-main)] opacity-30 font-black">
            Now Playing
          </span>
          <button className="p-2 -mr-2 text-[var(--text-main)] opacity-
40 hover:opacity-100 transition-colors">
            <MoreHorizontal size={24} />
          </button>
        </div>

        <div className="flex-1 w-full flex flex-col items-center
justify-center gap-6 min-h-0">
          <button
            onClick={() => featuredTrack && setTrack(featuredTrack)}
            className="group relative w-full max-w-[280px] sm:max-w-
[320px] aspect-square rounded-[32px] sm:rounded-[40px] overflow-hidden

```

```

border border-[var(--glass-border)] shadow-[0_40px_80px_rgba(0,0,0,0.35)]
transition-transform duration-500 hover:scale-[1.02] active:scale-[0.98]"
    >
        <img
            src={featuredTrack?.coverUrl || heroThumbnail}
            alt={featuredTrack ? featuredTrack.title : 'Musie'}
            className="h-full w-full object-cover"
        />
        <div className="absolute inset-0 bg-gradient-to-t from-
black/70 via-black/20 to-transparent" />
        <div className="absolute left-4 right-4 bottom-4 flex
items-end justify-between gap-3 text-left">
            <div className="min-w-0">
                <p className="text-[10px] uppercase tracking-[0.5em]
text-white/60 font-black">
                    {featuredTrack ? 'Featured thumbnail' : 'Home'}
                </p>
                <h2 className="mt-2 text-2xl font-black text-white
tracking-tighter truncate">
                    {featuredTrack ? featuredTrack.title : 'Tu
reproductor está listo'}
                </h2>
                <p className="text-sm text-white/70 font-semibold
uppercase tracking-[0.25em] truncate">
                    {featuredTrack ? featuredTrack.artist : 'Entra a
Library para cargar música'}
                </p>
            </div>
            {featuredTrack ? (
                <div className="flex h-12 w-12 shrink-0 items-center
justify-center rounded-full bg-white text-black shadow-2xl transition-
transform group-hover:scale-105">
                    <Play size={20} fill="currentColor" className="ml-
0.5" />
                </div>
            ) : null}
        </div>
    </button>

    <div className="max-w-md text-center space-y-3 px-6">
        <h3 className="text-[clamp(1.35rem,4vw,2rem)] font-black
tracking-tighter text-[var(--text-main)]">
            Home
        </h3>
        <p className="text-sm md:text-base text-[var(--text-muted)]
leading-relaxed">
            {featuredTrack
                ? 'Toca el thumbnail para iniciar la reproducción y
entrar al modo Now Playing.'
                : 'Sube o selecciona una canción desde Library para que
aparezca aquí el thumbnail inicial.'}
        </p>
        <div className="flex items-center justify-center gap-3 pt-
2">

```

```

        <button
            onClick={() => setView('library')}
            className="px-5 py-3 rounded-full bg-[var(--text-main)]
text-[var(--bg-main)] font-black text-sm uppercase tracking-[0.2em]
hover:scale-105 transition-transform"
        >
            Ir a Library
        </button>
        {featuredTrack ? (
            <button
                onClick={() => setTrack(featuredTrack)}
                className="px-5 py-3 rounded-full border border-
[var(--glass-border)] text-[var(--text-main)] font-black text-sm
uppercase tracking-[0.2em] hover:bg-[var(--glass-bg)] transition-colors"
            >
                Play
            </button>
        ) : null}
    </div>
</div>
</div>
</div>
</div>
);
}

```

```

// VISTA REPRODUCIENDO (NOW PLAYING ACTIVO)
return (
    <div className="flex-1 h-full flex flex-col items-center justify-
between p-3 sm:p-4 md:p-10 pb-4 md:pb-0 relative overflow-hidden
transition-colors duration-500 bg-[var(--bg-main)]">
        {/* 1. FONDO DINÁMICO */}
        <div className="absolute inset-0 -z-10 opacity-20 blur-[140px]
scale-150 transition-all duration-1000">
            <img src={currentTrack.coverUrl} alt="" className="w-full h-full
object-cover" />
        </div>

        {/* CONTENEDOR ADAPTATIVO: Restringe el ancho máximo en XL
(`xl:max-w-2xl`) para proteger los márgenes verticales originales */}
        <div className="w-full max-w-5xl xl:max-w-4xl 2xl:max-w-4xl h-full
flex flex-col landscape:flex-row xl:landscape:flex-col justify-between
items-center gap-2 landscape:gap-1 xl:gap-0 pb-4 md:pb-10 min-h-0
transition-all duration-500 ease-in-out landscape:px-4 xl:landscape:px-0
mx-auto">
            {/* BLOQUE SUPERIOR (Cabecera y Portada Protagonista) */}
            <div className="w-full landscape:w-1/2 xl:landscape:w-full h-full
flex flex-col justify-between items-center min-h-0 transition-all
duration-500">
                {/* 2. CABECERA */}
                <div className="w-full flex justify-between items-center
shrink-0 px-0 py-0">
                    <button
                        onClick={() => setView('library')}

```

```

        className="p-2 -ml-2 text-[var(--text-main)] opacity-40
hover:opacity-100 transition-all active:scale-90"
    >
        <ChevronDown size={32} strokeWidth={2.5} />
    </button>
    <span className="text-[10px] uppercase tracking-[0.5em] text-
[var(--text-main)] opacity-30 font-black">
        Now Playing
    </span>
    <button className="p-2 -mr-2 text-[var(--text-main)] opacity-
40 hover:opacity-100 transition-colors">
        <MoreHorizontal size={24} />
    </button>
</div>

    {/* 3. PORTADA: Escalado armónico */}
    <div className="relative group flex-1 flex items-center
justify-center min-h-0 w-full px-[clamp(1rem,5vw,2rem)] my-
[clamp(0.25rem,2vw,1rem)]">
        <div className="absolute h-[90%] aspect-square bg-blue-600/10
rounded-full blur-[90px] opacity-80 group-hover:scale-105 transition-
transform duration-1000" />
        <img
            src={currentTrack.coverUrl}
            alt={currentTrack.title}
            className="h-full max-h-[clamp(200px,50vh,620px)]
landscape:max-h-[78vh] xl:max-h-[none] xl:w-full xl:max-w-[520px]
2xl:max-w-[600px] aspect-square object-cover rounded-
[clamp(28px,5vw,56px)] shadow-[0_50px_100px_rgba(0,0,0,0.45)] border
border-[var(--glass-border)] transition-transform duration-700"
        />
    </div>
</div>

    {/* BLOQUE DE CONTROL INTERACTIVO: Distribución original
`justify-between` recuperada con anchos estéticos */}
    <div className="w-full landscape:w-1/2 xl:landscape:w-full flex
flex-col justify-between h-full xl:h-auto gap-2 landscape:gap-2 xl:gap-4
shrink-0 min-h-0 max-w-xl mx-auto">
        {/* 4. INFO PISTA CON MÁRGENES ORIGINALES */}
        <div className="w-full flex items-center justify-center px-
[clamp(1rem,4vw,2rem)] landscape:px-0 xl:px-0 shrink-0 relative py-2 gap-
4">
            <button
                className="flex h-10 w-10 sm:h-11 sm:w-11 items-center
justify-center rounded-full bg-[var(--glass-bg)] border border-[var(--
glass-border)] text-[var(--text-muted)] shadow-[var(--glass-shadow)]
backdrop-blur-xl hover:text-[var(--text-main)] active:scale-90
transition-all shrink-0"
                onClick={toggleTheme}
            >
                {isLightMode ? (
                    <Sun className="h-4 w-4 sm:h-5 sm:w-5 transition-colors"
/>

```

```

        ) : (
            <Moon className="h-4 w-4 sm:h-5 sm:w-5 transition-colors"
/>

        )}
    </button>

    <div className="flex flex-col items-center xl:items-center
text-center flex-1 min-w-0">
        <h2 className="text-[clamp(1.1rem,4vw,1.6rem)] xl:text-2xl
font-black text-[var(--text-main)] tracking-tighter leading-tight
truncate w-full">
            {currentTrack.title}
        </h2>
        <p className="text-[clamp(0.6rem,1.5vw,1rem)] xl:text-sm
text-blue-500 font-bold tracking-[0.2em] uppercase mt-1 opacity-80 line-
clamp-1 w-full">
            {currentTrack.artist}
        </p>
    </div>

    <button className="flex h-10 w-10 sm:h-11 sm:w-11 items-
center justify-center rounded-full bg-[var(--glass-bg)] border border-
[var(--glass-border)] text-[var(--text-muted)] shadow-[var(--glass-
shadow)] backdrop-blur-xl hover:text-red-500 active:scale-90 transition-
all shrink-0">
        <Heart className="h-4 w-4 sm:h-5 sm:w-5 hover:fill-red-500
transition-colors" />
    </button>
</div>

    {/* 5. VISUALIZER */}
    <div className="w-full px-[clamp(1rem,5vw,2rem)] landscape:px-0
shrink-0">
        <div className="relative h-[clamp(2rem,10vw,3.5rem)]
landscape:h-10 xl:h-14 flex items-end justify-center gap-
[clamp(2px,1vw,4px)] mb-3">
            <input
                type="range"
                min="0"
                max={duration || 0}
                step="0.1"
                value={seek}
                onChange={(e) => setSeek(parseFloat(e.target.value))}
                className="absolute bottom-0 left-0 w-full h-8 opacity-0
z-30 cursor-pointer"
            />
            {Array.from(audioData)
                .slice(0, 50)
                .map((v, i) => {
                    const isPlayed = (i / 50) * 100 < progressPercent;
                    return (
                        <div
                            key={i}

```

```

        className={`flex-1 rounded-full transition-all
duration-75 ${
        isPlayed
        ? 'bg-gradient-to-t from-blue-600 to-purple-500
shadow-[0_0_15px_rgba(37,99,235,0.2)]'
        : 'bg-gray-500/20 opacity-30'
        }}
        style={{ height: `${Math.max(20, (v / 255) *
100)}%` }}
    />
    );
    }}}
</div>

```

```

    <div className="flex justify-between items-center px-1 font-
mono text-[clamp(0.6rem,1.5vw,0.8rem)] xl:text-xs text-gray-500 font-bold
tracking-tighter gap-2">
        <span className="w-12 text-left shrink-
0">{formatTime(seek)}</span>
        <div className="h-[1px] flex-1 mx-2 bg-gray-500/10
relative">
            <div
                className="absolute inset-y-0 left-0 bg-blue-500/30"
                style={{ width: `${progressPercent}%` }}
            />
        </div>
        <span className="w-12 text-right shrink-
0">{formatTime(duration)}</span>
    </div>
</div>

```

```

    {/* 6. CONTROLES DE REPRODUCCIÓN */}
    <div className="w-full max-w-sm landscape:max-w-none xl:max-w-
md mx-auto flex flex-col gap-4 landscape:gap-2 xl:gap-5 px-
[clamp(0.5rem,3vw,1rem)] landscape:px-0">
        <div className="flex items-center justify-between">
            <button className="p-3 text-gray-500 hover:text-blue-500
active:scale-75 transition-transform">
                <Shuffle className="h-6 w-6" />
            </button>

            <div className="flex items-center gap-8 landscape:gap-14
xl:gap-10 flex-1 justify-center">
                <button className="p-3 text-[var(--text-main)] opacity-60
hover:opacity-100 active:scale-75 transition-all">
                    <SkipBack className="h-7 w-7" fill="currentColor" />
                </button>
                <button
                    onClick={togglePlay}
                    className="flex items-center justify-center bg-[var(--
text-main)] text-[var(--bg-main)] rounded-full shadow-2xl hover:scale-105
active:scale-95 transition-all h-14 w-14 landscape:h-16 landscape:w-16
xl:h-16 xl:w-16 shrink-0"
                >

```

```

        {isPlaying ? (
            <Pause className="h-6 w-6 landscape:h-7 landscape:w-
7" fill="currentColor" />
        ) : (
            <Play
            className="h-6 w-6 landscape:h-7 landscape:w-7 ml-
0.5"
            fill="currentColor"
            />
        )}
    </button>
    <button className="p-3 text-[var(--text-main)] opacity-60
hover:opacity-100 active:scale-75 transition-all">
        <SkipForward className="h-7 w-7" fill="currentColor" />
    </button>
</div>

    <button className="p-3 text-gray-500 hover:text-blue-500
active:scale-75 transition-transform">
        <Repeat className="h-6 w-6" />
    </button>
</div>

    {/* 7. BARRA DE VOLUMEN INTEGRADA */}
    <div className="w-full pt-0">
        <VolumeControl volume={volume} onVolumeChange={setVolume}
showLabel={true} />
    </div>
</div>
</div>
</div>
</div>
</div>
);
};

```