PLAGIARISM DETECTION REPORT

Target document: CO-Wise Question Bank.docx
Generated: 2026-10-07T08:17:40.713089+05:30

1. CO-Wise Question Bank.docx

Overall similarity: 100.00% | Cosine: 100.00% | Exact: 100.00% | Partial: 100.00% | Unique: 0.00%
Classification: HIGH

Exact matches:

"co 1 sample questions texthack deployed legal firm" | target tokens 0-8
"1 sample questions texthack deployed legal firm needs" | target tokens 1-9
"sample questions texthack deployed legal firm needs locate" | target tokens 2-10
"questions texthack deployed legal firm needs locate exact" | target tokens 3-11
"texthack deployed legal firm needs locate exact phrase" | target tokens 4-12
"deployed legal firm needs locate exact phrase force" | target tokens 5-13
"legal firm needs locate exact phrase force majeure" | target tokens 6-14
"firm needs locate exact phrase force majeure across" | target tokens 7-15
"needs locate exact phrase force majeure across thousands" | target tokens 8-16
"locate exact phrase force majeure across thousands contracts" | target tokens 9-17
"exact phrase force majeure across thousands contracts while" | target tokens 10-18
"phrase force majeure across thousands contracts while also" | target tokens 11-19
"force majeure across thousands contracts while also flagging" | target tokens 12-20
"majeure across thousands contracts while also flagging clauses" | target tokens 13-21
"across thousands contracts while also flagging clauses worded" | target tokens 14-22
"thousands contracts while also flagging clauses worded similarly" | target tokens 15-23
"contracts while also flagging clauses worded similarly not" | target tokens 16-24
"while also flagging clauses worded similarly not identical" | target tokens 17-25
"also flagging clauses worded similarly not identical standard" | target tokens 18-26
"flagging clauses worded similarly not identical standard template" | target tokens 19-27
"clauses worded similarly not identical standard template clause" | target tokens 20-28
"worded similarly not identical standard template clause explain" | target tokens 21-29
"similarly not identical standard template clause explain which" | target tokens 22-30
"not identical standard template clause explain which specific" | target tokens 23-31
"identical standard template clause explain which specific functionality" | target tokens 24-32
"standard template clause explain which specific functionality pattern" | target tokens 25-33
"template clause explain which specific functionality pattern search" | target tokens 26-34
"clause explain which specific functionality pattern search vs" | target tokens 27-35
"explain which specific functionality pattern search vs fuzzy" | target tokens 28-36
"which specific functionality pattern search vs fuzzy matching" | target tokens 29-37
"specific functionality pattern search vs fuzzy matching applies" | target tokens 30-38
"functionality pattern search vs fuzzy matching applies each" | target tokens 31-39
"pattern search vs fuzzy matching applies each requirement" | target tokens 32-40
"search vs fuzzy matching applies each requirement describe" | target tokens 33-41
"vs fuzzy matching applies each requirement describe working" | target tokens 34-42
"fuzzy matching applies each requirement describe working example" | target tokens 35-43
"matching applies each requirement describe working example how" | target tokens 36-44
"applies each requirement describe working example how each" | target tokens 37-45
"each requirement describe working example how each would" | target tokens 38-46
"requirement describe working example how each would process" | target tokens 39-47

"describe working example how each would process sample" | target tokens 40-48
"working example how each would process sample contract" | target tokens 41-49
"example how each would process sample contract clause" | target tokens 42-50
"how each would process sample contract clause research" | target tokens 43-51
"each would process sample contract clause research institute" | target tokens 44-52
"would process sample contract clause research institute uses" | target tokens 45-53
"process sample contract clause research institute uses texthack" | target tokens 46-54
"sample contract clause research institute uses texthack detect" | target tokens 47-55
"contract clause research institute uses texthack detect near" | target tokens 48-56
"clause research institute uses texthack detect near duplicate" | target tokens 49-57
"research institute uses texthack detect near duplicate submissions" | target tokens 50-58
"institute uses texthack detect near duplicate submissions repository" | target tokens 51-59
"uses texthack detect near duplicate submissions repository 10" | target tokens 52-60
"texthack detect near duplicate submissions repository 10 000" | target tokens 53-61
"detect near duplicate submissions repository 10 000 research" | target tokens 54-62
"near duplicate submissions repository 10 000 research papers" | target tokens 55-63
"duplicate submissions repository 10 000 research papers trace" | target tokens 56-64
"submissions repository 10 000 research papers trace how" | target tokens 57-65
"repository 10 000 research papers trace how citations" | target tokens 58-66
"10 000 research papers trace how citations flow" | target tokens 59-67
"000 research papers trace how citations flow foundational" | target tokens 60-68
"research papers trace how citations flow foundational papers" | target tokens 61-69
"papers trace how citations flow foundational papers recent" | target tokens 62-70
"trace how citations flow foundational papers recent ones" | target tokens 63-71
"how citations flow foundational papers recent ones specific" | target tokens 64-72
"citations flow foundational papers recent ones specific sub" | target tokens 65-73
"flow foundational papers recent ones specific sub field" | target tokens 66-74
"foundational papers recent ones specific sub field explain" | target tokens 67-75
"papers recent ones specific sub field explain concrete" | target tokens 68-76
"recent ones specific sub field explain concrete scenario" | target tokens 69-77
"ones specific sub field explain concrete scenario how" | target tokens 70-78
"specific sub field explain concrete scenario how document" | target tokens 71-79
"sub field explain concrete scenario how document similarity" | target tokens 72-80
"field explain concrete scenario how document similarity analysis" | target tokens 73-81
"explain concrete scenario how document similarity analysis citation" | target tokens 74-82
"concrete scenario how document similarity analysis citation flow" | target tokens 75-83
"scenario how document similarity analysis citation flow analysis" | target tokens 76-84
"how document similarity analysis citation flow analysis would" | target tokens 77-85
"document similarity analysis citation flow analysis would each" | target tokens 78-86
"similarity analysis citation flow analysis would each applied" | target tokens 79-87
"analysis citation flow analysis would each applied here" | target tokens 80-88
"citation flow analysis would each applied here describe" | target tokens 81-89
"flow analysis would each applied here describe what" | target tokens 82-90
"analysis would each applied here describe what output" | target tokens 83-91
"would each applied here describe what output each" | target tokens 84-92
"each applied here describe what output each functionality" | target tokens 85-93
"applied here describe what output each functionality would" | target tokens 86-94
"here describe what output each functionality would generate" | target tokens 87-95
"describe what output each functionality would generate institute" | target tokens 88-96

"what output each functionality would generate institute online" | target tokens 89-97
"output each functionality would generate institute online examination" | target tokens 90-98
"each functionality would generate institute online examination platform" | target tokens 91-99
"functionality would generate institute online examination platform built" | target tokens 92-100
"would generate institute online examination platform built texthack" | target tokens 93-101
"generate institute online examination platform built texthack must" | target tokens 94-102
"institute online examination platform built texthack must schedule" | target tokens 95-103
"online examination platform built texthack must schedule multiple" | target tokens 96-104
"examination platform built texthack must schedule multiple proctoring" | target tokens 97-105
"platform built texthack must schedule multiple proctoring tasks" | target tokens 98-106
"built texthack must schedule multiple proctoring tasks exam" | target tokens 99-107
"texthack must schedule multiple proctoring tasks exam slots" | target tokens 100-108
"must schedule multiple proctoring tasks exam slots without" | target tokens 101-109
"schedule multiple proctoring tasks exam slots without resource" | target tokens 102-110
"multiple proctoring tasks exam slots without resource conflicts" | target tokens 103-111
"proctoring tasks exam slots without resource conflicts b" | target tokens 104-112
"tasks exam slots without resource conflicts b generate" | target tokens 105-113
"exam slots without resource conflicts b generate secure" | target tokens 106-114
"slots without resource conflicts b generate secure session" | target tokens 107-115
"without resource conflicts b generate secure session tokens" | target tokens 108-116
"resource conflicts b generate secure session tokens rely" | target tokens 109-117
"conflicts b generate secure session tokens rely large" | target tokens 110-118
"b generate secure session tokens rely large prime" | target tokens 111-119
"generate secure session tokens rely large prime numbers" | target tokens 112-120
"secure session tokens rely large prime numbers cryptographic" | target tokens 113-121
"session tokens rely large prime numbers cryptographic strength" | target tokens 114-122
"tokens rely large prime numbers cryptographic strength explain" | target tokens 115-123
"rely large prime numbers cryptographic strength explain how" | target tokens 116-124
"large prime numbers cryptographic strength explain how scheduling" | target tokens 117-125
"prime numbers cryptographic strength explain how scheduling demonstration" | target tokens 118-126
"numbers cryptographic strength explain how scheduling demonstration functionality" | target tokens 119-127
"cryptographic strength explain how scheduling demonstration functionality large" | target tokens 120-128
"strength explain how scheduling demonstration functionality large prime" | target tokens 121-129
"explain how scheduling demonstration functionality large prime testing" | target tokens 122-130
"how scheduling demonstration functionality large prime testing functionality" | target tokens 123-131
"scheduling demonstration functionality large prime testing functionality would" | target tokens 124-132
"demonstration functionality large prime testing functionality would each" | target tokens 125-133
"functionality large prime testing functionality would each applied" | target tokens 126-134
"large prime testing functionality would each applied scenario" | target tokens 127-135
"prime testing functionality would each applied scenario illustrating" | target tokens 128-136
"testing functionality would each applied scenario illustrating role" | target tokens 129-137
"functionality would each applied scenario illustrating role each" | target tokens 130-138
"would each applied scenario illustrating role each plays" | target tokens 131-139
"each applied scenario illustrating role each plays platform" | target tokens 132-140
"applied scenario illustrating role each plays platform s" | target tokens 133-141
"scenario illustrating role each plays platform s overall" | target tokens 134-142
"illustrating role each plays platform s overall operation" | target tokens 135-143
"role each plays platform s overall operation texthack" | target tokens 136-144
"each plays platform s overall operation texthack receives" | target tokens 137-145

"plays platform s overall operation texthack receives three" | target tokens 138-146
"platform s overall operation texthack receives three different" | target tokens 139-147
"s overall operation texthack receives three different user" | target tokens 140-148
"overall operation texthack receives three different user queries" | target tokens 141-149
"operation texthack receives three different user queries single" | target tokens 142-150
"texthack receives three different user queries single day" | target tokens 143-151
"receives three different user queries single day find" | target tokens 144-152
"three different user queries single day find all" | target tokens 145-153
"different user queries single day find all exact" | target tokens 146-154
"user queries single day find all exact occurrences" | target tokens 147-155
"queries single day find all exact occurrences keyword" | target tokens 148-156
"single day find all exact occurrences keyword 1gb" | target tokens 149-157
"day find all exact occurrences keyword 1gb log" | target tokens 150-158
"find all exact occurrences keyword 1gb log file" | target tokens 151-159
"all exact occurrences keyword 1gb log file ii" | target tokens 152-160
"exact occurrences keyword 1gb log file ii align" | target tokens 153-161
"occurrences keyword 1gb log file ii align two" | target tokens 154-162
"keyword 1gb log file ii align two versions" | target tokens 155-163
"1gb log file ii align two versions manuscript" | target tokens 156-164
"log file ii align two versions manuscript show" | target tokens 157-165
"file ii align two versions manuscript show edits" | target tokens 158-166
"ii align two versions manuscript show edits iii" | target tokens 159-167
"align two versions manuscript show edits iii assign" | target tokens 160-168
"two versions manuscript show edits iii assign reviewers" | target tokens 161-169
"versions manuscript show edits iii assign reviewers papers" | target tokens 162-170
"manuscript show edits iii assign reviewers papers such" | target tokens 163-171
"show edits iii assign reviewers papers such workload" | target tokens 164-172
"edits iii assign reviewers papers such workload balanced" | target tokens 165-173
"iii assign reviewers papers such workload balanced conflicts" | target tokens 166-174
"assign reviewers papers such workload balanced conflicts interest" | target tokens 167-175
"reviewers papers such workload balanced conflicts interest avoided" | target tokens 168-176
"papers such workload balanced conflicts interest avoided evaluate" | target tokens 169-177
"such workload balanced conflicts interest avoided evaluate which" | target tokens 170-178
"workload balanced conflicts interest avoided evaluate which algorithmic" | target tokens 171-179
"balanced conflicts interest avoided evaluate which algorithmic category" | target tokens 172-180
"conflicts interest avoided evaluate which algorithmic category string" | target tokens 173-181
"interest avoided evaluate which algorithmic category string algorithms" | target tokens 174-182
"avoided evaluate which algorithmic category string algorithms dynamic" | target tokens 175-183
"evaluate which algorithmic category string algorithms dynamic programming" | target tokens 176-184
"which algorithmic category string algorithms dynamic programming network" | target tokens 177-185
"algorithmic category string algorithms dynamic programming network flow" | target tokens 178-186
"category string algorithms dynamic programming network flow best" | target tokens 179-187
"string algorithms dynamic programming network flow best suits" | target tokens 180-188
"algorithms dynamic programming network flow best suits each" | target tokens 181-189
"dynamic programming network flow best suits each query" | target tokens 182-190
"programming network flow best suits each query justify" | target tokens 183-191
"network flow best suits each query justify choice" | target tokens 184-192
"flow best suits each query justify choice based" | target tokens 185-193
"best suits each query justify choice based nature" | target tokens 186-194

"suits each query justify choice based nature each" | target tokens 187-195
"each query justify choice based nature each problem" | target tokens 188-196
"query justify choice based nature each problem user" | target tokens 189-197
"justify choice based nature each problem user submits" | target tokens 190-198
"choice based nature each problem user submits query" | target tokens 191-199
"based nature each problem user submits query asking" | target tokens 192-200
"nature each problem user submits query asking texthack" | target tokens 193-201
"each problem user submits query asking texthack find" | target tokens 194-202
"problem user submits query asking texthack find reasonably" | target tokens 195-203
"user submits query asking texthack find reasonably good" | target tokens 196-204
"submits query asking texthack find reasonably good not" | target tokens 197-205
"query asking texthack find reasonably good not necessarily" | target tokens 198-206
"asking texthack find reasonably good not necessarily optimal" | target tokens 199-207
"texthack find reasonably good not necessarily optimal itinerary" | target tokens 200-208
"find reasonably good not necessarily optimal itinerary covering" | target tokens 201-209
"reasonably good not necessarily optimal itinerary covering 50" | target tokens 202-210
"good not necessarily optimal itinerary covering 50 cities" | target tokens 203-211
"not necessarily optimal itinerary covering 50 cities due" | target tokens 204-212
"necessarily optimal itinerary covering 50 cities due time" | target tokens 205-213
"optimal itinerary covering 50 cities due time constraints" | target tokens 206-214
"itinerary covering 50 cities due time constraints while" | target tokens 207-215
"covering 50 cities due time constraints while another" | target tokens 208-216
"50 cities due time constraints while another user" | target tokens 209-217
"cities due time constraints while another user asks" | target tokens 210-218
"due time constraints while another user asks quick" | target tokens 211-219
"time constraints while another user asks quick estimate" | target tokens 212-220
"constraints while another user asks quick estimate whether" | target tokens 213-221
"while another user asks quick estimate whether 300" | target tokens 214-222
"another user asks quick estimate whether 300 digit" | target tokens 215-223
"user asks quick estimate whether 300 digit number" | target tokens 216-224
"asks quick estimate whether 300 digit number prime" | target tokens 217-225
"quick estimate whether 300 digit number prime evaluate" | target tokens 218-226
"estimate whether 300 digit number prime evaluate why" | target tokens 219-227
"whether 300 digit number prime evaluate why approximation" | target tokens 220-228
"300 digit number prime evaluate why approximation algorithms" | target tokens 221-229
"digit number prime evaluate why approximation algorithms would" | target tokens 222-230
"number prime evaluate why approximation algorithms would preferred" | target tokens 223-231
"prime evaluate why approximation algorithms would preferred first" | target tokens 224-232
"evaluate why approximation algorithms would preferred first query" | target tokens 225-233
"why approximation algorithms would preferred first query randomized" | target tokens 226-234
"approximation algorithms would preferred first query randomized algorithms" | target tokens 227-235
"algorithms would preferred first query randomized algorithms second" | target tokens 228-236
"would preferred first query randomized algorithms second discussing" | target tokens 229-237
"preferred first query randomized algorithms second discussing trade" | target tokens 230-238
"first query randomized algorithms second discussing trade offs" | target tokens 231-239
"query randomized algorithms second discussing trade offs each" | target tokens 232-240
"randomized algorithms second discussing trade offs each category" | target tokens 233-241
"algorithms second discussing trade offs each category makes" | target tokens 234-242
"second discussing trade offs each category makes between" | target tokens 235-243

"discussing trade offs each category makes between accuracy" | target tokens 236-244
"trade offs each category makes between accuracy speed" | target tokens 237-245
"offs each category makes between accuracy speed guaranteed" | target tokens 238-246
"each category makes between accuracy speed guaranteed correctness" | target tokens 239-247
"category makes between accuracy speed guaranteed correctness texthack" | target tokens 240-248
"makes between accuracy speed guaranteed correctness texthack s" | target tokens 241-249
"between accuracy speed guaranteed correctness texthack s helpdesk" | target tokens 242-250
"accuracy speed guaranteed correctness texthack s helpdesk logs" | target tokens 243-251
"speed guaranteed correctness texthack s helpdesk logs show" | target tokens 244-252
"guaranteed correctness texthack s helpdesk logs show recurring" | target tokens 245-253
"correctness texthack s helpdesk logs show recurring categories" | target tokens 246-254
"texthack s helpdesk logs show recurring categories requests" | target tokens 247-255
"s helpdesk logs show recurring categories requests exact" | target tokens 248-256
"helpdesk logs show recurring categories requests exact fuzzy" | target tokens 249-257
"logs show recurring categories requests exact fuzzy text" | target tokens 250-258
"show recurring categories requests exact fuzzy text search" | target tokens 251-259
"recurring categories requests exact fuzzy text search optimal" | target tokens 252-260
"categories requests exact fuzzy text search optimal resource" | target tokens 253-261
"requests exact fuzzy text search optimal resource allocation" | target tokens 254-262
"exact fuzzy text search optimal resource allocation under" | target tokens 255-263
"fuzzy text search optimal resource allocation under constraints" | target tokens 256-264
"text search optimal resource allocation under constraints large" | target tokens 257-265
"search optimal resource allocation under constraints large scale" | target tokens 258-266
"optimal resource allocation under constraints large scale network" | target tokens 259-267
"resource allocation under constraints large scale network routing" | target tokens 260-268
"allocation under constraints large scale network routing between" | target tokens 261-269
"under constraints large scale network routing between document" | target tokens 262-270
"constraints large scale network routing between document servers" | target tokens 263-271
"large scale network routing between document servers evaluate" | target tokens 264-272
"scale network routing between document servers evaluate how" | target tokens 265-273
"network routing between document servers evaluate how each" | target tokens 266-274
"routing between document servers evaluate how each query" | target tokens 267-275
"between document servers evaluate how each query categories" | target tokens 268-276
"document servers evaluate how each query categories maps" | target tokens 269-277
"servers evaluate how each query categories maps distinct" | target tokens 270-278
"evaluate how each query categories maps distinct algorithmic" | target tokens 271-279
"how each query categories maps distinct algorithmic paradigm" | target tokens 272-280
"each query categories maps distinct algorithmic paradigm string" | target tokens 273-281
"query categories maps distinct algorithmic paradigm string algorithms" | target tokens 274-282
"categories maps distinct algorithmic paradigm string algorithms dynamic" | target tokens 275-283
"maps distinct algorithmic paradigm string algorithms dynamic programming" | target tokens 276-284
"distinct algorithmic paradigm string algorithms dynamic programming network" | target tokens 277-285
"algorithmic paradigm string algorithms dynamic programming network flow" | target tokens 278-286
"paradigm string algorithms dynamic programming network flow respectively" | target tokens 279-287
"string algorithms dynamic programming network flow respectively explaining" | target tokens 280-288
"algorithms dynamic programming network flow respectively explaining what" | target tokens 281-289
"dynamic programming network flow respectively explaining what would" | target tokens 282-290
"programming network flow respectively explaining what would go" | target tokens 283-291
"network flow respectively explaining what would go wrong" | target tokens 284-292

"flow respectively explaining what would go wrong efficiency" | target tokens 285-293
"respectively explaining what would go wrong efficiency wise" | target tokens 286-294
"explaining what would go wrong efficiency wise wrong" | target tokens 287-295
"what would go wrong efficiency wise wrong paradigm" | target tokens 288-296
"would go wrong efficiency wise wrong paradigm applied" | target tokens 289-297
"go wrong efficiency wise wrong paradigm applied given" | target tokens 290-298
"wrong efficiency wise wrong paradigm applied given query" | target tokens 291-299
"efficiency wise wrong paradigm applied given query type" | target tokens 292-300
"wise wrong paradigm applied given query type texthack" | target tokens 293-301
"wrong paradigm applied given query type texthack s" | target tokens 294-302
"paradigm applied given query type texthack s development" | target tokens 295-303
"applied given query type texthack s development team" | target tokens 296-304
"given query type texthack s development team designing" | target tokens 297-305
"query type texthack s development team designing core" | target tokens 298-306
"type texthack s development team designing core engine" | target tokens 299-307
"texthack s development team designing core engine must" | target tokens 300-308
"s development team designing core engine must decide" | target tokens 301-309
"development team designing core engine must decide which" | target tokens 302-310
"team designing core engine must decide which algorithmic" | target tokens 303-311
"designing core engine must decide which algorithmic paradigm" | target tokens 304-312
"core engine must decide which algorithmic paradigm powers" | target tokens 305-313
"engine must decide which algorithmic paradigm powers each" | target tokens 306-314
"must decide which algorithmic paradigm powers each module" | target tokens 307-315
"decide which algorithmic paradigm powers each module keyword" | target tokens 308-316
"which algorithmic paradigm powers each module keyword search" | target tokens 309-317
"algorithmic paradigm powers each module keyword search sequence" | target tokens 310-318
"paradigm powers each module keyword search sequence alignment" | target tokens 311-319
"powers each module keyword search sequence alignment plagiarism" | target tokens 312-320
"each module keyword search sequence alignment plagiarism detection" | target tokens 313-321
"module keyword search sequence alignment plagiarism detection reviewer" | target tokens 314-322
"keyword search sequence alignment plagiarism detection reviewer paper" | target tokens 315-323
"search sequence alignment plagiarism detection reviewer paper matching" | target tokens 316-324
"sequence alignment plagiarism detection reviewer paper matching introduce" | target tokens 317-325
"alignment plagiarism detection reviewer paper matching introduce string" | target tokens 318-326
"plagiarism detection reviewer paper matching introduce string algorithms" | target tokens 319-327
"detection reviewer paper matching introduce string algorithms dynamic" | target tokens 320-328
"reviewer paper matching introduce string algorithms dynamic programming" | target tokens 321-329
"paper matching introduce string algorithms dynamic programming network" | target tokens 322-330
"matching introduce string algorithms dynamic programming network flow" | target tokens 323-331
"introduce string algorithms dynamic programming network flow algorithms" | target tokens 324-332
"string algorithms dynamic programming network flow algorithms briefly" | target tokens 325-333
"algorithms dynamic programming network flow algorithms briefly explain" | target tokens 326-334
"dynamic programming network flow algorithms briefly explain specific" | target tokens 327-335
"programming network flow algorithms briefly explain specific role" | target tokens 328-336
"network flow algorithms briefly explain specific role each" | target tokens 329-337
"flow algorithms briefly explain specific role each would" | target tokens 330-338
"algorithms briefly explain specific role each would play" | target tokens 331-339
"briefly explain specific role each would play within" | target tokens 332-340
"explain specific role each would play within three" | target tokens 333-341

"specific role each would play within three texthack" | target tokens 334-342
"role each would play within three texthack modules" | target tokens 335-343
"each would play within three texthack modules texthack" | target tokens 336-344
"would play within three texthack modules texthack wants" | target tokens 337-345
"play within three texthack modules texthack wants add" | target tokens 338-346
"within three texthack modules texthack wants add two" | target tokens 339-347
"three texthack modules texthack wants add two new" | target tokens 340-348
"texthack modules texthack wants add two new features" | target tokens 341-349
"modules texthack wants add two new features quick" | target tokens 342-350
"texthack wants add two new features quick similarity" | target tokens 343-351
"wants add two new features quick similarity estimate" | target tokens 344-352
"add two new features quick similarity estimate very" | target tokens 345-353
"two new features quick similarity estimate very large" | target tokens 346-354
"new features quick similarity estimate very large documents" | target tokens 347-355
"features quick similarity estimate very large documents where" | target tokens 348-356
"quick similarity estimate very large documents where exact" | target tokens 349-357
"similarity estimate very large documents where exact comparison" | target tokens 350-358
"estimate very large documents where exact comparison too" | target tokens 351-359
"very large documents where exact comparison too slow" | target tokens 352-360
"large documents where exact comparison too slow fast" | target tokens 353-361
"documents where exact comparison too slow fast probabilistic" | target tokens 354-362
"where exact comparison too slow fast probabilistic prime" | target tokens 355-363
"exact comparison too slow fast probabilistic prime check" | target tokens 356-364
"comparison too slow fast probabilistic prime check security" | target tokens 357-365
"too slow fast probabilistic prime check security module" | target tokens 358-366
"slow fast probabilistic prime check security module introduce" | target tokens 359-367
"fast probabilistic prime check security module introduce approximation" | target tokens 360-368
"probabilistic prime check security module introduce approximation algorithms" | target tokens 361-369
"prime check security module introduce approximation algorithms randomized" | target tokens 362-370
"check security module introduce approximation algorithms randomized algorithms" | target tokens 363-371
"security module introduce approximation algorithms randomized algorithms explain" | target tokens 364-372
"module introduce approximation algorithms randomized algorithms explain how" | target tokens 365-373
"introduce approximation algorithms randomized algorithms explain how each" | target tokens 366-374
"approximation algorithms randomized algorithms explain how each would" | target tokens 367-375
"algorithms randomized algorithms explain how each would integrated" | target tokens 368-376
"randomized algorithms explain how each would integrated texthack" | target tokens 369-377
"algorithms explain how each would integrated texthack deliver" | target tokens 370-378
"explain how each would integrated texthack deliver two" | target tokens 371-379
"how each would integrated texthack deliver two features" | target tokens 372-380
"each would integrated texthack deliver two features within" | target tokens 373-381
"would integrated texthack deliver two features within acceptable" | target tokens 374-382
"integrated texthack deliver two features within acceptable time" | target tokens 375-383
"texthack deliver two features within acceptable time limits" | target tokens 376-384
"deliver two features within acceptable time limits new" | target tokens 377-385
"two features within acceptable time limits new intern" | target tokens 378-386
"features within acceptable time limits new intern joins" | target tokens 379-387
"within acceptable time limits new intern joins texthack" | target tokens 380-388
"acceptable time limits new intern joins texthack team" | target tokens 381-389
"time limits new intern joins texthack team asks" | target tokens 382-390

"limits new intern joins texthack team asks how" | target tokens 383-391
"new intern joins texthack team asks how five" | target tokens 384-392
"intern joins texthack team asks how five algorithmic" | target tokens 385-393
"joins texthack team asks how five algorithmic paradigms" | target tokens 386-394
"texthack team asks how five algorithmic paradigms string" | target tokens 387-395
"team asks how five algorithmic paradigms string dp" | target tokens 388-396
"asks how five algorithmic paradigms string dp network" | target tokens 389-397
"how five algorithmic paradigms string dp network flow" | target tokens 390-398
"five algorithmic paradigms string dp network flow approximation" | target tokens 391-399
"algorithmic paradigms string dp network flow approximation randomized" | target tokens 392-400
"paradigms string dp network flow approximation randomized together" | target tokens 393-401
"string dp network flow approximation randomized together support" | target tokens 394-402
"dp network flow approximation randomized together support platform" | target tokens 395-403
"network flow approximation randomized together support platform s" | target tokens 396-404
"flow approximation randomized together support platform s overall" | target tokens 397-405
"approximation randomized together support platform s overall functionality" | target tokens 398-406
"randomized together support platform s overall functionality introduce" | target tokens 399-407
"together support platform s overall functionality introduce all" | target tokens 400-408
"support platform s overall functionality introduce all five" | target tokens 401-409
"platform s overall functionality introduce all five briefly" | target tokens 402-410
"s overall functionality introduce all five briefly explain" | target tokens 403-411
"overall functionality introduce all five briefly explain using" | target tokens 404-412
"functionality introduce all five briefly explain using one" | target tokens 405-413
"introduce all five briefly explain using one texthack" | target tokens 406-414
"all five briefly explain using one texthack feature" | target tokens 407-415
"five briefly explain using one texthack feature per" | target tokens 408-416
"briefly explain using one texthack feature per paradigm" | target tokens 409-417
"explain using one texthack feature per paradigm how" | target tokens 410-418
"using one texthack feature per paradigm how collectively" | target tokens 411-419
"one texthack feature per paradigm how collectively enable" | target tokens 412-420
"texthack feature per paradigm how collectively enable platform" | target tokens 413-421
"feature per paradigm how collectively enable platform handle" | target tokens 414-422
"per paradigm how collectively enable platform handle search" | target tokens 415-423
"paradigm how collectively enable platform handle search alignment" | target tokens 416-424
"how collectively enable platform handle search alignment resource" | target tokens 417-425
"collectively enable platform handle search alignment resource allocation" | target tokens 418-426
"enable platform handle search alignment resource allocation large" | target tokens 419-427
"platform handle search alignment resource allocation large scale" | target tokens 420-428
"handle search alignment resource allocation large scale time" | target tokens 421-429
"search alignment resource allocation large scale time critical" | target tokens 422-430
"alignment resource allocation large scale time critical problems" | target tokens 423-431
"resource allocation large scale time critical problems co" | target tokens 424-432
"allocation large scale time critical problems co 2" | target tokens 425-433
"large scale time critical problems co 2 sample" | target tokens 426-434
"scale time critical problems co 2 sample questions" | target tokens 427-435
"time critical problems co 2 sample questions naive" | target tokens 428-436
"critical problems co 2 sample questions naive string" | target tokens 429-437
"problems co 2 sample questions naive string matching" | target tokens 430-438
"co 2 sample questions naive string matching q1" | target tokens 431-439

"2 sample questions naive string matching q1 plagiarism" | target tokens 432-440
"sample questions naive string matching q1 plagiarism detection" | target tokens 433-441
"questions naive string matching q1 plagiarism detection tool" | target tokens 434-442
"naive string matching q1 plagiarism detection tool checks" | target tokens 435-443
"string matching q1 plagiarism detection tool checks student" | target tokens 436-444
"matching q1 plagiarism detection tool checks student s" | target tokens 437-445
"q1 plagiarism detection tool checks student s 20" | target tokens 438-446
"plagiarism detection tool checks student s 20 word" | target tokens 439-447
"detection tool checks student s 20 word submission" | target tokens 440-448
"tool checks student s 20 word submission against" | target tokens 441-449
"checks student s 20 word submission against database" | target tokens 442-450
"student s 20 word submission against database reference" | target tokens 443-451
"s 20 word submission against database reference sentences" | target tokens 444-452
"20 word submission against database reference sentences scanning" | target tokens 445-453
"word submission against database reference sentences scanning text" | target tokens 446-454
"submission against database reference sentences scanning text character" | target tokens 447-455
"against database reference sentences scanning text character character" | target tokens 448-456
"database reference sentences scanning text character character without" | target tokens 449-457
"reference sentences scanning text character character without any" | target tokens 450-458
"sentences scanning text character character without any preprocessing" | target tokens 451-459
"scanning text character character without any preprocessing given" | target tokens 452-460
"text character character without any preprocessing given text" | target tokens 453-461
"character character without any preprocessing given text t" | target tokens 454-462
"character without any preprocessing given text t aabaacaadaabaaba" | target tokens 455-463
"without any preprocessing given text t aabaacaadaabaaba pattern" | target tokens 456-464
"any preprocessing given text t aabaacaadaabaaba pattern p" | target tokens 457-465
"preprocessing given text t aabaacaadaabaaba pattern p aaba" | target tokens 458-466
"given text t aabaacaadaabaaba pattern p aaba trace" | target tokens 459-467
"text t aabaacaadaabaaba pattern p aaba trace naive" | target tokens 460-468
"t aabaacaadaabaaba pattern p aaba trace naive string" | target tokens 461-469
"aabaacaadaabaaba pattern p aaba trace naive string matching" | target tokens 462-470
"pattern p aaba trace naive string matching algorithm" | target tokens 463-471
"p aaba trace naive string matching algorithm step" | target tokens 464-472
"aaba trace naive string matching algorithm step step" | target tokens 465-473
"trace naive string matching algorithm step step showing" | target tokens 466-474
"naive string matching algorithm step step showing all" | target tokens 467-475
"string matching algorithm step step showing all comparisons" | target tokens 468-476
"matching algorithm step step showing all comparisons mismatches" | target tokens 469-477
"algorithm step step showing all comparisons mismatches report" | target tokens 470-478
"step step showing all comparisons mismatches report all" | target tokens 471-479
"step showing all comparisons mismatches report all starting" | target tokens 472-480
"showing all comparisons mismatches report all starting indices" | target tokens 473-481
"all comparisons mismatches report all starting indices where" | target tokens 474-482
"comparisons mismatches report all starting indices where p" | target tokens 475-483
"mismatches report all starting indices where p occurs" | target tokens 476-484
"report all starting indices where p occurs t" | target tokens 477-485
"all starting indices where p occurs t q2" | target tokens 478-486
"starting indices where p occurs t q2 small" | target tokens 479-487
"indices where p occurs t q2 small embedded" | target tokens 480-488

"where p occurs t q2 small embedded device" | target tokens 481-489
"p occurs t q2 small embedded device very" | target tokens 482-490
"occurs t q2 small embedded device very limited" | target tokens 483-491
"t q2 small embedded device very limited memory" | target tokens 484-492
"q2 small embedded device very limited memory needs" | target tokens 485-493
"small embedded device very limited memory needs search" | target tokens 486-494
"embedded device very limited memory needs search short" | target tokens 487-495
"device very limited memory needs search short sensor" | target tokens 488-496
"very limited memory needs search short sensor code" | target tokens 489-497
"limited memory needs search short sensor code pattern" | target tokens 490-498
"memory needs search short sensor code pattern p" | target tokens 491-499
"needs search short sensor code pattern p 1011" | target tokens 492-500
"search short sensor code pattern p 1011 inside" | target tokens 493-501
"short sensor code pattern p 1011 inside continuously" | target tokens 494-502
"sensor code pattern p 1011 inside continuously logged" | target tokens 495-503
"code pattern p 1011 inside continuously logged bit" | target tokens 496-504
"pattern p 1011 inside continuously logged bit stream" | target tokens 497-505
"p 1011 inside continuously logged bit stream t" | target tokens 498-506
"1011 inside continuously logged bit stream t 10110100110110110" | target tokens 499-507
"inside continuously logged bit stream t 10110100110110110 since" | target tokens 500-508
"continuously logged bit stream t 10110100110110110 since device" | target tokens 501-509
"logged bit stream t 10110100110110110 since device cannot" | target tokens 502-510
"bit stream t 10110100110110110 since device cannot afford" | target tokens 503-511
"stream t 10110100110110110 since device cannot afford extra" | target tokens 504-512
"t 10110100110110110 since device cannot afford extra memory" | target tokens 505-513
"10110100110110110 since device cannot afford extra memory preprocessing" | target tokens 506-514
"since device cannot afford extra memory preprocessing tables" | target tokens 507-515
"device cannot afford extra memory preprocessing tables apply" | target tokens 508-516
"cannot afford extra memory preprocessing tables apply naive" | target tokens 509-517
"afford extra memory preprocessing tables apply naive pattern" | target tokens 510-518
"extra memory preprocessing tables apply naive pattern matching" | target tokens 511-519
"memory preprocessing tables apply naive pattern matching algorithm" | target tokens 512-520
"preprocessing tables apply naive pattern matching algorithm find" | target tokens 513-521
"tables apply naive pattern matching algorithm find all" | target tokens 514-522
"apply naive pattern matching algorithm find all occurrences" | target tokens 515-523
"naive pattern matching algorithm find all occurrences p" | target tokens 516-524
"pattern matching algorithm find all occurrences p t" | target tokens 517-525
"matching algorithm find all occurrences p t clearly" | target tokens 518-526
"algorithm find all occurrences p t clearly showing" | target tokens 519-527
"find all occurrences p t clearly showing number" | target tokens 520-528
"all occurrences p t clearly showing number comparisons" | target tokens 521-529
"occurrences p t clearly showing number comparisons made" | target tokens 522-530
"p t clearly showing number comparisons made each" | target tokens 523-531
"t clearly showing number comparisons made each shift" | target tokens 524-532
"clearly showing number comparisons made each shift q3" | target tokens 525-533
"showing number comparisons made each shift q3 text" | target tokens 526-534
"number comparisons made each shift q3 text editor" | target tokens 527-535
"comparisons made each shift q3 text editor s" | target tokens 528-536
"made each shift q3 text editor s find" | target tokens 529-537

"each shift q3 text editor s find feature" | target tokens 530-538
"shift q3 text editor s find feature before" | target tokens 531-539
"q3 text editor s find feature before any" | target tokens 532-540
"text editor s find feature before any optimization" | target tokens 533-541
"editor s find feature before any optimization added" | target tokens 534-542
"s find feature before any optimization added searches" | target tokens 535-543
"find feature before any optimization added searches word" | target tokens 536-544
"feature before any optimization added searches word isi" | target tokens 537-545
"before any optimization added searches word isi string" | target tokens 538-546
"any optimization added searches word isi string t" | target tokens 539-547
"optimization added searches word isi string t aisisipisi" | target tokens 540-548
"added searches word isi string t aisisipisi using" | target tokens 541-549
"searches word isi string t aisisipisi using brute" | target tokens 542-550
"word isi string t aisisipisi using brute force" | target tokens 543-551
"isi string t aisisipisi using brute force matching" | target tokens 544-552
"string t aisisipisi using brute force matching apply" | target tokens 545-553
"t aisisipisi using brute force matching apply naive" | target tokens 546-554
"aisisipisi using brute force matching apply naive matching" | target tokens 547-555
"using brute force matching apply naive matching procedure" | target tokens 548-556
"brute force matching apply naive matching procedure locate" | target tokens 549-557
"force matching apply naive matching procedure locate every" | target tokens 550-558
"matching apply naive matching procedure locate every occurrence" | target tokens 551-559
"apply naive matching procedure locate every occurrence isi" | target tokens 552-560
"naive matching procedure locate every occurrence isi showing" | target tokens 553-561
"matching procedure locate every occurrence isi showing alignment" | target tokens 554-562
"procedure locate every occurrence isi showing alignment shift" | target tokens 555-563
"locate every occurrence isi showing alignment shift each" | target tokens 556-564
"every occurrence isi showing alignment shift each step" | target tokens 557-565
"occurrence isi showing alignment shift each step calculating" | target tokens 558-566
"isi showing alignment shift each step calculating total" | target tokens 559-567
"showing alignment shift each step calculating total number" | target tokens 560-568
"alignment shift each step calculating total number character" | target tokens 561-569
"shift each step calculating total number character comparisons" | target tokens 562-570
"each step calculating total number character comparisons performed" | target tokens 563-571
"step calculating total number character comparisons performed kmp" | target tokens 564-572
"calculating total number character comparisons performed kmp string" | target tokens 565-573
"total number character comparisons performed kmp string matching" | target tokens 566-574
"number character comparisons performed kmp string matching q1" | target tokens 567-575
"character comparisons performed kmp string matching q1 network" | target tokens 568-576
"comparisons performed kmp string matching q1 network intrusion" | target tokens 569-577
"performed kmp string matching q1 network intrusion detection" | target tokens 570-578
"kmp string matching q1 network intrusion detection system" | target tokens 571-579
"string matching q1 network intrusion detection system must" | target tokens 572-580
"matching q1 network intrusion detection system must find" | target tokens 573-581
"q1 network intrusion detection system must find malicious" | target tokens 574-582
"network intrusion detection system must find malicious signature" | target tokens 575-583
"intrusion detection system must find malicious signature p" | target tokens 576-584
"detection system must find malicious signature p ababcabab" | target tokens 577-585
"system must find malicious signature p ababcabab inside" | target tokens 578-586

"must find malicious signature p ababcabab inside large" | target tokens 579-587
"find malicious signature p ababcabab inside large captured" | target tokens 580-588
"malicious signature p ababcabab inside large captured packet" | target tokens 581-589
"signature p ababcabab inside large captured packet stream" | target tokens 582-590
"p ababcabab inside large captured packet stream real" | target tokens 583-591
"ababcabab inside large captured packet stream real time" | target tokens 584-592
"inside large captured packet stream real time so" | target tokens 585-593
"large captured packet stream real time so re" | target tokens 586-594
"captured packet stream real time so re scanning" | target tokens 587-595
"packet stream real time so re scanning characters" | target tokens 588-596
"stream real time so re scanning characters not" | target tokens 589-597
"real time so re scanning characters not acceptable" | target tokens 590-598
"time so re scanning characters not acceptable construct" | target tokens 591-599
"so re scanning characters not acceptable construct failure" | target tokens 592-600
"re scanning characters not acceptable construct failure function" | target tokens 593-601
"scanning characters not acceptable construct failure function lps" | target tokens 594-602
"characters not acceptable construct failure function lps array" | target tokens 595-603
"not acceptable construct failure function lps array p" | target tokens 596-604
"acceptable construct failure function lps array p b" | target tokens 597-605
"construct failure function lps array p b using" | target tokens 598-606
"failure function lps array p b using lps" | target tokens 599-607
"function lps array p b using lps array" | target tokens 600-608
"lps array p b using lps array apply" | target tokens 601-609
"array p b using lps array apply kmp" | target tokens 602-610
"p b using lps array apply kmp algorithm" | target tokens 603-611
"b using lps array apply kmp algorithm t" | target tokens 604-612
"using lps array apply kmp algorithm t ababdabacdababcabab" | target tokens 605-613
"lps array apply kmp algorithm t ababdabacdababcabab show" | target tokens 606-614
"array apply kmp algorithm t ababdabacdababcabab show how" | target tokens 607-615
"apply kmp algorithm t ababdabacdababcabab show how mismatches" | target tokens 608-616
"kmp algorithm t ababdabacdababcabab show how mismatches cause" | target tokens 609-617
"algorithm t ababdabacdababcabab show how mismatches cause pointer" | target tokens 610-618
"t ababdabacdababcabab show how mismatches cause pointer jump" | target tokens 611-619
"ababdabacdababcabab show how mismatches cause pointer jump using" | target tokens 612-620
"show how mismatches cause pointer jump using lps" | target tokens 613-621
"how mismatches cause pointer jump using lps array" | target tokens 614-622
"mismatches cause pointer jump using lps array instead" | target tokens 615-623
"cause pointer jump using lps array instead restarting" | target tokens 616-624
"pointer jump using lps array instead restarting q2" | target tokens 617-625
"jump using lps array instead restarting q2 dna" | target tokens 618-626
"using lps array instead restarting q2 dna analysis" | target tokens 619-627
"lps array instead restarting q2 dna analysis tool" | target tokens 620-628
"array instead restarting q2 dna analysis tool searches" | target tokens 621-629
"instead restarting q2 dna analysis tool searches gene" | target tokens 622-630
"restarting q2 dna analysis tool searches gene sub" | target tokens 623-631
"q2 dna analysis tool searches gene sub sequence" | target tokens 624-632
"dna analysis tool searches gene sub sequence p" | target tokens 625-633
"analysis tool searches gene sub sequence p aabaac" | target tokens 626-634
"tool searches gene sub sequence p aabaac within" | target tokens 627-635

"searches gene sub sequence p aabaac within longer" | target tokens 628-636
"gene sub sequence p aabaac within longer dna" | target tokens 629-637
"sub sequence p aabaac within longer dna string" | target tokens 630-638
"sequence p aabaac within longer dna string t" | target tokens 631-639
"p aabaac within longer dna string t aabaacaabaabaac" | target tokens 632-640
"aabaac within longer dna string t aabaacaabaabaac without" | target tokens 633-641
"within longer dna string t aabaacaabaabaac without rescanning" | target tokens 634-642
"longer dna string t aabaacaabaabaac without rescanning already" | target tokens 635-643
"dna string t aabaacaabaabaac without rescanning already matched" | target tokens 636-644
"string t aabaacaabaabaac without rescanning already matched bases" | target tokens 637-645
"t aabaacaabaabaac without rescanning already matched bases compute" | target tokens 638-646
"aabaacaabaabaac without rescanning already matched bases compute lps" | target tokens 639-647
"without rescanning already matched bases compute lps prefix" | target tokens 640-648
"rescanning already matched bases compute lps prefix function" | target tokens 641-649
"already matched bases compute lps prefix function array" | target tokens 642-650
"matched bases compute lps prefix function array p" | target tokens 643-651
"bases compute lps prefix function array p use" | target tokens 644-652
"compute lps prefix function array p use trace" | target tokens 645-653
"lps prefix function array p use trace kmp" | target tokens 646-654
"prefix function array p use trace kmp search" | target tokens 647-655
"function array p use trace kmp search t" | target tokens 648-656
"array p use trace kmp search t listing" | target tokens 649-657
"p use trace kmp search t listing every" | target tokens 650-658
"use trace kmp search t listing every index" | target tokens 651-659
"trace kmp search t listing every index where" | target tokens 652-660
"kmp search t listing every index where pattern" | target tokens 653-661
"search t listing every index where pattern found" | target tokens 654-662
"t listing every index where pattern found q3" | target tokens 655-663
"listing every index where pattern found q3 log" | target tokens 656-664
"every index where pattern found q3 log monitoring" | target tokens 657-665
"index where pattern found q3 log monitoring service" | target tokens 658-666
"where pattern found q3 log monitoring service wants" | target tokens 659-667
"pattern found q3 log monitoring service wants detect" | target tokens 660-668
"found q3 log monitoring service wants detect repeated" | target tokens 661-669
"q3 log monitoring service wants detect repeated error" | target tokens 662-670
"log monitoring service wants detect repeated error code" | target tokens 663-671
"monitoring service wants detect repeated error code pattern" | target tokens 664-672
"service wants detect repeated error code pattern p" | target tokens 665-673
"wants detect repeated error code pattern p aaacaaaa" | target tokens 666-674
"detect repeated error code pattern p aaacaaaa inside" | target tokens 667-675
"repeated error code pattern p aaacaaaa inside log" | target tokens 668-676
"error code pattern p aaacaaaa inside log string" | target tokens 669-677
"code pattern p aaacaaaa inside log string t" | target tokens 670-678
"pattern p aaacaaaa inside log string t aaacaaaaaacaaaaaac" | target tokens 671-679
"p aaacaaaa inside log string t aaacaaaaaacaaaaaac efficiently" | target tokens 672-680
"aaacaaaa inside log string t aaacaaaaaacaaaaaac efficiently build" | target tokens 673-681
"inside log string t aaacaaaaaacaaaaaac efficiently build failure" | target tokens 674-682
"log string t aaacaaaaaacaaaaaac efficiently build failure function" | target tokens 675-683
"string t aaacaaaaaacaaaaaac efficiently build failure function p" | target tokens 676-684

"t aaacaaaaaacaaaaaac efficiently build failure function p simulate" | target tokens 677-685
"aaacaaaaaacaaaaaac efficiently build failure function p simulate kmp" | target tokens 678-686
"efficiently build failure function p simulate kmp matching" | target tokens 679-687
"build failure function p simulate kmp matching process" | target tokens 680-688
"failure function p simulate kmp matching process t" | target tokens 681-689
"function p simulate kmp matching process t explicitly" | target tokens 682-690
"p simulate kmp matching process t explicitly showing" | target tokens 683-691
"simulate kmp matching process t explicitly showing pointer" | target tokens 684-692
"kmp matching process t explicitly showing pointer positions" | target tokens 685-693
"matching process t explicitly showing pointer positions each" | target tokens 686-694
"process t explicitly showing pointer positions each mismatch" | target tokens 687-695
"t explicitly showing pointer positions each mismatch how" | target tokens 688-696
"explicitly showing pointer positions each mismatch how lps" | target tokens 689-697
"showing pointer positions each mismatch how lps table" | target tokens 690-698
"pointer positions each mismatch how lps table avoids" | target tokens 691-699
"positions each mismatch how lps table avoids redundant" | target tokens 692-700
"each mismatch how lps table avoids redundant comparisons" | target tokens 693-701
"mismatch how lps table avoids redundant comparisons z" | target tokens 694-702
"how lps table avoids redundant comparisons z function" | target tokens 695-703
"lps table avoids redundant comparisons z function string" | target tokens 696-704
"table avoids redundant comparisons z function string matching" | target tokens 697-705
"avoids redundant comparisons z function string matching q1" | target tokens 698-706
"redundant comparisons z function string matching q1 code" | target tokens 699-707
"comparisons z function string matching q1 code plagiarism" | target tokens 700-708
"z function string matching q1 code plagiarism checker" | target tokens 701-709
"function string matching q1 code plagiarism checker wants" | target tokens 702-710
"string matching q1 code plagiarism checker wants find" | target tokens 703-711
"matching q1 code plagiarism checker wants find all" | target tokens 704-712
"q1 code plagiarism checker wants find all occurrences" | target tokens 705-713
"code plagiarism checker wants find all occurrences suspicious" | target tokens 706-714
"plagiarism checker wants find all occurrences suspicious code" | target tokens 707-715
"checker wants find all occurrences suspicious code snippet" | target tokens 708-716
"wants find all occurrences suspicious code snippet p" | target tokens 709-717
"find all occurrences suspicious code snippet p abc" | target tokens 710-718
"all occurrences suspicious code snippet p abc inside" | target tokens 711-719
"occurrences suspicious code snippet p abc inside concatenated" | target tokens 712-720
"suspicious code snippet p abc inside concatenated source" | target tokens 713-721
"code snippet p abc inside concatenated source file" | target tokens 714-722
"snippet p abc inside concatenated source file t" | target tokens 715-723
"p abc inside concatenated source file t abcabcabc" | target tokens 716-724
"abc inside concatenated source file t abcabcabc using" | target tokens 717-725
"inside concatenated source file t abcabcabc using z" | target tokens 718-726
"concatenated source file t abcabcabc using z algorithm" | target tokens 719-727
"source file t abcabcabc using z algorithm approach" | target tokens 720-728
"file t abcabcabc using z algorithm approach forming" | target tokens 721-729
"t abcabcabc using z algorithm approach forming string" | target tokens 722-730
"abcabcabc using z algorithm approach forming string s" | target tokens 723-731
"using z algorithm approach forming string s p" | target tokens 724-732
"z algorithm approach forming string s p t" | target tokens 725-733

"algorithm approach forming string s p t construct" | target tokens 726-734
"approach forming string s p t construct z" | target tokens 727-735
"forming string s p t construct z array" | target tokens 728-736
"string s p t construct z array s" | target tokens 729-737
"s p t construct z array s use" | target tokens 730-738
"p t construct z array s use identify" | target tokens 731-739
"t construct z array s use identify all" | target tokens 732-740
"construct z array s use identify all starting" | target tokens 733-741
"z array s use identify all starting positions" | target tokens 734-742
"array s use identify all starting positions p" | target tokens 735-743
"s use identify all starting positions p t" | target tokens 736-744
"use identify all starting positions p t q2" | target tokens 737-745
"identify all starting positions p t q2 bioinformatics" | target tokens 738-746
"all starting positions p t q2 bioinformatics pipeline" | target tokens 739-747
"starting positions p t q2 bioinformatics pipeline needs" | target tokens 740-748
"positions p t q2 bioinformatics pipeline needs find" | target tokens 741-749
"p t q2 bioinformatics pipeline needs find every" | target tokens 742-750
"t q2 bioinformatics pipeline needs find every occurrence" | target tokens 743-751
"q2 bioinformatics pipeline needs find every occurrence short" | target tokens 744-752
"bioinformatics pipeline needs find every occurrence short motif" | target tokens 745-753
"pipeline needs find every occurrence short motif p" | target tokens 746-754
"needs find every occurrence short motif p aab" | target tokens 747-755
"find every occurrence short motif p aab genomic" | target tokens 748-756
"every occurrence short motif p aab genomic sequence" | target tokens 749-757
"occurrence short motif p aab genomic sequence t" | target tokens 750-758
"short motif p aab genomic sequence t aabaacaabaab" | target tokens 751-759
"motif p aab genomic sequence t aabaacaabaab using" | target tokens 752-760
"p aab genomic sequence t aabaacaabaab using z" | target tokens 753-761
"aab genomic sequence t aabaacaabaab using z function" | target tokens 754-762
"genomic sequence t aabaacaabaab using z function technique" | target tokens 755-763
"sequence t aabaacaabaab using z function technique form" | target tokens 756-764
"t aabaacaabaab using z function technique form combined" | target tokens 757-765
"aabaacaabaab using z function technique form combined string" | target tokens 758-766
"using z function technique form combined string s" | target tokens 759-767
"z function technique form combined string s p" | target tokens 760-768
"function technique form combined string s p t" | target tokens 761-769
"technique form combined string s p t compute" | target tokens 762-770
"form combined string s p t compute z" | target tokens 763-771
"combined string s p t compute z array" | target tokens 764-772
"string s p t compute z array s" | target tokens 765-773
"s p t compute z array s use" | target tokens 766-774
"p t compute z array s use values" | target tokens 767-775
"t compute z array s use values equal" | target tokens 768-776
"compute z array s use values equal p" | target tokens 769-777
"z array s use values equal p report" | target tokens 770-778
"array s use values equal p report all" | target tokens 771-779
"s use values equal p report all match" | target tokens 772-780
"use values equal p report all match positions" | target tokens 773-781
"values equal p report all match positions t" | target tokens 774-782

"equal p report all match positions t q3" | target tokens 775-783
"p report all match positions t q3 search" | target tokens 776-784
"report all match positions t q3 search engine" | target tokens 777-785
"all match positions t q3 search engine s" | target tokens 778-786
"match positions t q3 search engine s autocomplete" | target tokens 779-787
"positions t q3 search engine s autocomplete module" | target tokens 780-788
"t q3 search engine s autocomplete module wants" | target tokens 781-789
"q3 search engine s autocomplete module wants identify" | target tokens 782-790
"search engine s autocomplete module wants identify all" | target tokens 783-791
"engine s autocomplete module wants identify all positions" | target tokens 784-792
"s autocomplete module wants identify all positions where" | target tokens 785-793
"autocomplete module wants identify all positions where prefix" | target tokens 786-794
"module wants identify all positions where prefix xy" | target tokens 787-795
"wants identify all positions where prefix xy repeats" | target tokens 788-796
"identify all positions where prefix xy repeats inside" | target tokens 789-797
"all positions where prefix xy repeats inside string" | target tokens 790-798
"positions where prefix xy repeats inside string t" | target tokens 791-799
"where prefix xy repeats inside string t xyxyzxyxy" | target tokens 792-800
"prefix xy repeats inside string t xyxyzxyxy using" | target tokens 793-801
"xy repeats inside string t xyxyzxyxy using z" | target tokens 794-802
"repeats inside string t xyxyzxyxy using z values" | target tokens 795-803
"inside string t xyxyzxyxy using z values computed" | target tokens 796-804
"string t xyxyzxyxy using z values computed directly" | target tokens 797-805
"t xyxyzxyxy using z values computed directly t" | target tokens 798-806
"xyxyzxyxy using z values computed directly t without" | target tokens 799-807
"using z values computed directly t without separator" | target tokens 800-808
"z values computed directly t without separator string" | target tokens 801-809
"values computed directly t without separator string compute" | target tokens 802-810
"computed directly t without separator string compute z" | target tokens 803-811
"directly t without separator string compute z array" | target tokens 804-812
"t without separator string compute z array t" | target tokens 805-813
"without separator string compute z array t interpret" | target tokens 806-814
"separator string compute z array t interpret results" | target tokens 807-815
"string compute z array t interpret results list" | target tokens 808-816
"compute z array t interpret results list all" | target tokens 809-817
"z array t interpret results list all starting" | target tokens 810-818
"array t interpret results list all starting indices" | target tokens 811-819
"t interpret results list all starting indices where" | target tokens 812-820
"interpret results list all starting indices where xy" | target tokens 813-821
"results list all starting indices where xy occurs" | target tokens 814-822
"list all starting indices where xy occurs rabin" | target tokens 815-823
"all starting indices where xy occurs rabin karp" | target tokens 816-824
"starting indices where xy occurs rabin karp rolling" | target tokens 817-825
"indices where xy occurs rabin karp rolling hash" | target tokens 818-826
"where xy occurs rabin karp rolling hash double" | target tokens 819-827
"xy occurs rabin karp rolling hash double hashing" | target tokens 820-828
"occurs rabin karp rolling hash double hashing q1" | target tokens 821-829
"rabin karp rolling hash double hashing q1 file" | target tokens 822-830
"karp rolling hash double hashing q1 file diff" | target tokens 823-831

"rolling hash double hashing q1 file diff utility" | target tokens 824-832
"hash double hashing q1 file diff utility needs" | target tokens 825-833
"double hashing q1 file diff utility needs find" | target tokens 826-834
"hashing q1 file diff utility needs find whether" | target tokens 827-835
"q1 file diff utility needs find whether chunk" | target tokens 828-836
"file diff utility needs find whether chunk text" | target tokens 829-837
"diff utility needs find whether chunk text p" | target tokens 830-838
"utility needs find whether chunk text p hash" | target tokens 831-839
"needs find whether chunk text p hash appears" | target tokens 832-840
"find whether chunk text p hash appears inside" | target tokens 833-841
"whether chunk text p hash appears inside large" | target tokens 834-842
"chunk text p hash appears inside large document" | target tokens 835-843
"text p hash appears inside large document t" | target tokens 836-844
"p hash appears inside large document t hishashisthehashwehash" | target tokens 837-845
"hash appears inside large document t hishashisthehashwehash using" | target tokens 838-846
"appears inside large document t hishashisthehashwehash using rabin" | target tokens 839-847
"inside large document t hishashisthehashwehash using rabin karp" | target tokens 840-848
"large document t hishashisthehashwehash using rabin karp rolling" | target tokens 841-849
"document t hishashisthehashwehash using rabin karp rolling hash" | target tokens 842-850
"t hishashisthehashwehash using rabin karp rolling hash base" | target tokens 843-851
"hishashisthehashwehash using rabin karp rolling hash base 5" | target tokens 844-852
"using rabin karp rolling hash base 5 modulus" | target tokens 845-853
"rabin karp rolling hash base 5 modulus 101" | target tokens 846-854
"karp rolling hash base 5 modulus 101 compute" | target tokens 847-855
"rolling hash base 5 modulus 101 compute initial" | target tokens 848-856
"hash base 5 modulus 101 compute initial hash" | target tokens 849-857
"base 5 modulus 101 compute initial hash p" | target tokens 850-858
"5 modulus 101 compute initial hash p first" | target tokens 851-859
"modulus 101 compute initial hash p first window" | target tokens 852-860
"101 compute initial hash p first window t" | target tokens 853-861
"compute initial hash p first window t show" | target tokens 854-862
"initial hash p first window t show how" | target tokens 855-863
"hash p first window t show how rolling" | target tokens 856-864
"p first window t show how rolling hash" | target tokens 857-865
"first window t show how rolling hash updated" | target tokens 858-866
"window t show how rolling hash updated window" | target tokens 859-867
"t show how rolling hash updated window slides" | target tokens 860-868
"show how rolling hash updated window slides verifying" | target tokens 861-869
"how rolling hash updated window slides verifying candidate" | target tokens 862-870
"rolling hash updated window slides verifying candidate matches" | target tokens 863-871
"hash updated window slides verifying candidate matches direct" | target tokens 864-872
"updated window slides verifying candidate matches direct character" | target tokens 865-873
"window slides verifying candidate matches direct character comparison" | target tokens 866-874
"slides verifying candidate matches direct character comparison q2" | target tokens 867-875
"verifying candidate matches direct character comparison q2 dna" | target tokens 868-876
"candidate matches direct character comparison q2 dna sequence" | target tokens 869-877
"matches direct character comparison q2 dna sequence matcher" | target tokens 870-878
"direct character comparison q2 dna sequence matcher worried" | target tokens 871-879
"character comparison q2 dna sequence matcher worried hash" | target tokens 872-880

"comparison q2 dna sequence matcher worried hash collisions" | target tokens 873-881
"q2 dna sequence matcher worried hash collisions when" | target tokens 874-882
"dna sequence matcher worried hash collisions when comparing" | target tokens 875-883
"sequence matcher worried hash collisions when comparing short" | target tokens 876-884
"matcher worried hash collisions when comparing short genomic" | target tokens 877-885
"worried hash collisions when comparing short genomic patterns" | target tokens 878-886
"hash collisions when comparing short genomic patterns decides" | target tokens 879-887
"collisions when comparing short genomic patterns decides use" | target tokens 880-888
"when comparing short genomic patterns decides use double" | target tokens 881-889
"comparing short genomic patterns decides use double hashing" | target tokens 882-890
"short genomic patterns decides use double hashing two" | target tokens 883-891
"genomic patterns decides use double hashing two different" | target tokens 884-892
"patterns decides use double hashing two different base" | target tokens 885-893
"decides use double hashing two different base mod" | target tokens 886-894
"use double hashing two different base mod pairs" | target tokens 887-895
"double hashing two different base mod pairs while" | target tokens 888-896
"hashing two different base mod pairs while searching" | target tokens 889-897
"two different base mod pairs while searching p" | target tokens 890-898
"different base mod pairs while searching p gca" | target tokens 891-899
"base mod pairs while searching p gca t" | target tokens 892-900
"mod pairs while searching p gca t gcatgcagca" | target tokens 893-901
"pairs while searching p gca t gcatgcagca compute" | target tokens 894-902
"while searching p gca t gcatgcagca compute both" | target tokens 895-903
"searching p gca t gcatgcagca compute both hash" | target tokens 896-904
"p gca t gcatgcagca compute both hash values" | target tokens 897-905
"gca t gcatgcagca compute both hash values p" | target tokens 898-906
"t gcatgcagca compute both hash values p each" | target tokens 899-907
"gcatgcagca compute both hash values p each window" | target tokens 900-908
"compute both hash values p each window t" | target tokens 901-909
"both hash values p each window t apply" | target tokens 902-910
"hash values p each window t apply rolling" | target tokens 903-911
"values p each window t apply rolling hash" | target tokens 904-912
"p each window t apply rolling hash update" | target tokens 905-913
"each window t apply rolling hash update each" | target tokens 906-914
"window t apply rolling hash update each hashing" | target tokens 907-915
"t apply rolling hash update each hashing scheme" | target tokens 908-916
"apply rolling hash update each hashing scheme show" | target tokens 909-917
"rolling hash update each hashing scheme show how" | target tokens 910-918
"hash update each hashing scheme show how using" | target tokens 911-919
"update each hashing scheme show how using two" | target tokens 912-920
"each hashing scheme show how using two hashes" | target tokens 913-921
"hashing scheme show how using two hashes together" | target tokens 914-922
"scheme show how using two hashes together helps" | target tokens 915-923
"show how using two hashes together helps avoid" | target tokens 916-924
"how using two hashes together helps avoid false" | target tokens 917-925
"using two hashes together helps avoid false positive" | target tokens 918-926
"two hashes together helps avoid false positive match" | target tokens 919-927
"hashes together helps avoid false positive match single" | target tokens 920-928
"together helps avoid false positive match single hash" | target tokens 921-929

"helps avoid false positive match single hash might" | target tokens 922-930
"avoid false positive match single hash might report" | target tokens 923-931
"false positive match single hash might report q3" | target tokens 924-932
"positive match single hash might report q3 password" | target tokens 925-933
"match single hash might report q3 password breach" | target tokens 926-934
"single hash might report q3 password breach scanner" | target tokens 927-935
"hash might report q3 password breach scanner checks" | target tokens 928-936
"might report q3 password breach scanner checks whether" | target tokens 929-937
"report q3 password breach scanner checks whether leaked" | target tokens 930-938
"q3 password breach scanner checks whether leaked 4" | target tokens 931-939
"password breach scanner checks whether leaked 4 character" | target tokens 932-940
"breach scanner checks whether leaked 4 character token" | target tokens 933-941
"scanner checks whether leaked 4 character token p" | target tokens 934-942
"checks whether leaked 4 character token p abab" | target tokens 935-943
"whether leaked 4 character token p abab occurs" | target tokens 936-944
"leaked 4 character token p abab occurs large" | target tokens 937-945
"4 character token p abab occurs large hashed" | target tokens 938-946
"character token p abab occurs large hashed log" | target tokens 939-947
"token p abab occurs large hashed log string" | target tokens 940-948
"p abab occurs large hashed log string t" | target tokens 941-949
"abab occurs large hashed log string t ababcababababab" | target tokens 942-950
"occurs large hashed log string t ababcababababab using" | target tokens 943-951
"large hashed log string t ababcababababab using rabin" | target tokens 944-952
"hashed log string t ababcababababab using rabin karp" | target tokens 945-953
"log string t ababcababababab using rabin karp rolling" | target tokens 946-954
"string t ababcababababab using rabin karp rolling hash" | target tokens 947-955
"t ababcababababab using rabin karp rolling hash base" | target tokens 948-956
"ababcababababab using rabin karp rolling hash base 3" | target tokens 949-957
"using rabin karp rolling hash base 3 modulus" | target tokens 950-958
"rabin karp rolling hash base 3 modulus 13" | target tokens 951-959
"karp rolling hash base 3 modulus 13 trace" | target tokens 952-960
"rolling hash base 3 modulus 13 trace rolling" | target tokens 953-961
"hash base 3 modulus 13 trace rolling hash" | target tokens 954-962
"base 3 modulus 13 trace rolling hash computation" | target tokens 955-963
"3 modulus 13 trace rolling hash computation across" | target tokens 956-964
"modulus 13 trace rolling hash computation across all" | target tokens 957-965
"13 trace rolling hash computation across all valid" | target tokens 958-966
"trace rolling hash computation across all valid window" | target tokens 959-967
"rolling hash computation across all valid window positions" | target tokens 960-968
"hash computation across all valid window positions identify" | target tokens 961-969
"computation across all valid window positions identify positions" | target tokens 962-970
"across all valid window positions identify positions where" | target tokens 963-971
"all valid window positions identify positions where hash" | target tokens 964-972
"valid window positions identify positions where hash matches" | target tokens 965-973
"window positions identify positions where hash matches verify" | target tokens 966-974
"positions identify positions where hash matches verify actual" | target tokens 967-975
"identify positions where hash matches verify actual string" | target tokens 968-976
"positions where hash matches verify actual string comparison" | target tokens 969-977
"where hash matches verify actual string comparison eliminate" | target tokens 970-978

"hash matches verify actual string comparison eliminate spurious" | target tokens 971-979
"matches verify actual string comparison eliminate spurious hash" | target tokens 972-980
"verify actual string comparison eliminate spurious hash collisions" | target tokens 973-981
"actual string comparison eliminate spurious hash collisions aho" | target tokens 974-982
"string comparison eliminate spurious hash collisions aho corasick" | target tokens 975-983
"comparison eliminate spurious hash collisions aho corasick algorithm" | target tokens 976-984
"eliminate spurious hash collisions aho corasick algorithm q1" | target tokens 977-985
"spurious hash collisions aho corasick algorithm q1 content" | target tokens 978-986
"hash collisions aho corasick algorithm q1 content moderation" | target tokens 979-987
"collisions aho corasick algorithm q1 content moderation system" | target tokens 980-988
"aho corasick algorithm q1 content moderation system must" | target tokens 981-989
"corasick algorithm q1 content moderation system must simultaneously" | target tokens 982-990
"algorithm q1 content moderation system must simultaneously search" | target tokens 983-991
"q1 content moderation system must simultaneously search chat" | target tokens 984-992
"content moderation system must simultaneously search chat message" | target tokens 985-993
"moderation system must simultaneously search chat message t" | target tokens 986-994
"system must simultaneously search chat message t shecellsseashells" | target tokens 987-995
"must simultaneously search chat message t shecellsseashells set" | target tokens 988-996
"simultaneously search chat message t shecellsseashells set banned" | target tokens 989-997
"search chat message t shecellsseashells set banned keywords" | target tokens 990-998
"chat message t shecellsseashells set banned keywords sells" | target tokens 991-999
"message t shecellsseashells set banned keywords sells sea" | target tokens 992-1000
"t shecellsseashells set banned keywords sells sea shell" | target tokens 993-1001
"shecellsseashells set banned keywords sells sea shell single" | target tokens 994-1002
"set banned keywords sells sea shell single pass" | target tokens 995-1003
"banned keywords sells sea shell single pass construct" | target tokens 996-1004
"keywords sells sea shell single pass construct aho" | target tokens 997-1005
"sells sea shell single pass construct aho corasick" | target tokens 998-1006
"sea shell single pass construct aho corasick trie" | target tokens 999-1007
"shell single pass construct aho corasick trie failure" | target tokens 1000-1008
"single pass construct aho corasick trie failure fail" | target tokens 1001-1009
"pass construct aho corasick trie failure fail links" | target tokens 1002-1010
"construct aho corasick trie failure fail links given" | target tokens 1003-1011
"aho corasick trie failure fail links given dictionary" | target tokens 1004-1012
"corasick trie failure fail links given dictionary trace" | target tokens 1005-1013
"trie failure fail links given dictionary trace automaton" | target tokens 1006-1014
"failure fail links given dictionary trace automaton over" | target tokens 1007-1015
"fail links given dictionary trace automaton over t" | target tokens 1008-1016
"links given dictionary trace automaton over t report" | target tokens 1009-1017
"given dictionary trace automaton over t report every" | target tokens 1010-1018
"dictionary trace automaton over t report every keyword" | target tokens 1011-1019
"trace automaton over t report every keyword found" | target tokens 1012-1020
"automaton over t report every keyword found along" | target tokens 1013-1021
"over t report every keyword found along ending" | target tokens 1014-1022
"t report every keyword found along ending position" | target tokens 1015-1023
"report every keyword found along ending position q2" | target tokens 1016-1024
"every keyword found along ending position q2 antivirus" | target tokens 1017-1025
"keyword found along ending position q2 antivirus engine" | target tokens 1018-1026
"found along ending position q2 antivirus engine wants" | target tokens 1019-1027

"along ending position q2 antivirus engine wants scan" | target tokens 1020-1028
"ending position q2 antivirus engine wants scan downloaded" | target tokens 1021-1029
"position q2 antivirus engine wants scan downloaded file" | target tokens 1022-1030
"q2 antivirus engine wants scan downloaded file s" | target tokens 1023-1031
"antivirus engine wants scan downloaded file s byte" | target tokens 1024-1032
"engine wants scan downloaded file s byte string" | target tokens 1025-1033
"wants scan downloaded file s byte string t" | target tokens 1026-1034
"scan downloaded file s byte string t abcabcababc" | target tokens 1027-1035
"downloaded file s byte string t abcabcababc multiple" | target tokens 1028-1036
"file s byte string t abcabcababc multiple malware" | target tokens 1029-1037
"s byte string t abcabcababc multiple malware signatures" | target tokens 1030-1038
"byte string t abcabcababc multiple malware signatures ab" | target tokens 1031-1039
"string t abcabcababc multiple malware signatures ab bc" | target tokens 1032-1040
"t abcabcababc multiple malware signatures ab bc abc" | target tokens 1033-1041
"abcabcababc multiple malware signatures ab bc abc once" | target tokens 1034-1042
"multiple malware signatures ab bc abc once without" | target tokens 1035-1043
"malware signatures ab bc abc once without scanning" | target tokens 1036-1044
"signatures ab bc abc once without scanning file" | target tokens 1037-1045
"ab bc abc once without scanning file separately" | target tokens 1038-1046
"bc abc once without scanning file separately each" | target tokens 1039-1047
"abc once without scanning file separately each signature" | target tokens 1040-1048
"once without scanning file separately each signature build" | target tokens 1041-1049
"without scanning file separately each signature build aho" | target tokens 1042-1050
"scanning file separately each signature build aho corasick" | target tokens 1043-1051
"file separately each signature build aho corasick automaton" | target tokens 1044-1052
"separately each signature build aho corasick automaton trie" | target tokens 1045-1053
"each signature build aho corasick automaton trie failure" | target tokens 1046-1054
"signature build aho corasick automaton trie failure links" | target tokens 1047-1055
"build aho corasick automaton trie failure links output" | target tokens 1048-1056
"aho corasick automaton trie failure links output links" | target tokens 1049-1057
"corasick automaton trie failure links output links given" | target tokens 1050-1058
"automaton trie failure links output links given signature" | target tokens 1051-1059
"trie failure links output links given signature set" | target tokens 1052-1060
"failure links output links given signature set trace" | target tokens 1053-1061
"links output links given signature set trace execution" | target tokens 1054-1062
"output links given signature set trace execution t" | target tokens 1055-1063
"links given signature set trace execution t listing" | target tokens 1056-1064
"given signature set trace execution t listing all" | target tokens 1057-1065
"signature set trace execution t listing all matches" | target tokens 1058-1066
"set trace execution t listing all matches positions" | target tokens 1059-1067
"trace execution t listing all matches positions q3" | target tokens 1060-1068
"execution t listing all matches positions q3 search" | target tokens 1061-1069
"t listing all matches positions q3 search highlight" | target tokens 1062-1070
"listing all matches positions q3 search highlight feature" | target tokens 1063-1071
"all matches positions q3 search highlight feature document" | target tokens 1064-1072
"matches positions q3 search highlight feature document editor" | target tokens 1065-1073
"positions q3 search highlight feature document editor needs" | target tokens 1066-1074
"q3 search highlight feature document editor needs mark" | target tokens 1067-1075
"search highlight feature document editor needs mark all" | target tokens 1068-1076

"highlight feature document editor needs mark all occurrences" | target tokens 1069-1077
"feature document editor needs mark all occurrences keywords" | target tokens 1070-1078
"document editor needs mark all occurrences keywords cat" | target tokens 1071-1079
"editor needs mark all occurrences keywords cat car" | target tokens 1072-1080
"needs mark all occurrences keywords cat car cart" | target tokens 1073-1081
"mark all occurrences keywords cat car cart art" | target tokens 1074-1082
"all occurrences keywords cat car cart art within" | target tokens 1075-1083
"occurrences keywords cat car cart art within sentence" | target tokens 1076-1084
"keywords cat car cart art within sentence t" | target tokens 1077-1085
"cat car cart art within sentence t thecartisnearthecarpark" | target tokens 1078-1086
"car cart art within sentence t thecartisnearthecarpark construct" | target tokens 1079-1087
"cart art within sentence t thecartisnearthecarpark construct aho" | target tokens 1080-1088
"art within sentence t thecartisnearthecarpark construct aho corasick" | target tokens 1081-1089
"within sentence t thecartisnearthecarpark construct aho corasick trie" | target tokens 1082-1090
"sentence t thecartisnearthecarpark construct aho corasick trie fail" | target tokens 1083-1091
"t thecartisnearthecarpark construct aho corasick trie fail transitions" | target tokens 1084-1092
"thecartisnearthecarpark construct aho corasick trie fail transitions keyword" | target tokens 1085-1093
"construct aho corasick trie fail transitions keyword set" | target tokens 1086-1094
"aho corasick trie fail transitions keyword set apply" | target tokens 1087-1095
"corasick trie fail transitions keyword set apply automaton" | target tokens 1088-1096
"trie fail transitions keyword set apply automaton t" | target tokens 1089-1097
"fail transitions keyword set apply automaton t identify" | target tokens 1090-1098
"transitions keyword set apply automaton t identify all" | target tokens 1091-1099
"keyword set apply automaton t identify all matches" | target tokens 1092-1100
"set apply automaton t identify all matches including" | target tokens 1093-1101
"apply automaton t identify all matches including cases" | target tokens 1094-1102
"automaton t identify all matches including cases where" | target tokens 1095-1103
"t identify all matches including cases where one" | target tokens 1096-1104
"identify all matches including cases where one matched" | target tokens 1097-1105
"all matches including cases where one matched keyword" | target tokens 1098-1106
"matches including cases where one matched keyword substring" | target tokens 1099-1107
"including cases where one matched keyword substring another" | target tokens 1100-1108
"cases where one matched keyword substring another match" | target tokens 1101-1109
"where one matched keyword substring another match e" | target tokens 1102-1110
"one matched keyword substring another match e g" | target tokens 1103-1111
"matched keyword substring another match e g art" | target tokens 1104-1112
"keyword substring another match e g art inside" | target tokens 1105-1113
"substring another match e g art inside cart" | target tokens 1106-1114
"another match e g art inside cart suffix" | target tokens 1107-1115
"match e g art inside cart suffix arrays" | target tokens 1108-1116
"e g art inside cart suffix arrays lcp" | target tokens 1109-1117
"g art inside cart suffix arrays lcp using" | target tokens 1110-1118
"art inside cart suffix arrays lcp using kasai" | target tokens 1111-1119
"inside cart suffix arrays lcp using kasai s" | target tokens 1112-1120
"cart suffix arrays lcp using kasai s algorithm" | target tokens 1113-1121
"suffix arrays lcp using kasai s algorithm q1" | target tokens 1114-1122
"arrays lcp using kasai s algorithm q1 search" | target tokens 1115-1123
"lcp using kasai s algorithm q1 search feature" | target tokens 1116-1124
"using kasai s algorithm q1 search feature text" | target tokens 1117-1125

"kasai s algorithm q1 search feature text analysis" | target tokens 1118-1126
"s algorithm q1 search feature text analysis tool" | target tokens 1119-1127
"algorithm q1 search feature text analysis tool needs" | target tokens 1120-1128
"q1 search feature text analysis tool needs support" | target tokens 1121-1129
"search feature text analysis tool needs support fast" | target tokens 1122-1130
"feature text analysis tool needs support fast substring" | target tokens 1123-1131
"text analysis tool needs support fast substring queries" | target tokens 1124-1132
"analysis tool needs support fast substring queries string" | target tokens 1125-1133
"tool needs support fast substring queries string t" | target tokens 1126-1134
"needs support fast substring queries string t banana" | target tokens 1127-1135
"support fast substring queries string t banana construct" | target tokens 1128-1136
"fast substring queries string t banana construct suffix" | target tokens 1129-1137
"substring queries string t banana construct suffix array" | target tokens 1130-1138
"queries string t banana construct suffix array t" | target tokens 1131-1139
"string t banana construct suffix array t listing" | target tokens 1132-1140
"t banana construct suffix array t listing sorting" | target tokens 1133-1141
"banana construct suffix array t listing sorting all" | target tokens 1134-1142
"construct suffix array t listing sorting all suffixes" | target tokens 1135-1143
"suffix array t listing sorting all suffixes apply" | target tokens 1136-1144
"array t listing sorting all suffixes apply kasai" | target tokens 1137-1145
"t listing sorting all suffixes apply kasai s" | target tokens 1138-1146
"listing sorting all suffixes apply kasai s algorithm" | target tokens 1139-1147
"sorting all suffixes apply kasai s algorithm compute" | target tokens 1140-1148
"all suffixes apply kasai s algorithm compute lcp" | target tokens 1141-1149
"suffixes apply kasai s algorithm compute lcp array" | target tokens 1142-1150
"apply kasai s algorithm compute lcp array showing" | target tokens 1143-1151
"kasai s algorithm compute lcp array showing intermediate" | target tokens 1144-1152
"s algorithm compute lcp array showing intermediate steps" | target tokens 1145-1153
"algorithm compute lcp array showing intermediate steps using" | target tokens 1146-1154
"compute lcp array showing intermediate steps using rank" | target tokens 1147-1155
"lcp array showing intermediate steps using rank array" | target tokens 1148-1156
"array showing intermediate steps using rank array kasai" | target tokens 1149-1157
"showing intermediate steps using rank array kasai height" | target tokens 1150-1158
"intermediate steps using rank array kasai height reduction" | target tokens 1151-1159
"steps using rank array kasai height reduction trick" | target tokens 1152-1160
"using rank array kasai height reduction trick q2" | target tokens 1153-1161
"rank array kasai height reduction trick q2 bioinformatics" | target tokens 1154-1162
"array kasai height reduction trick q2 bioinformatics application" | target tokens 1155-1163
"kasai height reduction trick q2 bioinformatics application must" | target tokens 1156-1164
"height reduction trick q2 bioinformatics application must find" | target tokens 1157-1165
"reduction trick q2 bioinformatics application must find longest" | target tokens 1158-1166
"trick q2 bioinformatics application must find longest repeated" | target tokens 1159-1167
"q2 bioinformatics application must find longest repeated substring" | target tokens 1160-1168
"bioinformatics application must find longest repeated substring within" | target tokens 1161-1169
"application must find longest repeated substring within dna" | target tokens 1162-1170
"must find longest repeated substring within dna sequence" | target tokens 1163-1171
"find longest repeated substring within dna sequence t" | target tokens 1164-1172
"longest repeated substring within dna sequence t gatagaca" | target tokens 1165-1173
"repeated substring within dna sequence t gatagaca detect" | target tokens 1166-1174

"substring within dna sequence t gatagaca detect repeated" | target tokens 1167-1175
"within dna sequence t gatagaca detect repeated segments" | target tokens 1168-1176
"dna sequence t gatagaca detect repeated segments build" | target tokens 1169-1177
"sequence t gatagaca detect repeated segments build suffix" | target tokens 1170-1178
"t gatagaca detect repeated segments build suffix array" | target tokens 1171-1179
"gatagaca detect repeated segments build suffix array t" | target tokens 1172-1180
"detect repeated segments build suffix array t compute" | target tokens 1173-1181
"repeated segments build suffix array t compute lcp" | target tokens 1174-1182
"segments build suffix array t compute lcp array" | target tokens 1175-1183
"build suffix array t compute lcp array using" | target tokens 1176-1184
"suffix array t compute lcp array using kasai" | target tokens 1177-1185
"array t compute lcp array using kasai s" | target tokens 1178-1186
"t compute lcp array using kasai s algorithm" | target tokens 1179-1187
"compute lcp array using kasai s algorithm use" | target tokens 1180-1188
"lcp array using kasai s algorithm use maximum" | target tokens 1181-1189
"array using kasai s algorithm use maximum value" | target tokens 1182-1190
"using kasai s algorithm use maximum value lcp" | target tokens 1183-1191
"kasai s algorithm use maximum value lcp array" | target tokens 1184-1192
"s algorithm use maximum value lcp array identify" | target tokens 1185-1193
"algorithm use maximum value lcp array identify longest" | target tokens 1186-1194
"use maximum value lcp array identify longest repeated" | target tokens 1187-1195
"maximum value lcp array identify longest repeated substring" | target tokens 1188-1196
"value lcp array identify longest repeated substring length" | target tokens 1189-1197
"lcp array identify longest repeated substring length q3" | target tokens 1190-1198
"array identify longest repeated substring length q3 data" | target tokens 1191-1199
"identify longest repeated substring length q3 data compression" | target tokens 1192-1200
"longest repeated substring length q3 data compression tool" | target tokens 1193-1201
"repeated substring length q3 data compression tool wants" | target tokens 1194-1202
"substring length q3 data compression tool wants identify" | target tokens 1195-1203
"length q3 data compression tool wants identify two" | target tokens 1196-1204
"q3 data compression tool wants identify two most" | target tokens 1197-1205
"data compression tool wants identify two most similar" | target tokens 1198-1206
"compression tool wants identify two most similar longest" | target tokens 1199-1207
"tool wants identify two most similar longest common" | target tokens 1200-1208
"wants identify two most similar longest common prefix" | target tokens 1201-1209
"identify two most similar longest common prefix adjacent" | target tokens 1202-1210
"two most similar longest common prefix adjacent suffixes" | target tokens 1203-1211
"most similar longest common prefix adjacent suffixes string" | target tokens 1204-1212
"similar longest common prefix adjacent suffixes string t" | target tokens 1205-1213
"longest common prefix adjacent suffixes string t aabaaab" | target tokens 1206-1214
"common prefix adjacent suffixes string t aabaaab optimize" | target tokens 1207-1215
"prefix adjacent suffixes string t aabaaab optimize compression" | target tokens 1208-1216
"adjacent suffixes string t aabaaab optimize compression dictionary" | target tokens 1209-1217
"suffixes string t aabaaab optimize compression dictionary construct" | target tokens 1210-1218
"string t aabaaab optimize compression dictionary construct suffix" | target tokens 1211-1219
"t aabaaab optimize compression dictionary construct suffix array" | target tokens 1212-1220
"aabaaab optimize compression dictionary construct suffix array t" | target tokens 1213-1221
"optimize compression dictionary construct suffix array t apply" | target tokens 1214-1222
"compression dictionary construct suffix array t apply kasai" | target tokens 1215-1223

"dictionary construct suffix array t apply kasai s" | target tokens 1216-1224
"construct suffix array t apply kasai s algorithm" | target tokens 1217-1225
"suffix array t apply kasai s algorithm step" | target tokens 1218-1226
"array t apply kasai s algorithm step step" | target tokens 1219-1227
"t apply kasai s algorithm step step tracking" | target tokens 1220-1228
"apply kasai s algorithm step step tracking h" | target tokens 1221-1229
"kasai s algorithm step step tracking h value" | target tokens 1222-1230
"s algorithm step step tracking h value rank" | target tokens 1223-1231
"algorithm step step tracking h value rank array" | target tokens 1224-1232
"step step tracking h value rank array compute" | target tokens 1225-1233
"step tracking h value rank array compute lcp" | target tokens 1226-1234
"tracking h value rank array compute lcp array" | target tokens 1227-1235
"h value rank array compute lcp array identify" | target tokens 1228-1236
"value rank array compute lcp array identify which" | target tokens 1229-1237
"rank array compute lcp array identify which pair" | target tokens 1230-1238
"array compute lcp array identify which pair adjacent" | target tokens 1231-1239
"compute lcp array identify which pair adjacent suffixes" | target tokens 1232-1240
"lcp array identify which pair adjacent suffixes sorted" | target tokens 1233-1241
"array identify which pair adjacent suffixes sorted suffix" | target tokens 1234-1242
"identify which pair adjacent suffixes sorted suffix array" | target tokens 1235-1243
"which pair adjacent suffixes sorted suffix array gives" | target tokens 1236-1244
"pair adjacent suffixes sorted suffix array gives maximum" | target tokens 1237-1245
"adjacent suffixes sorted suffix array gives maximum lcp" | target tokens 1238-1246
"suffixes sorted suffix array gives maximum lcp value" | target tokens 1239-1247
"sorted suffix array gives maximum lcp value co" | target tokens 1240-1248
"suffix array gives maximum lcp value co 3" | target tokens 1241-1249
"array gives maximum lcp value co 3 sample" | target tokens 1242-1250
"gives maximum lcp value co 3 sample questions" | target tokens 1243-1251
"maximum lcp value co 3 sample questions optimal" | target tokens 1244-1252
"lcp value co 3 sample questions optimal binary" | target tokens 1245-1253
"value co 3 sample questions optimal binary search" | target tokens 1246-1254
"co 3 sample questions optimal binary search tree" | target tokens 1247-1255
"3 sample questions optimal binary search tree using" | target tokens 1248-1256
"sample questions optimal binary search tree using dynamic" | target tokens 1249-1257
"questions optimal binary search tree using dynamic programming" | target tokens 1250-1258
"optimal binary search tree using dynamic programming q1" | target tokens 1251-1259
"binary search tree using dynamic programming q1 dictionary" | target tokens 1252-1260
"search tree using dynamic programming q1 dictionary application" | target tokens 1253-1261
"tree using dynamic programming q1 dictionary application stores" | target tokens 1254-1262
"using dynamic programming q1 dictionary application stores 4" | target tokens 1255-1263
"dynamic programming q1 dictionary application stores 4 keywords" | target tokens 1256-1264
"programming q1 dictionary application stores 4 keywords stop" | target tokens 1257-1265
"q1 dictionary application stores 4 keywords stop while" | target tokens 1258-1266
"dictionary application stores 4 keywords stop while known" | target tokens 1259-1267
"application stores 4 keywords stop while known search" | target tokens 1260-1268
"stores 4 keywords stop while known search frequencies" | target tokens 1261-1269
"4 keywords stop while known search frequencies p" | target tokens 1262-1270
"keywords stop while known search frequencies p 3" | target tokens 1263-1271
"stop while known search frequencies p 3 3" | target tokens 1264-1272

"while known search frequencies p 3 3 1" | target tokens 1265-1273
"known search frequencies p 3 3 1 1" | target tokens 1266-1274
"search frequencies p 3 3 1 1 key" | target tokens 1267-1275
"frequencies p 3 3 1 1 key order" | target tokens 1268-1276
"p 3 3 1 1 key order construct" | target tokens 1269-1277
"3 3 1 1 key order construct cost" | target tokens 1270-1278
"3 1 1 key order construct cost table" | target tokens 1271-1279
"1 1 key order construct cost table using" | target tokens 1272-1280
"1 key order construct cost table using dynamic" | target tokens 1273-1281
"key order construct cost table using dynamic programming" | target tokens 1274-1282
"order construct cost table using dynamic programming approach" | target tokens 1275-1283
"construct cost table using dynamic programming approach optimal" | target tokens 1276-1284
"cost table using dynamic programming approach optimal bst" | target tokens 1277-1285
"table using dynamic programming approach optimal bst determine" | target tokens 1278-1286
"using dynamic programming approach optimal bst determine minimum" | target tokens 1279-1287
"dynamic programming approach optimal bst determine minimum expected" | target tokens 1280-1288
"programming approach optimal bst determine minimum expected search" | target tokens 1281-1289
"approach optimal bst determine minimum expected search cost" | target tokens 1282-1290
"optimal bst determine minimum expected search cost along" | target tokens 1283-1291
"bst determine minimum expected search cost along structure" | target tokens 1284-1292
"determine minimum expected search cost along structure optimal" | target tokens 1285-1293
"minimum expected search cost along structure optimal tree" | target tokens 1286-1294
"expected search cost along structure optimal tree q2" | target tokens 1287-1295
"search cost along structure optimal tree q2 compiler" | target tokens 1288-1296
"cost along structure optimal tree q2 compiler s" | target tokens 1289-1297
"along structure optimal tree q2 compiler s symbol" | target tokens 1290-1298
"structure optimal tree q2 compiler s symbol table" | target tokens 1291-1299
"optimal tree q2 compiler s symbol table lookup" | target tokens 1292-1300
"tree q2 compiler s symbol table lookup module" | target tokens 1293-1301
"q2 compiler s symbol table lookup module wants" | target tokens 1294-1302
"compiler s symbol table lookup module wants arrange" | target tokens 1295-1303
"s symbol table lookup module wants arrange keys" | target tokens 1296-1304
"symbol table lookup module wants arrange keys b" | target tokens 1297-1305
"table lookup module wants arrange keys b c" | target tokens 1298-1306
"lookup module wants arrange keys b c access" | target tokens 1299-1307
"module wants arrange keys b c access probabilities" | target tokens 1300-1308
"wants arrange keys b c access probabilities 0" | target tokens 1301-1309
"arrange keys b c access probabilities 0 1" | target tokens 1302-1310
"keys b c access probabilities 0 1 0" | target tokens 1303-1311
"b c access probabilities 0 1 0 2" | target tokens 1304-1312
"c access probabilities 0 1 0 2 0" | target tokens 1305-1313
"access probabilities 0 1 0 2 0 4" | target tokens 1306-1314
"probabilities 0 1 0 2 0 4 respectively" | target tokens 1307-1315
"0 1 0 2 0 4 respectively minimize" | target tokens 1308-1316
"1 0 2 0 4 respectively minimize average" | target tokens 1309-1317
"0 2 0 4 respectively minimize average lookup" | target tokens 1310-1318
"2 0 4 respectively minimize average lookup time" | target tokens 1311-1319
"0 4 respectively minimize average lookup time apply" | target tokens 1312-1320
"4 respectively minimize average lookup time apply dp" | target tokens 1313-1321

"respectively minimize average lookup time apply dp recurrence" | target tokens 1314-1322
"minimize average lookup time apply dp recurrence optimal" | target tokens 1315-1323
"average lookup time apply dp recurrence optimal binary" | target tokens 1316-1324
"lookup time apply dp recurrence optimal binary search" | target tokens 1317-1325
"time apply dp recurrence optimal binary search trees" | target tokens 1318-1326
"apply dp recurrence optimal binary search trees compute" | target tokens 1319-1327
"dp recurrence optimal binary search trees compute cost" | target tokens 1320-1328
"recurrence optimal binary search trees compute cost matrix" | target tokens 1321-1329
"optimal binary search trees compute cost matrix e" | target tokens 1322-1330
"binary search trees compute cost matrix e j" | target tokens 1323-1331
"search trees compute cost matrix e j w" | target tokens 1324-1332
"trees compute cost matrix e j w j" | target tokens 1325-1333
"compute cost matrix e j w j identify" | target tokens 1326-1334
"cost matrix e j w j identify root" | target tokens 1327-1335
"matrix e j w j identify root optimal" | target tokens 1328-1336
"e j w j identify root optimal tree" | target tokens 1329-1337
"j w j identify root optimal tree along" | target tokens 1330-1338
"w j identify root optimal tree along minimum" | target tokens 1331-1339
"j identify root optimal tree along minimum cost" | target tokens 1332-1340
"identify root optimal tree along minimum cost q3" | target tokens 1333-1341
"root optimal tree along minimum cost q3 spell" | target tokens 1334-1342
"optimal tree along minimum cost q3 spell checker" | target tokens 1335-1343
"tree along minimum cost q3 spell checker frequently" | target tokens 1336-1344
"along minimum cost q3 spell checker frequently looks" | target tokens 1337-1345
"minimum cost q3 spell checker frequently looks up" | target tokens 1338-1346
"cost q3 spell checker frequently looks up 4" | target tokens 1339-1347
"q3 spell checker frequently looks up 4 words" | target tokens 1340-1348
"spell checker frequently looks up 4 words cat" | target tokens 1341-1349
"checker frequently looks up 4 words cat dog" | target tokens 1342-1350
"frequently looks up 4 words cat dog pig" | target tokens 1343-1351
"looks up 4 words cat dog pig rat" | target tokens 1344-1352
"up 4 words cat dog pig rat relative" | target tokens 1345-1353
"4 words cat dog pig rat relative frequencies" | target tokens 1346-1354
"words cat dog pig rat relative frequencies 4" | target tokens 1347-1355
"cat dog pig rat relative frequencies 4 2" | target tokens 1348-1356
"dog pig rat relative frequencies 4 2 6" | target tokens 1349-1357
"pig rat relative frequencies 4 2 6 3" | target tokens 1350-1358
"rat relative frequencies 4 2 6 3 using" | target tokens 1351-1359
"relative frequencies 4 2 6 3 using dynamic" | target tokens 1352-1360
"frequencies 4 2 6 3 using dynamic programming" | target tokens 1353-1361
"4 2 6 3 using dynamic programming formulation" | target tokens 1354-1362
"2 6 3 using dynamic programming formulation optimal" | target tokens 1355-1363
"6 3 using dynamic programming formulation optimal bst" | target tokens 1356-1364
"3 using dynamic programming formulation optimal bst problem" | target tokens 1357-1365
"using dynamic programming formulation optimal bst problem build" | target tokens 1358-1366
"dynamic programming formulation optimal bst problem build dp" | target tokens 1359-1367
"programming formulation optimal bst problem build dp table" | target tokens 1360-1368
"formulation optimal bst problem build dp table step" | target tokens 1361-1369
"optimal bst problem build dp table step step" | target tokens 1362-1370

"bst problem build dp table step step determine" | target tokens 1363-1371
"problem build dp table step step determine optimal" | target tokens 1364-1372
"build dp table step step determine optimal arrangement" | target tokens 1365-1373
"dp table step step determine optimal arrangement words" | target tokens 1366-1374
"table step step determine optimal arrangement words bst" | target tokens 1367-1375
"step step determine optimal arrangement words bst minimizes" | target tokens 1368-1376
"step determine optimal arrangement words bst minimizes total" | target tokens 1369-1377
"determine optimal arrangement words bst minimizes total weighted" | target tokens 1370-1378
"optimal arrangement words bst minimizes total weighted search" | target tokens 1371-1379
"arrangement words bst minimizes total weighted search cost" | target tokens 1372-1380
"words bst minimizes total weighted search cost matrix" | target tokens 1373-1381
"bst minimizes total weighted search cost matrix chain" | target tokens 1374-1382
"minimizes total weighted search cost matrix chain multiplication" | target tokens 1375-1383
"total weighted search cost matrix chain multiplication using" | target tokens 1376-1384
"weighted search cost matrix chain multiplication using dynamic" | target tokens 1377-1385
"search cost matrix chain multiplication using dynamic programming" | target tokens 1378-1386
"cost matrix chain multiplication using dynamic programming q1" | target tokens 1379-1387
"matrix chain multiplication using dynamic programming q1 graphics" | target tokens 1380-1388
"chain multiplication using dynamic programming q1 graphics rendering" | target tokens 1381-1389
"multiplication using dynamic programming q1 graphics rendering pipeline" | target tokens 1382-1390
"using dynamic programming q1 graphics rendering pipeline must" | target tokens 1383-1391
"dynamic programming q1 graphics rendering pipeline must multiply" | target tokens 1384-1392
"programming q1 graphics rendering pipeline must multiply four" | target tokens 1385-1393
"q1 graphics rendering pipeline must multiply four transformation" | target tokens 1386-1394
"graphics rendering pipeline must multiply four transformation matrices" | target tokens 1387-1395
"rendering pipeline must multiply four transformation matrices a1" | target tokens 1388-1396
"pipeline must multiply four transformation matrices a1 a2" | target tokens 1389-1397
"must multiply four transformation matrices a1 a2 a3" | target tokens 1390-1398
"multiply four transformation matrices a1 a2 a3 a4" | target tokens 1391-1399
"four transformation matrices a1 a2 a3 a4 dimensions" | target tokens 1392-1400
"transformation matrices a1 a2 a3 a4 dimensions 40" | target tokens 1393-1401
"matrices a1 a2 a3 a4 dimensions 40 20" | target tokens 1394-1402
"a1 a2 a3 a4 dimensions 40 20 20" | target tokens 1395-1403
"a2 a3 a4 dimensions 40 20 20 30" | target tokens 1396-1404
"a3 a4 dimensions 40 20 20 30 30" | target tokens 1397-1405
"a4 dimensions 40 20 20 30 30 10" | target tokens 1398-1406
"dimensions 40 20 20 30 30 10 10" | target tokens 1399-1407
"40 20 20 30 30 10 10 30" | target tokens 1400-1408
"20 20 30 30 10 10 30 respectively" | target tokens 1401-1409
"20 30 30 10 10 30 respectively order" | target tokens 1402-1410
"30 30 10 10 30 respectively order multiplication" | target tokens 1403-1411
"30 10 10 30 respectively order multiplication affects" | target tokens 1404-1412
"10 10 30 respectively order multiplication affects performance" | target tokens 1405-1413
"10 30 respectively order multiplication affects performance apply" | target tokens 1406-1414
"30 respectively order multiplication affects performance apply matrix" | target tokens 1407-1415
"respectively order multiplication affects performance apply matrix chain" | target tokens 1408-1416
"order multiplication affects performance apply matrix chain multiplication" | target tokens 1409-1417
"multiplication affects performance apply matrix chain multiplication dp" | target tokens 1410-1418
"affects performance apply matrix chain multiplication dp algorithm" | target tokens 1411-1419

"performance apply matrix chain multiplication dp algorithm compute" | target tokens 1412-1420
"apply matrix chain multiplication dp algorithm compute m" | target tokens 1413-1421
"matrix chain multiplication dp algorithm compute m j" | target tokens 1414-1422
"chain multiplication dp algorithm compute m j cost" | target tokens 1415-1423
"multiplication dp algorithm compute m j cost table" | target tokens 1416-1424
"dp algorithm compute m j cost table determine" | target tokens 1417-1425
"algorithm compute m j cost table determine minimum" | target tokens 1418-1426
"compute m j cost table determine minimum number" | target tokens 1419-1427
"m j cost table determine minimum number scalar" | target tokens 1420-1428
"j cost table determine minimum number scalar multiplications" | target tokens 1421-1429
"cost table determine minimum number scalar multiplications required" | target tokens 1422-1430
"table determine minimum number scalar multiplications required show" | target tokens 1423-1431
"determine minimum number scalar multiplications required show optimal" | target tokens 1424-1432
"minimum number scalar multiplications required show optimal parenthesization" | target tokens 1425-1433
"number scalar multiplications required show optimal parenthesization q2" | target tokens 1426-1434
"scalar multiplications required show optimal parenthesization q2 data" | target tokens 1427-1435
"multiplications required show optimal parenthesization q2 data analytics" | target tokens 1428-1436
"required show optimal parenthesization q2 data analytics system" | target tokens 1429-1437
"show optimal parenthesization q2 data analytics system needs" | target tokens 1430-1438
"optimal parenthesization q2 data analytics system needs compute" | target tokens 1431-1439
"parenthesization q2 data analytics system needs compute product" | target tokens 1432-1440
"q2 data analytics system needs compute product matrices" | target tokens 1433-1441
"data analytics system needs compute product matrices dimensions" | target tokens 1434-1442
"analytics system needs compute product matrices dimensions p" | target tokens 1435-1443
"system needs compute product matrices dimensions p 5" | target tokens 1436-1444
"needs compute product matrices dimensions p 5 10" | target tokens 1437-1445
"compute product matrices dimensions p 5 10 3" | target tokens 1438-1446
"product matrices dimensions p 5 10 3 12" | target tokens 1439-1447
"matrices dimensions p 5 10 3 12 5" | target tokens 1440-1448
"dimensions p 5 10 3 12 5 e" | target tokens 1441-1449
"p 5 10 3 12 5 e 4" | target tokens 1442-1450
"5 10 3 12 5 e 4 matrices" | target tokens 1443-1451
"10 3 12 5 e 4 matrices a1" | target tokens 1444-1452
"3 12 5 e 4 matrices a1 a4" | target tokens 1445-1453
"12 5 e 4 matrices a1 a4 using" | target tokens 1446-1454
"5 e 4 matrices a1 a4 using dynamic" | target tokens 1447-1455
"e 4 matrices a1 a4 using dynamic programming" | target tokens 1448-1456
"4 matrices a1 a4 using dynamic programming construct" | target tokens 1449-1457
"matrices a1 a4 using dynamic programming construct cost" | target tokens 1450-1458
"a1 a4 using dynamic programming construct cost table" | target tokens 1451-1459
"a4 using dynamic programming construct cost table corresponding" | target tokens 1452-1460
"using dynamic programming construct cost table corresponding split" | target tokens 1453-1461
"dynamic programming construct cost table corresponding split table" | target tokens 1454-1462
"programming construct cost table corresponding split table s" | target tokens 1455-1463
"construct cost table corresponding split table s j" | target tokens 1456-1464
"cost table corresponding split table s j derive" | target tokens 1457-1465
"table corresponding split table s j derive optimal" | target tokens 1458-1466
"corresponding split table s j derive optimal order" | target tokens 1459-1467
"split table s j derive optimal order multiplication" | target tokens 1460-1468

"table s j derive optimal order multiplication minimizes" | target tokens 1461-1469
"s j derive optimal order multiplication minimizes total" | target tokens 1462-1470
"j derive optimal order multiplication minimizes total computational" | target tokens 1463-1471
"derive optimal order multiplication minimizes total computational cost" | target tokens 1464-1472
"optimal order multiplication minimizes total computational cost q3" | target tokens 1465-1473
"order multiplication minimizes total computational cost q3 robotics" | target tokens 1466-1474
"multiplication minimizes total computational cost q3 robotics motion" | target tokens 1467-1475
"minimizes total computational cost q3 robotics motion planning" | target tokens 1468-1476
"total computational cost q3 robotics motion planning module" | target tokens 1469-1477
"computational cost q3 robotics motion planning module chains" | target tokens 1470-1478
"cost q3 robotics motion planning module chains together" | target tokens 1471-1479
"q3 robotics motion planning module chains together 5" | target tokens 1472-1480
"robotics motion planning module chains together 5 transformation" | target tokens 1473-1481
"motion planning module chains together 5 transformation matrices" | target tokens 1474-1482
"planning module chains together 5 transformation matrices dimension" | target tokens 1475-1483
"module chains together 5 transformation matrices dimension sequence" | target tokens 1476-1484
"chains together 5 transformation matrices dimension sequence p" | target tokens 1477-1485
"together 5 transformation matrices dimension sequence p 10" | target tokens 1478-1486
"5 transformation matrices dimension sequence p 10 20" | target tokens 1479-1487
"transformation matrices dimension sequence p 10 20 50" | target tokens 1480-1488
"matrices dimension sequence p 10 20 50 1" | target tokens 1481-1489
"dimension sequence p 10 20 50 1 100" | target tokens 1482-1490
"sequence p 10 20 50 1 100 apply" | target tokens 1483-1491
"p 10 20 50 1 100 apply matrix" | target tokens 1484-1492
"10 20 50 1 100 apply matrix chain" | target tokens 1485-1493
"20 50 1 100 apply matrix chain order" | target tokens 1486-1494
"50 1 100 apply matrix chain order dp" | target tokens 1487-1495
"1 100 apply matrix chain order dp algorithm" | target tokens 1488-1496
"100 apply matrix chain order dp algorithm fill" | target tokens 1489-1497
"apply matrix chain order dp algorithm fill cost" | target tokens 1490-1498
"matrix chain order dp algorithm fill cost matrix" | target tokens 1491-1499
"chain order dp algorithm fill cost matrix identify" | target tokens 1492-1500
"order dp algorithm fill cost matrix identify minimum" | target tokens 1493-1501
"dp algorithm fill cost matrix identify minimum multiplication" | target tokens 1494-1502
"algorithm fill cost matrix identify minimum multiplication cost" | target tokens 1495-1503
"fill cost matrix identify minimum multiplication cost reconstruct" | target tokens 1496-1504
"cost matrix identify minimum multiplication cost reconstruct optimal" | target tokens 1497-1505
"matrix identify minimum multiplication cost reconstruct optimal parenthesization" | target tokens 1498-1506
"identify minimum multiplication cost reconstruct optimal parenthesization using" | target tokens 1499-1507
"minimum multiplication cost reconstruct optimal parenthesization using recorded" | target tokens 1500-1508
"multiplication cost reconstruct optimal parenthesization using recorded split" | target tokens 1501-1509
"cost reconstruct optimal parenthesization using recorded split points" | target tokens 1502-1510
"reconstruct optimal parenthesization using recorded split points minimum" | target tokens 1503-1511
"optimal parenthesization using recorded split points minimum edit" | target tokens 1504-1512
"parenthesization using recorded split points minimum edit distance" | target tokens 1505-1513
"using recorded split points minimum edit distance problem" | target tokens 1506-1514
"recorded split points minimum edit distance problem using" | target tokens 1507-1515
"split points minimum edit distance problem using dynamic" | target tokens 1508-1516
"points minimum edit distance problem using dynamic programming" | target tokens 1509-1517

"minimum edit distance problem using dynamic programming q1" | target tokens 1510-1518
"edit distance problem using dynamic programming q1 spell" | target tokens 1511-1519
"distance problem using dynamic programming q1 spell correction" | target tokens 1512-1520
"problem using dynamic programming q1 spell correction system" | target tokens 1513-1521
"using dynamic programming q1 spell correction system needs" | target tokens 1514-1522
"dynamic programming q1 spell correction system needs determine" | target tokens 1515-1523
"programming q1 spell correction system needs determine how" | target tokens 1516-1524
"q1 spell correction system needs determine how many" | target tokens 1517-1525
"spell correction system needs determine how many single" | target tokens 1518-1526
"correction system needs determine how many single character" | target tokens 1519-1527
"system needs determine how many single character edits" | target tokens 1520-1528
"needs determine how many single character edits insert" | target tokens 1521-1529
"determine how many single character edits insert delete" | target tokens 1522-1530
"how many single character edits insert delete substitute" | target tokens 1523-1531
"many single character edits insert delete substitute required" | target tokens 1524-1532
"single character edits insert delete substitute required convert" | target tokens 1525-1533
"character edits insert delete substitute required convert misspelled" | target tokens 1526-1534
"edits insert delete substitute required convert misspelled word" | target tokens 1527-1535
"insert delete substitute required convert misspelled word execution" | target tokens 1528-1536
"delete substitute required convert misspelled word execution correct" | target tokens 1529-1537
"substitute required convert misspelled word execution correct word" | target tokens 1530-1538
"required convert misspelled word execution correct word intention" | target tokens 1531-1539
"convert misspelled word execution correct word intention construct" | target tokens 1532-1540
"misspelled word execution correct word intention construct dp" | target tokens 1533-1541
"word execution correct word intention construct dp table" | target tokens 1534-1542
"execution correct word intention construct dp table edit" | target tokens 1535-1543
"correct word intention construct dp table edit distance" | target tokens 1536-1544
"word intention construct dp table edit distance fill" | target tokens 1537-1545
"intention construct dp table edit distance fill all" | target tokens 1538-1546
"construct dp table edit distance fill all cell" | target tokens 1539-1547
"dp table edit distance fill all cell values" | target tokens 1540-1548
"table edit distance fill all cell values trace" | target tokens 1541-1549
"edit distance fill all cell values trace back" | target tokens 1542-1550
"distance fill all cell values trace back optimal" | target tokens 1543-1551
"fill all cell values trace back optimal sequence" | target tokens 1544-1552
"all cell values trace back optimal sequence edit" | target tokens 1545-1553
"cell values trace back optimal sequence edit operations" | target tokens 1546-1554
"values trace back optimal sequence edit operations q2" | target tokens 1547-1555
"trace back optimal sequence edit operations q2 dna" | target tokens 1548-1556
"back optimal sequence edit operations q2 dna comparison" | target tokens 1549-1557
"optimal sequence edit operations q2 dna comparison tool" | target tokens 1550-1558
"sequence edit operations q2 dna comparison tool wants" | target tokens 1551-1559
"edit operations q2 dna comparison tool wants measure" | target tokens 1552-1560
"operations q2 dna comparison tool wants measure how" | target tokens 1553-1561
"q2 dna comparison tool wants measure how different" | target tokens 1554-1562
"dna comparison tool wants measure how different two" | target tokens 1555-1563
"comparison tool wants measure how different two short" | target tokens 1556-1564
"tool wants measure how different two short sequences" | target tokens 1557-1565
"wants measure how different two short sequences sunday" | target tokens 1558-1566

"measure how different two short sequences sunday saturday" | target tokens 1559-1567
"how different two short sequences sunday saturday using" | target tokens 1560-1568
"different two short sequences sunday saturday using minimum" | target tokens 1561-1569
"two short sequences sunday saturday using minimum number" | target tokens 1562-1570
"short sequences sunday saturday using minimum number insertions" | target tokens 1563-1571
"sequences sunday saturday using minimum number insertions deletions" | target tokens 1564-1572
"sunday saturday using minimum number insertions deletions substitutions" | target tokens 1565-1573
"saturday using minimum number insertions deletions substitutions apply" | target tokens 1566-1574
"using minimum number insertions deletions substitutions apply dynamic" | target tokens 1567-1575
"minimum number insertions deletions substitutions apply dynamic programming" | target tokens 1568-1576
"number insertions deletions substitutions apply dynamic programming edit" | target tokens 1569-1577
"insertions deletions substitutions apply dynamic programming edit distance" | target tokens 1570-1578
"deletions substitutions apply dynamic programming edit distance algorithm" | target tokens 1571-1579
"substitutions apply dynamic programming edit distance algorithm build" | target tokens 1572-1580
"apply dynamic programming edit distance algorithm build cost" | target tokens 1573-1581
"dynamic programming edit distance algorithm build cost matrix" | target tokens 1574-1582
"programming edit distance algorithm build cost matrix determine" | target tokens 1575-1583
"edit distance algorithm build cost matrix determine minimum" | target tokens 1576-1584
"distance algorithm build cost matrix determine minimum edit" | target tokens 1577-1585
"algorithm build cost matrix determine minimum edit distance" | target tokens 1578-1586
"build cost matrix determine minimum edit distance along" | target tokens 1579-1587
"cost matrix determine minimum edit distance along actual" | target tokens 1580-1588
"matrix determine minimum edit distance along actual sequence" | target tokens 1581-1589
"determine minimum edit distance along actual sequence operations" | target tokens 1582-1590
"minimum edit distance along actual sequence operations performed" | target tokens 1583-1591
"edit distance along actual sequence operations performed q3" | target tokens 1584-1592
"distance along actual sequence operations performed q3 ocr" | target tokens 1585-1593
"along actual sequence operations performed q3 ocr text" | target tokens 1586-1594
"actual sequence operations performed q3 ocr text recognition" | target tokens 1587-1595
"sequence operations performed q3 ocr text recognition system" | target tokens 1588-1596
"operations performed q3 ocr text recognition system produced" | target tokens 1589-1597
"performed q3 ocr text recognition system produced output" | target tokens 1590-1598
"q3 ocr text recognition system produced output gumbol" | target tokens 1591-1599
"ocr text recognition system produced output gumbol actual" | target tokens 1592-1600
"text recognition system produced output gumbol actual word" | target tokens 1593-1601
"recognition system produced output gumbol actual word gambol" | target tokens 1594-1602
"system produced output gumbol actual word gambol using" | target tokens 1595-1603
"produced output gumbol actual word gambol using edit" | target tokens 1596-1604
"output gumbol actual word gambol using edit distance" | target tokens 1597-1605
"gumbol actual word gambol using edit distance dynamic" | target tokens 1598-1606
"actual word gambol using edit distance dynamic programming" | target tokens 1599-1607
"word gambol using edit distance dynamic programming approach" | target tokens 1600-1608
"gambol using edit distance dynamic programming approach construct" | target tokens 1601-1609
"using edit distance dynamic programming approach construct complete" | target tokens 1602-1610
"edit distance dynamic programming approach construct complete dp" | target tokens 1603-1611
"distance dynamic programming approach construct complete dp table" | target tokens 1604-1612
"dynamic programming approach construct complete dp table compute" | target tokens 1605-1613
"programming approach construct complete dp table compute minimum" | target tokens 1606-1614
"approach construct complete dp table compute minimum number" | target tokens 1607-1615

"construct complete dp table compute minimum number operations" | target tokens 1608-1616
"complete dp table compute minimum number operations needed" | target tokens 1609-1617
"dp table compute minimum number operations needed correct" | target tokens 1610-1618
"table compute minimum number operations needed correct ocr" | target tokens 1611-1619
"compute minimum number operations needed correct ocr output" | target tokens 1612-1620
"minimum number operations needed correct ocr output list" | target tokens 1613-1621
"number operations needed correct ocr output list specific" | target tokens 1614-1622
"operations needed correct ocr output list specific edits" | target tokens 1615-1623
"needed correct ocr output list specific edits applied" | target tokens 1616-1624
"correct ocr output list specific edits applied each" | target tokens 1617-1625
"ocr output list specific edits applied each step" | target tokens 1618-1626
"output list specific edits applied each step global" | target tokens 1619-1627
"list specific edits applied each step global sequence" | target tokens 1620-1628
"specific edits applied each step global sequence alignment" | target tokens 1621-1629
"edits applied each step global sequence alignment using" | target tokens 1622-1630
"applied each step global sequence alignment using needleman" | target tokens 1623-1631
"each step global sequence alignment using needleman wunsch" | target tokens 1624-1632
"step global sequence alignment using needleman wunsch algorithm" | target tokens 1625-1633
"global sequence alignment using needleman wunsch algorithm q1" | target tokens 1626-1634
"sequence alignment using needleman wunsch algorithm q1 bioinformatics" | target tokens 1627-1635
"alignment using needleman wunsch algorithm q1 bioinformatics lab" | target tokens 1628-1636
"using needleman wunsch algorithm q1 bioinformatics lab wants" | target tokens 1629-1637
"needleman wunsch algorithm q1 bioinformatics lab wants globally" | target tokens 1630-1638
"wunsch algorithm q1 bioinformatics lab wants globally align" | target tokens 1631-1639
"algorithm q1 bioinformatics lab wants globally align two" | target tokens 1632-1640
"q1 bioinformatics lab wants globally align two short" | target tokens 1633-1641
"bioinformatics lab wants globally align two short dna" | target tokens 1634-1642
"lab wants globally align two short dna sequences" | target tokens 1635-1643
"wants globally align two short dna sequences x" | target tokens 1636-1644
"globally align two short dna sequences x gcatgcu" | target tokens 1637-1645
"align two short dna sequences x gcatgcu y" | target tokens 1638-1646
"two short dna sequences x gcatgcu y gattaca" | target tokens 1639-1647
"short dna sequences x gcatgcu y gattaca using" | target tokens 1640-1648
"dna sequences x gcatgcu y gattaca using match" | target tokens 1641-1649
"sequences x gcatgcu y gattaca using match 1" | target tokens 1642-1650
"x gcatgcu y gattaca using match 1 mismatch" | target tokens 1643-1651
"gcatgcu y gattaca using match 1 mismatch 1" | target tokens 1644-1652
"y gattaca using match 1 mismatch 1 gap" | target tokens 1645-1653
"gattaca using match 1 mismatch 1 gap penalty" | target tokens 1646-1654
"using match 1 mismatch 1 gap penalty 2" | target tokens 1647-1655
"match 1 mismatch 1 gap penalty 2 construct" | target tokens 1648-1656
"1 mismatch 1 gap penalty 2 construct needleman" | target tokens 1649-1657
"mismatch 1 gap penalty 2 construct needleman wunsch" | target tokens 1650-1658
"1 gap penalty 2 construct needleman wunsch scoring" | target tokens 1651-1659
"gap penalty 2 construct needleman wunsch scoring matrix" | target tokens 1652-1660
"penalty 2 construct needleman wunsch scoring matrix compute" | target tokens 1653-1661
"2 construct needleman wunsch scoring matrix compute optimal" | target tokens 1654-1662
"construct needleman wunsch scoring matrix compute optimal global" | target tokens 1655-1663
"needleman wunsch scoring matrix compute optimal global alignment" | target tokens 1656-1664

"wunsch scoring matrix compute optimal global alignment score" | target tokens 1657-1665
"scoring matrix compute optimal global alignment score perform" | target tokens 1658-1666
"matrix compute optimal global alignment score perform traceback" | target tokens 1659-1667
"compute optimal global alignment score perform traceback display" | target tokens 1660-1668
"optimal global alignment score perform traceback display one" | target tokens 1661-1669
"global alignment score perform traceback display one optimal" | target tokens 1662-1670
"alignment score perform traceback display one optimal alignment" | target tokens 1663-1671
"score perform traceback display one optimal alignment q2" | target tokens 1664-1672
"perform traceback display one optimal alignment q2 protein" | target tokens 1665-1673
"traceback display one optimal alignment q2 protein comparison" | target tokens 1666-1674
"display one optimal alignment q2 protein comparison tool" | target tokens 1667-1675
"one optimal alignment q2 protein comparison tool needs" | target tokens 1668-1676
"optimal alignment q2 protein comparison tool needs globally" | target tokens 1669-1677
"alignment q2 protein comparison tool needs globally align" | target tokens 1670-1678
"q2 protein comparison tool needs globally align sequences" | target tokens 1671-1679
"protein comparison tool needs globally align sequences x" | target tokens 1672-1680
"comparison tool needs globally align sequences x agtacgca" | target tokens 1673-1681
"tool needs globally align sequences x agtacgca y" | target tokens 1674-1682
"needs globally align sequences x agtacgca y tatgc" | target tokens 1675-1683
"globally align sequences x agtacgca y tatgc using" | target tokens 1676-1684
"align sequences x agtacgca y tatgc using scoring" | target tokens 1677-1685
"sequences x agtacgca y tatgc using scoring scheme" | target tokens 1678-1686
"x agtacgca y tatgc using scoring scheme match" | target tokens 1679-1687
"agtacgca y tatgc using scoring scheme match 2" | target tokens 1680-1688
"y tatgc using scoring scheme match 2 mismatch" | target tokens 1681-1689
"tatgc using scoring scheme match 2 mismatch 1" | target tokens 1682-1690
"using scoring scheme match 2 mismatch 1 gap" | target tokens 1683-1691
"scoring scheme match 2 mismatch 1 gap 2" | target tokens 1684-1692
"scheme match 2 mismatch 1 gap 2 apply" | target tokens 1685-1693
"match 2 mismatch 1 gap 2 apply needleman" | target tokens 1686-1694
"2 mismatch 1 gap 2 apply needleman wunsch" | target tokens 1687-1695
"mismatch 1 gap 2 apply needleman wunsch dynamic" | target tokens 1688-1696
"1 gap 2 apply needleman wunsch dynamic programming" | target tokens 1689-1697
"gap 2 apply needleman wunsch dynamic programming algorithm" | target tokens 1690-1698
"2 apply needleman wunsch dynamic programming algorithm fill" | target tokens 1691-1699
"apply needleman wunsch dynamic programming algorithm fill alignment" | target tokens 1692-1700
"needleman wunsch dynamic programming algorithm fill alignment matrix" | target tokens 1693-1701
"wunsch dynamic programming algorithm fill alignment matrix completely" | target tokens 1694-1702
"dynamic programming algorithm fill alignment matrix completely trace" | target tokens 1695-1703
"programming algorithm fill alignment matrix completely trace back" | target tokens 1696-1704
"algorithm fill alignment matrix completely trace back bottom" | target tokens 1697-1705
"fill alignment matrix completely trace back bottom right" | target tokens 1698-1706
"alignment matrix completely trace back bottom right cell" | target tokens 1699-1707
"matrix completely trace back bottom right cell obtain" | target tokens 1700-1708
"completely trace back bottom right cell obtain optimal" | target tokens 1701-1709
"trace back bottom right cell obtain optimal global" | target tokens 1702-1710
"back bottom right cell obtain optimal global alignment" | target tokens 1703-1711
"bottom right cell obtain optimal global alignment score" | target tokens 1704-1712
"right cell obtain optimal global alignment score q3" | target tokens 1705-1713

"cell obtain optimal global alignment score q3 genomic" | target tokens 1706-1714
"obtain optimal global alignment score q3 genomic database" | target tokens 1707-1715
"optimal global alignment score q3 genomic database wants" | target tokens 1708-1716
"global alignment score q3 genomic database wants align" | target tokens 1709-1717
"alignment score q3 genomic database wants align two" | target tokens 1710-1718
"score q3 genomic database wants align two full" | target tokens 1711-1719
"q3 genomic database wants align two full length" | target tokens 1712-1720
"genomic database wants align two full length gene" | target tokens 1713-1721
"database wants align two full length gene fragments" | target tokens 1714-1722
"wants align two full length gene fragments x" | target tokens 1715-1723
"align two full length gene fragments x cgtgaattcat" | target tokens 1716-1724
"two full length gene fragments x cgtgaattcat y" | target tokens 1717-1725
"full length gene fragments x cgtgaattcat y gacttac" | target tokens 1718-1726
"length gene fragments x cgtgaattcat y gacttac end" | target tokens 1719-1727
"gene fragments x cgtgaattcat y gacttac end end" | target tokens 1720-1728
"fragments x cgtgaattcat y gacttac end end global" | target tokens 1721-1729
"x cgtgaattcat y gacttac end end global alignment" | target tokens 1722-1730
"cgtgaattcat y gacttac end end global alignment match" | target tokens 1723-1731
"y gacttac end end global alignment match 1" | target tokens 1724-1732
"gacttac end end global alignment match 1 mismatch" | target tokens 1725-1733
"end end global alignment match 1 mismatch 1" | target tokens 1726-1734
"end global alignment match 1 mismatch 1 gap" | target tokens 1727-1735
"global alignment match 1 mismatch 1 gap 1" | target tokens 1728-1736
"alignment match 1 mismatch 1 gap 1 build" | target tokens 1729-1737
"match 1 mismatch 1 gap 1 build needleman" | target tokens 1730-1738
"1 mismatch 1 gap 1 build needleman wunsch" | target tokens 1731-1739
"mismatch 1 gap 1 build needleman wunsch dp" | target tokens 1732-1740
"1 gap 1 build needleman wunsch dp matrix" | target tokens 1733-1741
"gap 1 build needleman wunsch dp matrix step" | target tokens 1734-1742
"1 build needleman wunsch dp matrix step step" | target tokens 1735-1743
"build needleman wunsch dp matrix step step identify" | target tokens 1736-1744
"needleman wunsch dp matrix step step identify maximum" | target tokens 1737-1745
"wunsch dp matrix step step identify maximum alignment" | target tokens 1738-1746
"dp matrix step step identify maximum alignment score" | target tokens 1739-1747
"matrix step step identify maximum alignment score reconstruct" | target tokens 1740-1748
"step step identify maximum alignment score reconstruct optimal" | target tokens 1741-1749
"step identify maximum alignment score reconstruct optimal alignment" | target tokens 1742-1750
"identify maximum alignment score reconstruct optimal alignment s" | target tokens 1743-1751
"maximum alignment score reconstruct optimal alignment s via" | target tokens 1744-1752
"alignment score reconstruct optimal alignment s via traceback" | target tokens 1745-1753
"score reconstruct optimal alignment s via traceback noting" | target tokens 1746-1754
"reconstruct optimal alignment s via traceback noting any" | target tokens 1747-1755
"optimal alignment s via traceback noting any insertions" | target tokens 1748-1756
"alignment s via traceback noting any insertions deletions" | target tokens 1749-1757
"s via traceback noting any insertions deletions used" | target tokens 1750-1758
"via traceback noting any insertions deletions used local" | target tokens 1751-1759
"traceback noting any insertions deletions used local sequence" | target tokens 1752-1760
"noting any insertions deletions used local sequence alignment" | target tokens 1753-1761
"any insertions deletions used local sequence alignment using" | target tokens 1754-1762

"insertions deletions used local sequence alignment using smith" | target tokens 1755-1763
"deletions used local sequence alignment using smith waterman" | target tokens 1756-1764
"used local sequence alignment using smith waterman algorithm" | target tokens 1757-1765
"local sequence alignment using smith waterman algorithm q1" | target tokens 1758-1766
"sequence alignment using smith waterman algorithm q1 researcher" | target tokens 1759-1767
"alignment using smith waterman algorithm q1 researcher wants" | target tokens 1760-1768
"using smith waterman algorithm q1 researcher wants find" | target tokens 1761-1769
"smith waterman algorithm q1 researcher wants find best" | target tokens 1762-1770
"waterman algorithm q1 researcher wants find best matching" | target tokens 1763-1771
"algorithm q1 researcher wants find best matching local" | target tokens 1764-1772
"q1 researcher wants find best matching local region" | target tokens 1765-1773
"researcher wants find best matching local region between" | target tokens 1766-1774
"wants find best matching local region between two" | target tokens 1767-1775
"find best matching local region between two dna" | target tokens 1768-1776
"best matching local region between two dna fragments" | target tokens 1769-1777
"matching local region between two dna fragments x" | target tokens 1770-1778
"local region between two dna fragments x tgttacgg" | target tokens 1771-1779
"region between two dna fragments x tgttacgg y" | target tokens 1772-1780
"between two dna fragments x tgttacgg y ggttgacta" | target tokens 1773-1781
"two dna fragments x tgttacgg y ggttgacta using" | target tokens 1774-1782
"dna fragments x tgttacgg y ggttgacta using match" | target tokens 1775-1783
"fragments x tgttacgg y ggttgacta using match 3" | target tokens 1776-1784
"x tgttacgg y ggttgacta using match 3 mismatch" | target tokens 1777-1785
"tgttacgg y ggttgacta using match 3 mismatch 3" | target tokens 1778-1786
"y ggttgacta using match 3 mismatch 3 gap" | target tokens 1779-1787
"ggttgacta using match 3 mismatch 3 gap penalty" | target tokens 1780-1788
"using match 3 mismatch 3 gap penalty 2" | target tokens 1781-1789
"match 3 mismatch 3 gap penalty 2 construct" | target tokens 1782-1790
"3 mismatch 3 gap penalty 2 construct smith" | target tokens 1783-1791
"mismatch 3 gap penalty 2 construct smith waterman" | target tokens 1784-1792
"3 gap penalty 2 construct smith waterman scoring" | target tokens 1785-1793
"gap penalty 2 construct smith waterman scoring matrix" | target tokens 1786-1794
"penalty 2 construct smith waterman scoring matrix ensuring" | target tokens 1787-1795
"2 construct smith waterman scoring matrix ensuring no" | target tokens 1788-1796
"construct smith waterman scoring matrix ensuring no cell" | target tokens 1789-1797
"smith waterman scoring matrix ensuring no cell goes" | target tokens 1790-1798
"waterman scoring matrix ensuring no cell goes below" | target tokens 1791-1799
"scoring matrix ensuring no cell goes below zero" | target tokens 1792-1800
"matrix ensuring no cell goes below zero locate" | target tokens 1793-1801
"ensuring no cell goes below zero locate highest" | target tokens 1794-1802
"no cell goes below zero locate highest scoring" | target tokens 1795-1803
"cell goes below zero locate highest scoring cell" | target tokens 1796-1804
"goes below zero locate highest scoring cell trace" | target tokens 1797-1805
"below zero locate highest scoring cell trace back" | target tokens 1798-1806
"zero locate highest scoring cell trace back report" | target tokens 1799-1807
"locate highest scoring cell trace back report optimal" | target tokens 1800-1808
"highest scoring cell trace back report optimal local" | target tokens 1801-1809
"scoring cell trace back report optimal local alignment" | target tokens 1802-1810
"cell trace back report optimal local alignment q2" | target tokens 1803-1811

"trace back report optimal local alignment q2 protein" | target tokens 1804-1812
"back report optimal local alignment q2 protein database" | target tokens 1805-1813
"report optimal local alignment q2 protein database search" | target tokens 1806-1814
"optimal local alignment q2 protein database search tool" | target tokens 1807-1815
"local alignment q2 protein database search tool needs" | target tokens 1808-1816
"alignment q2 protein database search tool needs identify" | target tokens 1809-1817
"q2 protein database search tool needs identify most" | target tokens 1810-1818
"protein database search tool needs identify most similar" | target tokens 1811-1819
"database search tool needs identify most similar local" | target tokens 1812-1820
"search tool needs identify most similar local subsequence" | target tokens 1813-1821
"tool needs identify most similar local subsequence between" | target tokens 1814-1822
"needs identify most similar local subsequence between x" | target tokens 1815-1823
"identify most similar local subsequence between x heagawghee" | target tokens 1816-1824
"most similar local subsequence between x heagawghee y" | target tokens 1817-1825
"similar local subsequence between x heagawghee y pawheae" | target tokens 1818-1826
"local subsequence between x heagawghee y pawheae using" | target tokens 1819-1827
"subsequence between x heagawghee y pawheae using match" | target tokens 1820-1828
"between x heagawghee y pawheae using match 2" | target tokens 1821-1829
"x heagawghee y pawheae using match 2 mismatch" | target tokens 1822-1830
"heagawghee y pawheae using match 2 mismatch 1" | target tokens 1823-1831
"y pawheae using match 2 mismatch 1 gap" | target tokens 1824-1832
"pawheae using match 2 mismatch 1 gap 2" | target tokens 1825-1833
"using match 2 mismatch 1 gap 2 apply" | target tokens 1826-1834
"match 2 mismatch 1 gap 2 apply smith" | target tokens 1827-1835
"2 mismatch 1 gap 2 apply smith waterman" | target tokens 1828-1836
"mismatch 1 gap 2 apply smith waterman dynamic" | target tokens 1829-1837
"1 gap 2 apply smith waterman dynamic programming" | target tokens 1830-1838
"gap 2 apply smith waterman dynamic programming algorithm" | target tokens 1831-1839
"2 apply smith waterman dynamic programming algorithm build" | target tokens 1832-1840
"apply smith waterman dynamic programming algorithm build local" | target tokens 1833-1841
"smith waterman dynamic programming algorithm build local alignment" | target tokens 1834-1842
"waterman dynamic programming algorithm build local alignment matrix" | target tokens 1835-1843
"dynamic programming algorithm build local alignment matrix identify" | target tokens 1836-1844
"programming algorithm build local alignment matrix identify cell" | target tokens 1837-1845
"algorithm build local alignment matrix identify cell maximum" | target tokens 1838-1846
"build local alignment matrix identify cell maximum score" | target tokens 1839-1847
"local alignment matrix identify cell maximum score perform" | target tokens 1840-1848
"alignment matrix identify cell maximum score perform traceback" | target tokens 1841-1849
"matrix identify cell maximum score perform traceback stopping" | target tokens 1842-1850
"identify cell maximum score perform traceback stopping zero" | target tokens 1843-1851
"cell maximum score perform traceback stopping zero cell" | target tokens 1844-1852
"maximum score perform traceback stopping zero cell report" | target tokens 1845-1853
"score perform traceback stopping zero cell report optimal" | target tokens 1846-1854
"perform traceback stopping zero cell report optimal local" | target tokens 1847-1855
"traceback stopping zero cell report optimal local alignment" | target tokens 1848-1856
"stopping zero cell report optimal local alignment q3" | target tokens 1849-1857
"zero cell report optimal local alignment q3 plagiarism" | target tokens 1850-1858
"cell report optimal local alignment q3 plagiarism detection" | target tokens 1851-1859
"report optimal local alignment q3 plagiarism detection tool" | target tokens 1852-1860

"optimal local alignment q3 plagiarism detection tool genetic" | target tokens 1853-1861
"local alignment q3 plagiarism detection tool genetic patents" | target tokens 1854-1862
"alignment q3 plagiarism detection tool genetic patents wants" | target tokens 1855-1863
"q3 plagiarism detection tool genetic patents wants find" | target tokens 1856-1864
"plagiarism detection tool genetic patents wants find strongest" | target tokens 1857-1865
"detection tool genetic patents wants find strongest local" | target tokens 1858-1866
"tool genetic patents wants find strongest local match" | target tokens 1859-1867
"genetic patents wants find strongest local match between" | target tokens 1860-1868
"patents wants find strongest local match between sequences" | target tokens 1861-1869
"wants find strongest local match between sequences x" | target tokens 1862-1870
"find strongest local match between sequences x acacacta" | target tokens 1863-1871
"strongest local match between sequences x acacacta y" | target tokens 1864-1872
"local match between sequences x acacacta y agcacaca" | target tokens 1865-1873
"match between sequences x acacacta y agcacaca using" | target tokens 1866-1874
"between sequences x acacacta y agcacaca using match" | target tokens 1867-1875
"sequences x acacacta y agcacaca using match 2" | target tokens 1868-1876
"x acacacta y agcacaca using match 2 mismatch" | target tokens 1869-1877
"acacacta y agcacaca using match 2 mismatch 1" | target tokens 1870-1878
"y agcacaca using match 2 mismatch 1 gap" | target tokens 1871-1879
"agcacaca using match 2 mismatch 1 gap 2" | target tokens 1872-1880
"using match 2 mismatch 1 gap 2 construct" | target tokens 1873-1881
"match 2 mismatch 1 gap 2 construct smith" | target tokens 1874-1882
"2 mismatch 1 gap 2 construct smith waterman" | target tokens 1875-1883
"mismatch 1 gap 2 construct smith waterman matrix" | target tokens 1876-1884
"1 gap 2 construct smith waterman matrix highlight" | target tokens 1877-1885
"gap 2 construct smith waterman matrix highlight highest" | target tokens 1878-1886
"2 construct smith waterman matrix highlight highest scoring" | target tokens 1879-1887
"construct smith waterman matrix highlight highest scoring region" | target tokens 1880-1888
"smith waterman matrix highlight highest scoring region trace" | target tokens 1881-1889
"waterman matrix highlight highest scoring region trace back" | target tokens 1882-1890
"matrix highlight highest scoring region trace back maximum" | target tokens 1883-1891
"highlight highest scoring region trace back maximum scoring" | target tokens 1884-1892
"highest scoring region trace back maximum scoring cell" | target tokens 1885-1893
"scoring region trace back maximum scoring cell determine" | target tokens 1886-1894
"region trace back maximum scoring cell determine best" | target tokens 1887-1895
"trace back maximum scoring cell determine best local" | target tokens 1888-1896
"back maximum scoring cell determine best local alignment" | target tokens 1889-1897
"maximum scoring cell determine best local alignment score" | target tokens 1890-1898
"scoring cell determine best local alignment score tsp" | target tokens 1891-1899
"cell determine best local alignment score tsp using" | target tokens 1892-1900
"determine best local alignment score tsp using bitmask" | target tokens 1893-1901
"best local alignment score tsp using bitmask dynamic" | target tokens 1894-1902
"local alignment score tsp using bitmask dynamic programming" | target tokens 1895-1903
"alignment score tsp using bitmask dynamic programming q1" | target tokens 1896-1904
"score tsp using bitmask dynamic programming q1 delivery" | target tokens 1897-1905
"tsp using bitmask dynamic programming q1 delivery drone" | target tokens 1898-1906
"using bitmask dynamic programming q1 delivery drone must" | target tokens 1899-1907
"bitmask dynamic programming q1 delivery drone must visit" | target tokens 1900-1908
"dynamic programming q1 delivery drone must visit 4" | target tokens 1901-1909

"programming q1 delivery drone must visit 4 warehouses" | target tokens 1902-1910
"q1 delivery drone must visit 4 warehouses 0" | target tokens 1903-1911
"delivery drone must visit 4 warehouses 0 1" | target tokens 1904-1912
"drone must visit 4 warehouses 0 1 2" | target tokens 1905-1913
"must visit 4 warehouses 0 1 2 3" | target tokens 1906-1914
"visit 4 warehouses 0 1 2 3 starting" | target tokens 1907-1915
"4 warehouses 0 1 2 3 starting ending" | target tokens 1908-1916
"warehouses 0 1 2 3 starting ending warehouse" | target tokens 1909-1917
"0 1 2 3 starting ending warehouse 0" | target tokens 1910-1918
"1 2 3 starting ending warehouse 0 given" | target tokens 1911-1919
"2 3 starting ending warehouse 0 given cost" | target tokens 1912-1920
"3 starting ending warehouse 0 given cost matrix" | target tokens 1913-1921
"starting ending warehouse 0 given cost matrix 0" | target tokens 1914-1922
"ending warehouse 0 given cost matrix 0 1" | target tokens 1915-1923
"warehouse 0 given cost matrix 0 1 2" | target tokens 1916-1924
"0 given cost matrix 0 1 2 3" | target tokens 1917-1925
"given cost matrix 0 1 2 3 0" | target tokens 1918-1926
"cost matrix 0 1 2 3 0 0" | target tokens 1919-1927
"matrix 0 1 2 3 0 0 10" | target tokens 1920-1928
"0 1 2 3 0 0 10 15" | target tokens 1921-1929
"1 2 3 0 0 10 15 20" | target tokens 1922-1930
"2 3 0 0 10 15 20 1" | target tokens 1923-1931
"3 0 0 10 15 20 1 10" | target tokens 1924-1932
"0 0 10 15 20 1 10 0" | target tokens 1925-1933
"0 10 15 20 1 10 0 35" | target tokens 1926-1934
"10 15 20 1 10 0 35 25" | target tokens 1927-1935
"15 20 1 10 0 35 25 2" | target tokens 1928-1936
"20 1 10 0 35 25 2 15" | target tokens 1929-1937
"1 10 0 35 25 2 15 35" | target tokens 1930-1938
"10 0 35 25 2 15 35 0" | target tokens 1931-1939
"0 35 25 2 15 35 0 30" | target tokens 1932-1940
"35 25 2 15 35 0 30 3" | target tokens 1933-1941
"25 2 15 35 0 30 3 20" | target tokens 1934-1942
"2 15 35 0 30 3 20 25" | target tokens 1935-1943
"15 35 0 30 3 20 25 30" | target tokens 1936-1944
"35 0 30 3 20 25 30 0" | target tokens 1937-1945
"0 30 3 20 25 30 0 apply" | target tokens 1938-1946
"30 3 20 25 30 0 apply held" | target tokens 1939-1947
"3 20 25 30 0 apply held karp" | target tokens 1940-1948
"20 25 30 0 apply held karp bitmask" | target tokens 1941-1949
"25 30 0 apply held karp bitmask dp" | target tokens 1942-1950
"30 0 apply held karp bitmask dp algorithm" | target tokens 1943-1951
"0 apply held karp bitmask dp algorithm compute" | target tokens 1944-1952
"apply held karp bitmask dp algorithm compute dp" | target tokens 1945-1953
"held karp bitmask dp algorithm compute dp mask" | target tokens 1946-1954
"karp bitmask dp algorithm compute dp mask values" | target tokens 1947-1955
"bitmask dp algorithm compute dp mask values relevant" | target tokens 1948-1956
"dp algorithm compute dp mask values relevant subsets" | target tokens 1949-1957
"algorithm compute dp mask values relevant subsets determine" | target tokens 1950-1958

"compute dp mask values relevant subsets determine minimum" | target tokens 1951-1959
"dp mask values relevant subsets determine minimum cost" | target tokens 1952-1960
"mask values relevant subsets determine minimum cost route" | target tokens 1953-1961
"values relevant subsets determine minimum cost route visits" | target tokens 1954-1962
"relevant subsets determine minimum cost route visits all" | target tokens 1955-1963
"subsets determine minimum cost route visits all warehouses" | target tokens 1956-1964
"determine minimum cost route visits all warehouses exactly" | target tokens 1957-1965
"minimum cost route visits all warehouses exactly once" | target tokens 1958-1966
"cost route visits all warehouses exactly once state" | target tokens 1959-1967
"route visits all warehouses exactly once state optimal" | target tokens 1960-1968
"visits all warehouses exactly once state optimal tour" | target tokens 1961-1969
"all warehouses exactly once state optimal tour q2" | target tokens 1962-1970
"warehouses exactly once state optimal tour q2 field" | target tokens 1963-1971
"exactly once state optimal tour q2 field technician" | target tokens 1964-1972
"once state optimal tour q2 field technician must" | target tokens 1965-1973
"state optimal tour q2 field technician must service" | target tokens 1966-1974
"optimal tour q2 field technician must service 4" | target tokens 1967-1975
"tour q2 field technician must service 4 client" | target tokens 1968-1976
"q2 field technician must service 4 client sites" | target tokens 1969-1977
"field technician must service 4 client sites b" | target tokens 1970-1978
"technician must service 4 client sites b c" | target tokens 1971-1979
"must service 4 client sites b c d" | target tokens 1972-1980
"service 4 client sites b c d starting" | target tokens 1973-1981
"4 client sites b c d starting returning" | target tokens 1974-1982
"client sites b c d starting returning site" | target tokens 1975-1983
"sites b c d starting returning site given" | target tokens 1976-1984
"b c d starting returning site given travel" | target tokens 1977-1985
"c d starting returning site given travel cost" | target tokens 1978-1986
"d starting returning site given travel cost matrix" | target tokens 1979-1987
"starting returning site given travel cost matrix between" | target tokens 1980-1988
"returning site given travel cost matrix between sites" | target tokens 1981-1989
"site given travel cost matrix between sites using" | target tokens 1982-1990
"given travel cost matrix between sites using bitmask" | target tokens 1983-1991
"travel cost matrix between sites using bitmask dynamic" | target tokens 1984-1992
"cost matrix between sites using bitmask dynamic programming" | target tokens 1985-1993
"matrix between sites using bitmask dynamic programming formulation" | target tokens 1986-1994
"between sites using bitmask dynamic programming formulation tsp" | target tokens 1987-1995
"sites using bitmask dynamic programming formulation tsp define" | target tokens 1988-1996
"using bitmask dynamic programming formulation tsp define dp" | target tokens 1989-1997
"bitmask dynamic programming formulation tsp define dp states" | target tokens 1990-1998
"dynamic programming formulation tsp define dp states dp" | target tokens 1991-1999
"programming formulation tsp define dp states dp s" | target tokens 1992-2000
"formulation tsp define dp states dp s v" | target tokens 1993-2001
"tsp define dp states dp s v minimum" | target tokens 1994-2002
"define dp states dp s v minimum cost" | target tokens 1995-2003
"dp states dp s v minimum cost visit" | target tokens 1996-2004
"states dp s v minimum cost visit subset" | target tokens 1997-2005
"dp s v minimum cost visit subset s" | target tokens 1998-2006
"s v minimum cost visit subset s ending" | target tokens 1999-2007

"v minimum cost visit subset s ending v" | target tokens 2000-2008
"minimum cost visit subset s ending v show" | target tokens 2001-2009
"cost visit subset s ending v show how" | target tokens 2002-2010
"visit subset s ending v show how transitions" | target tokens 2003-2011
"subset s ending v show how transitions computed" | target tokens 2004-2012
"s ending v show how transitions computed least" | target tokens 2005-2013
"ending v show how transitions computed least two" | target tokens 2006-2014
"v show how transitions computed least two subsets" | target tokens 2007-2015
"show how transitions computed least two subsets determine" | target tokens 2008-2016
"how transitions computed least two subsets determine overall" | target tokens 2009-2017
"transitions computed least two subsets determine overall minimum" | target tokens 2010-2018
"computed least two subsets determine overall minimum tour" | target tokens 2011-2019
"least two subsets determine overall minimum tour cost" | target tokens 2012-2020
"two subsets determine overall minimum tour cost q3" | target tokens 2013-2021
"subsets determine overall minimum tour cost q3 network" | target tokens 2014-2022
"determine overall minimum tour cost q3 network engineer" | target tokens 2015-2023
"overall minimum tour cost q3 network engineer needs" | target tokens 2016-2024
"minimum tour cost q3 network engineer needs find" | target tokens 2017-2025
"tour cost q3 network engineer needs find shortest" | target tokens 2018-2026
"cost q3 network engineer needs find shortest cyclic" | target tokens 2019-2027
"q3 network engineer needs find shortest cyclic route" | target tokens 2020-2028
"network engineer needs find shortest cyclic route robot" | target tokens 2021-2029
"engineer needs find shortest cyclic route robot inspect" | target tokens 2022-2030
"needs find shortest cyclic route robot inspect 5" | target tokens 2023-2031
"find shortest cyclic route robot inspect 5 sensor" | target tokens 2024-2032
"shortest cyclic route robot inspect 5 sensor nodes" | target tokens 2025-2033
"cyclic route robot inspect 5 sensor nodes 0" | target tokens 2026-2034
"route robot inspect 5 sensor nodes 0 through" | target tokens 2027-2035
"robot inspect 5 sensor nodes 0 through 4" | target tokens 2028-2036
"inspect 5 sensor nodes 0 through 4 returning" | target tokens 2029-2037
"5 sensor nodes 0 through 4 returning node" | target tokens 2030-2038
"sensor nodes 0 through 4 returning node 0" | target tokens 2031-2039
"nodes 0 through 4 returning node 0 given" | target tokens 2032-2040
"0 through 4 returning node 0 given distance" | target tokens 2033-2041
"through 4 returning node 0 given distance matrix" | target tokens 2034-2042
"4 returning node 0 given distance matrix between" | target tokens 2035-2043
"returning node 0 given distance matrix between all" | target tokens 2036-2044
"node 0 given distance matrix between all node" | target tokens 2037-2045
"0 given distance matrix between all node pairs" | target tokens 2038-2046
"given distance matrix between all node pairs apply" | target tokens 2039-2047
"distance matrix between all node pairs apply bitmask" | target tokens 2040-2048
"matrix between all node pairs apply bitmask dp" | target tokens 2041-2049
"between all node pairs apply bitmask dp held" | target tokens 2042-2050
"all node pairs apply bitmask dp held karp" | target tokens 2043-2051
"node pairs apply bitmask dp held karp approach" | target tokens 2044-2052
"pairs apply bitmask dp held karp approach tsp" | target tokens 2045-2053
"apply bitmask dp held karp approach tsp explain" | target tokens 2046-2054
"bitmask dp held karp approach tsp explain how" | target tokens 2047-2055
"dp held karp approach tsp explain how bitmask" | target tokens 2048-2056

"held karp approach tsp explain how bitmask represents" | target tokens 2049-2057
"karp approach tsp explain how bitmask represents visited" | target tokens 2050-2058
"approach tsp explain how bitmask represents visited nodes" | target tokens 2051-2059
"tsp explain how bitmask represents visited nodes set" | target tokens 2052-2060
"explain how bitmask represents visited nodes set up" | target tokens 2053-2061
"how bitmask represents visited nodes set up recurrence" | target tokens 2054-2062
"bitmask represents visited nodes set up recurrence dp" | target tokens 2055-2063
"represents visited nodes set up recurrence dp mask" | target tokens 2056-2064
"visited nodes set up recurrence dp mask min" | target tokens 2057-2065
"nodes set up recurrence dp mask min over" | target tokens 2058-2066
"set up recurrence dp mask min over j" | target tokens 2059-2067
"up recurrence dp mask min over j mask" | target tokens 2060-2068
"recurrence dp mask min over j mask dp" | target tokens 2061-2069
"dp mask min over j mask dp mask" | target tokens 2062-2070
"mask min over j mask dp mask j" | target tokens 2063-2071
"min over j mask dp mask j cost" | target tokens 2064-2072
"over j mask dp mask j cost j" | target tokens 2065-2073
"j mask dp mask j cost j compute" | target tokens 2066-2074
"mask dp mask j cost j compute minimum" | target tokens 2067-2075
"dp mask j cost j compute minimum cost" | target tokens 2068-2076
"mask j cost j compute minimum cost hamiltonian" | target tokens 2069-2077
"j cost j compute minimum cost hamiltonian cycle" | target tokens 2070-2078
"cost j compute minimum cost hamiltonian cycle given" | target tokens 2071-2079
"j compute minimum cost hamiltonian cycle given data" | target tokens 2072-2080

2. Assignment(CO2) & CO3.docx

Overall similarity: 30.93% | Cosine: 43.66% | Exact: 0.00% | Partial: 3.67% | Unique: 69.07%
Classification: LOW

Partial matches:

"1 texthack pattern document text using naive string matching algorithm pattern text using kmp using algorithm p t search pattern p abc t abcabcabc using z algorithm text patterns using aho corasick algorithm string banana using kasai algorithm optimal binary search tree keywords search frequencies construct cost table determine optimal optimal binary search tree minimum cost cat step step using algorithm 3 needleman wunsch algorithm using" | LCS length: 66

3. Flight_Delay_MTDNN_Paper_humanized.pdf

Overall similarity: 7.97% | Cosine: 10.86% | Exact: 0.00% | Partial: 3.67% | Unique: 92.03%
Classification: LOW

Partial matches:

"while recent single problem estimate between between network s which module each module using paradigm memory all showing optimization using each time using z concatenated p p p using updated using 4 algorithm analysis p 1 b 0 1 2 time binary matrix 4 6 cost dynamic 10 performance m p 3 using dimension table two using approach algorithm 1 2 compute using 2 using 3" | LCS length: 66

4. RBAC.docx

Overall similarity: 3.33% | Cosine: 4.52% | Exact: 0.00% | Partial: 1.67% | Unique: 96.67%
Classification: LOW

Partial matches:

"role user assign such flow user logs role security student algorithm code inside algorithm algorithm scheme token algorithm message 3 application 4 1 access 5 1 delete 1 1 s" | LCS length: 30

5. linux commands.pdf

Overall similarity: 3.28% | Cosine: 4.45% | Exact: 0.00% | Partial: 1.61% | Unique: 96.73%

Classification: LOW

Partial matches:

"1 10 log search search 2 search search build report z z build search search build 4 search search build 5 1 100 build y y y build y" | LCS length: 29