Sign Language Detection

Submitted in partial fulfillment of the requirements of the degree of

BACHELOR OF COMPUTER ENGINEERING

by

**Nidhi Singh(19102042)**

Ishanee Revankar(19102040)

Nidhi Heniya (19102041)

Chirag Hegde (19102035)

Guide

Prof. Sofiya Mujawar

Department of Computer Engineering

A. P. SHAH INSTITUTE OF TECHNOLOGY, THANE

(2021-2022)

A.P SHAH INSTITUTE OF TECHNOLOGY

Project Report Approval

This Mini project report entitled **"Sign Language Recognition"** by **"Nidhi Singh (19102042), Ishanee Revankar (19102040) , Nidhi Heniya (19102041) , Chirag Hegde (19102035)"** is approved for the degree of *Bachelor of Engineering* in *Computer Engineering*, *2021-22*.

Examiner Name Signature

1._____

2._____

Date:

Place:

Declaration

We declare that this written submission represents my ideas in my own words and where others' ideas or words have been included, I have adequately cited and referenced the original sources. I also declare that I have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated or falsified any idea/data/fact/source in my submission. I understand that any violation of the above will be cause for disciplinary action by the Institute and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been taken when needed.

■■■■■■■■■■■■■■■■■■■■■■■■■

Nidhi Singh (19102042)

■■■■■■■■■■■■■■■■■■■■■■■■■

Ishanee Revankar(19102040)

■■■■■■■■■■■■■■■■■■■■■■■■■

Nidhi Heniya(19102041)

■■■■■■■■■■■■■■■■■■■■■■■■■

Chirag Hegde(19102035)

Date:

Acknowledgement

We have great pleasure in presenting the mini project report on **"Sign Language Recognition".** We take this opportunity to express our sincere thanks towards our guide **Prof. Sofiya Mujawar,** Department of Computer Engineering, APSIT Thane and the project coordinator "**Prof. Rushikesh Nikam**",Department of Computer Engineering, APSIT Thane for providing the technical guidelines and suggestions regarding line of work. We would like to express our gratitude towards his constant encouragement, support and guidance through the development of the project.

We thank **Prof. Sachin Malave, Head of Department**, Computer Engineering, APSIT for his encouragement during the progress meeting and providing guidelines to write this report.

We also thank the entire staff of APSIT for their invaluable help rendered during the course of this work. We wish to express our deep gratitude towards all our colleagues of APSIT for their encouragement.

Student Name1: Nidhi Singh
Student ID1: 19102042

Student Name2: Ishanee Revankar
Student ID2: 19102040

Student Name3: Nidhi Heniya
Student ID3: 19102041

Student Name4: Chirag Hegde
Student ID4: 19102035

Abstract

Sign language is the only way of communication for deaf and dumb people. Understanding human emotions is considered a pattern recognition problem. Sign languages use hand gestures, facial expression, and body movements for communication. There are many systems available for recognizing ASL, but ISL is the sign language used in India. The aim of our project is to develop a system, which recognizes ISL and converts them into human readable english text. Our focus is on recognizing 0 to 9 numbers and A-Z alphabets by training the machines with static images. The complexity of ISL recognition system increases due to involvement of both hands.There is nearly no datasets available for ISL so we will be using our own dataset.

The proposed method uses digital image processing techniques and neural networks for recognizing different signs. In our project we will be focusing on recognizing hand movements for sign language interpretation. Mainly steps involved in sign language recognition-preprocessing are feature extraction and classification. Our proposed method used CNN for gesture recognition and classification. Static images of hand gestures will be taken as an input to the convolutional neural network model that would predict and display the output in the form of text.

CONTENTS

List of Figures

1. Introduction

Communication is an essential tool in human existence. It is a fundamental and effective way of sharing thoughts, feelings and opinions. However, a substantial fraction of the world's population lacks this ability . Many people are suffering from hearing loss, speaking impairment or both. A partial or complete inability to hear in one or both ears is known as hearing loss. On the other hand, mute is a disability that impairs speaking and makes the affected people unable to speak. If deaf-mute happens during childhood, their language learning ability can be hindered and results in language impairment, also known as hearing mutism. These ailments are part of the most common disabilities worldwide . Statistical report of physically challenged children during the past decade reveals an increase in the number of neonates born with a defect of hearing impairment and creates a communication barrier between them and the rest of the world.

Sign languages are used as a primary means of communication by deaf and hard of hearing people worldwide . It is the most potent and effective way to bridge the communication gap and social interaction between them and the able people. Sign language interpreters help solve the communication gap with the hearing impaired by translating sign language into spoken words and vice versa. However, the challenges of employing interpreters are the flexible structure of sign languages combined with insufficient numbers of expert sign language interpreters across the globe . According to the World Federation of Deaf, more than 300 sign languages are used by more than 70 million worldwide. Therefore, the need for a technology-based system that can complement conventional sign language interpreters.

This project helps mute-deaf people and people in general to communicate with each other with ease. Basic aim of this project is to detect the signs gestured by a person and convert it to English text. Considering ISL is a little complicated since both hands are used to gesture a sign, 0-9 numbers and A-Z alphabets will be detected using this project.

This project helps mute-deaf people and people in general to communicate with each other with ease. Basic aim of this project is to detect the signs gestured by a person and convert it to English text. Considering ISL is a little complicated since both hands are used to gesture a sign, 0-9 numbers will be detected using this project.

ISL for A-Z and 0-9:

Fig 1.1 Indian Sign Language

2. Literature Survey

Lionel Pigou (B) , Sander Dieleman, Pieter-Jan Kindermans, and Benjamin Schrauwen ELIS, "Sign Language Recognition Using Convolutional Neural Networks ",Ghent University, Ghent, Belgium:
This will result in a representation consisting of one or more feature vectors, also called descriptors. The second step is the classification of the action. A classifier will use these representations to discriminate between the different actions (or signs). The feature extraction is automated by using convolutional neural networks (CNNs). An artificial neural network (ANN) is used for classification. Temporal segmentation is used to predict the begin and end frames of every gesture in the video sample. After preparing the dataset, the hand segmentation is done using a color segmentation method known as YCbCr color space. The image is converted to white and black by setting some constraints using Cb,Cr and Y values. Shape feature is derived from this binary image using distance transformation. Later row and column projector vectors are calculated from the distance transformed image.

Adithya V. , Vinod P. R. , Usha Gopalakrishnan,"Artificial Neural Network Based Method for Indian Sign Language Recognition" ,Proceedings of 2013 IEEE Conference on Information and Communication Technologies (ICT 2013):
Using Fourier Descriptors the handshape is represented.
The classification tool used is Artificial Neural Network . A feed forward neural network in combination with a supervised learning method is used.Accuracy achieved is 91% with less computation time.
The feature selected in this paper to reduce the recognition time is the number of finger tips in the image.

Divya Deora ,Nikesh Bajaj,"INDIAN SIGN LANGUAGE RECOGNITION",2012 1st International Conference on Emerging Technology Trends in Electronics, Communication and Networking
 Here thinning is done using distance transform.Corner points are found using Harris corner detection algorithm.PCA used for high dimensional data analysis (live data frames). Accuracy achieved is 94%.
After the acquisition of images, they are processed using Canny Edge Detection technique to extract edges of the palm.
P. Subha Rajam Dr. G. Balakrishnan,"Real Time Indian Sign Language Recognition
System to aid Deaf-dumb People",J.J. College of Engineering & Technology,Trichy, Tamilnadu, India.
Various studies convey the difficulties in recognizing bare hands of the signer used to portray the signs due to noise and other hindrances .
Das, Aditya; Gawde, Shantanu; Suratwala, Khyati; Kalbande, Dhananjay (2018). [IEEE 2018 International Conference on Smart City and Emerging Technology (ICSCET) - Mumbai (2018.1.5-2018.1.5)] 2018 International Conference on Smart City and Emerging Technology (ICSCET) - Sign Language Recognition Using Deep Learning on Custom Processed Static Gesture Images.

The paper[5] presents the results obtained after retraining and testing the gesture dataset on a convolutional neural network model using Inception v3. The developed model consists of multiple convolutional filters .

J . R. Balbin, D. A. Padilla, F. S. Caluyo, J. C. Fausto, C. C. Hortinela, C. O. Manlises, C. K. S. Bernardino, E. G. Finones, and L. T. Ventura, "Sign language word translator using neural networks for the aurally impaired as a tool for communication," in Proc. 2016 6th IEEE International Conference on Control System, Computing and Engineering (ICCSCE), 2016, pp. 425-429

The approach taken by Balbin et al was to use colored gloves for hands. For recognizing hand gestures, input images underwent various image processing methods

This paper uses multiple image processing methods to recognize hand gestures. Initially, input images are converted into grayscale and a median filter is applied to denoise the image, the hand feature is detected and isolated from the background the model used is kohen self-organizing maps to identify patterns and groups dataset. The test accuracy of the above model is approximately 97.6%

Fatmi, Rabeet; Rashad, Sherif; Integlia, Ryan (2019). [IEEE 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Las Vegas, NV, USA (2019.1.7-2019.1.9)] 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Comparing ANN, SVM, and HMM based Machine Learning Methods for American Sign Language Recognition using Wearable Motion Sensors.

In the study they have compared the results of artificial neural networks ,support vector machines and hidden Markov based methods to recognize ASL Language.They collected data from Mayo armbands. A neural network was constructed with 26 features and 13 classes using a feed-forward network .It was a fully connected network.

SVM is a binary classification technique. The comparison was based on the recognition accuracy. The individual instance classification was used for ANN and SVM while the grouped instance classification was used for the HMM. The ANN method yielded an overall accuracy of 93.79% in terms of correctly recognized test instances and the best recognition accuracy result for SVM was 89.05% .The best performance of the HMM technique is reported at 85.90% . Referring to various conducted experiments, it was concluded that ANN has a better performance compared to other techniques

Tolentino, Lean Karlo S., et al. "Static sign language recognition using deep learning." International Journal of Machine Learning and Computing 9.6 (2019): 821-827. Vol. 9, No. 6, December 2019

The research done in paper is based on recognizing American sign language that includes gesture and alphabet recognition.The researchers have used convolutional neural networks for classification of images and keras for training. The proposed system uses skin-color modeling technique,a skin color range is explicitly defined in order to differentiate the hand pixels from the pixels of the background .The accuracy achieved through this method was around 93.76% , 90.04% accuracy was achieved by ASL alphabet recognition ,97.52% for static word recognition and 93.44% for number

recognition.According to the study SLR architecture is based on two different ways of inputs: data glove based and vision based .Using smart gloves it is easier to get the position of hands and the orientation but has limited movement . Vision based sign language recognition involves the feature extraction step, in this method image is given to the system and images are processed and features are extracted from it by image processing and computer vision method, then the recognizer learns from the patterns of the dataset of image and through machine learning algorithm it recognizes the image.

Sahoo, A. K. (2021). Indian Sign Language Recognition Using Machine Learning Techniques. Macromolecular Symposia, 397(1), 2000241. doi:10.1002/masy.202000241

In the proposed system vision based approach is deployed , a web camera is used to obtain data from the signer . They converted some of the letters in ASL alphabet so that it does not affect the accuracy of the system .Thirty five words were chosen and divided into four categories: family, communication ,and transportation. The methods used in this paper are gathering training data. That was done by capturing images using python . Images were then converted into black and white then skin color was detected by using cv2.cvtColor. The convolutional layer used 16 filters with 2*2 kernel. The resulting system was tested by thirty individuals.The study in this paper is automatic sign language recognition based on a random forest machine learning algorithm.

The model is evaluated on two sign languages that are British SL and GreekSL .The system uses a low level visual features to recognize the sign language and achieved an accuracy of about 95%.

2017 International Conference on Innovations in Information Embedded and Communication Systems (ICIIECS) Miss. Juhi Ekbote Final Year Student of ME (Computer Engineering), B.V.M, VV Nagar, Gujarat, India , Mrs. Mahasweta Joshi Assistant Professor B.V.M, VV Nagar, Gujarat, India.

According to study, each sign consists of phonemes such as hand -shapes ,locations and movements that are made using one or both the hands . This paper uses the idea that signs can be broken into phonemes and then processed . This system uses a vision based method for sign detection. The methods used in the system are image capturing , skin detection ,feature extraction , modeling and identification of signs . The cameras are used to take the images and skin color is used to detect the hands. The problem in this case is that the perfect skin color range may not be the same for all the captured video and some objects in the background may have the same color as those of the hands. For the purpose of feature extraction the hand shapes are encoded using seven hu-moments and movements as XORs of two consecutive location grids . To encode the hand location they have used a 10 by 10 matrix with the center of the face used as reference, Viola jones face detector is used to detect the face. The size of the face is determined using data and implementation provided in Opencv library. In this study they have

mentioned that ideal sign language is independent of context, content and vocabulary and robust with regard to signer identity.

To encode the types of body movements they compared the locations of hands/face in the current frame with respect to the previous frame. The motion is then captured by XORing (the absolute of pairwise element subtraction) two frame location vectors. The location vectors are obtained from the cell grids. In modeling Random forest algorithms are used that generate many decision tree classifiers and aggregate their result , the random sampling is done of features at every node that prevents from overfitting. The system is trained on 50% of the dataset and tested on the other 50% of dataset. The system was trained randomly on clips of eleven signers and tested on clips of eight singers. The model is evaluated in terms of precision, recall and F1 score and achieves an accuracy of 95% .

Gebre, Binyam Gebrekidan; Wittenburg, Peter; Heskes, Tom (2013). [IEEE 2013 20th IEEE International Conference on Image Processing (ICIP) - Melbourne, Australia (2013.09.15-2013.09.18)] 2013 IEEE International Conference on Image Processing - Automatic sign language identification
The research work in this system aims at developing an automatic recognition system for Indian sign language numerals . They have used their own database that consists of 1000 images, 100 images representing every sign. The system uses Shape descriptors ,Scale invariant feature transform and)and Histogram of Oriented Gradients (HOG) techniques are used for extracting desired features.

The shape descriptors are used to separate the fragmented picture and HOG descriptors are used to protest that the shape inside a picture can be depicted by the dispersion of force slopes or edge bearings.The Scale invariant feature transform algorithm is used to extricate particular invariant keypoints from images that can be utilized to perform dependable coordination between various perspectives of a question or scene since all the images have different number of keypoints, but the accuracy achieved through this method is very less. The next step is classification, Features extracted during the feature extraction phase are given as an input to classification step. Two different methods are used for classification Support vector machines that produce very accurate results and utilize bolster vectors to delineate information from info space to a high-dimensional element space which encourages the issue to be handled in straight shape.

ANN is a neural network algorithm, its network consists of one input layer, one output layer and two hidden layers. The cases are shown to the framework through the neurons in the data layer and the yield of the structure is secured by the neurons in the yield layer.

The classification of signs is done using Artificial neural network and a support vector machine. The model created achieves an accuracy of 99%. According to the given study :Static gestures and Dynamic Gestures. Static gestures consist of only poses and configurations whereas dynamic gestures contain strokes, postures and phases. The dynamic gestures frequently include movement of body parts and emotions. The system includes four major steps: Data Acquisition , processing ,segmentation and feature extraction and classification .

The database is generated by capturing videos , it consists of 10 signers and numerals range from 0 to 9 , the database is divided into two sets: training and testing. After collecting the images are processed.This step is performed before extracting the features, so that the most useful information can be produced neglecting the redundant and noisy data. In order to recognize skin shading in the picture, it is at first changed over to YCbCr shading space. This paper uses an rgb cbr to convert RGB images to YCbCr model. The resulting image is a binary image formed after segmentation. Feature extraction is done to reduce the dimension of frames. Experimental results demonstrate that a combination of HOG and ANN provides the accuracy as high as 99%.All the results have combined and an accuracy of 93% is achieved.

In this research paper A new feature extraction and selection technique using structural features and some of the best available classifiers are proposed to recognize ISL signs for better communication for computer-human interface. They have used a dataset containing 5000 images of which 500 images are present for each numeral sign. They have used Naïve bayes classifier and k-nearest neighbor for training the model.

 In this paper they have used a K-mean classifier model and dataset containing 50 variations of single gesture with lighting different conditions . In this approach, the image is captured through a webcam attached to the system. First the input image is preprocessed and threshold is used to remove noise from image and smoothen the image. Features are extracted from the images using Hu moment invariant and then text is converted into speech.

3. Problem Statement

To implement a system that recognizes Indian Sign Language and converts it to readable English text in real time, making it easier for specially abled people to communicate .

4. Objectives and Scope

4.1 Objectives

The objective of our project is to build a system which recognizes Indian Sign Language.

- To detect signs gestured (in ISL).
- To convert the detected signs to English language and display them.
- To detect signs for numbers 0-9.
- To detect signs for selective alphabets from A-Z

4.2 Scope

The model is designed for ISL number and alphabet recognition. This will require a system that can detect changes with respect to the temporal space. We can develop a complete product that will help the speech and hearing impaired people, and thereby reduce the communication gap. Our system detects real time signs for numbers 0-9,and alphabets from A-Z via a webcam; these detected signs then are converted to text and get displayed on the screen.

5. Experimental Setup

5.1   Hardware requirements

- Operating Systems-Ubuntu,Windows
- High Speed RAM
- Fast Processor

5.2   Software requirements

1. Python: General Programming Language used to code the model, includes several libraries.

2. Python libraries: Numpy, scipy,keras,tensorflow, PIL (Python Imaging Library), pandas, os.

3. Pip:pip is the package installer for Python. You can use it to install packages from the Python Package Index and other indexes.

4. VS Code/ Anaconda: IDE to run, train and test the ML model. Plenty of extensions, open-source, cross-platform support.Visual Studio Code is a streamlined code editor with support for development operations like debugging, task running, and version control.

5. Git & GitHub: Version Control System used for collaboration.

6. TeamGantt:TeamGantt is a cloud-based Gantt chart and project planning solution for small, midsize and large enterprises. It offers project collaboration tools such as collaborative Gantt charts, time tracking, file sharing and task-level communication features.

6. System Design

6.1 Flow Diagram

Fig 6.1.1: Flow of modules

Data is collected and pre-processed and then this pre-processed data is put together to form a dataset, this dataset is then split into training and testing sets and then passed on to the CNN model, Dataset is trained and tested and on the basis of trained dataset predictions are done.

Fig 6.1.2 Creation of dataset

With the help of webcam, frames are captured, from this captured frame, ROI is extracted, then the resizing is done, this resized RGB image is converted to Grayscale and then the threshold is applied, this transformed image is then stored under a specific label into the dataset.

Prediction

```
User → Web-camera → hand gesture is captured → Captured frame is resized
```

Image preprocessing

Trained CNN model ← Training Dataset

Image classification

Corresponding label is predicted

Predicted label is displayed on the screen

Fig 6.1.3 Working of system

User signs are captured from webcam, frame captured is resized and then the image is processed and then passed to trained CNN model prediction is done, image is classified and corresponding label of the image is displayed on the screen.

6.2 Data Flow Diagrams

MODEL DEVELOPMENT

Fig 6.2.1: Data Flow Diagram

Images captured are processed and put into dataset, from there after splitting the dataset, those images are sent to the model for training, captured image is then put in the model too and prediction is done, this predicted label is then displayed on the screen.

6.3 Sequence Diagram

Fig 6.3.1: Sequence Diagram

Above diagram depicts the sequence of the project.The project consists of User,Application,Dataset.

Firstly,user opens the webcam to access the application,then captures the picture ,the gestures gets recognized and displays the predicted text

7.Project Planning and Scheduling

Fig 7.1 Gantt Chart

8. Requirement Analysis & Methodology

Operating Systems such as Windows, Linux or MAC can be used, A minimum of 4 to 8 GB RAM is required to process the heavy models. At least 2.8Ghz CPU speed would be required. Visual Studio Code is a code editor redefined and optimized for building and debugging modern web and cloud applications. For running a project in data science or data visualization, one could use Jupyter notebooks inside VS Code. Python is an interpreted, high-level and general-purpose programming language. Our project uses OpenCV to access webcam via which input in the form of signs' frames are captured and then processed.

8.1 Methodology:

The system is a vision based approach. All the signs are represented with bare hands and so it eliminates the problem of using any artificial devices for interaction.

Dataset Generation:
There are various datasets available for ASL,but the availability of dataset in the form of raw images for ISL was hard to find.So we have used our own dataset

Step1:OpenCV library is used to capture the images for our dataset.We captured 120 images for each symbol ,for the train set and around 12 images for the test set.

Step 2:We capture the frame shown by the webcam.In each frame we have defined ROI(region of interest) denoted by blue rectangle

 Step 3:We extract the frame inside the ROI ,which is in RGB.later we convert it into grayscale

Step 4:Apply threshold to the captured frame to get processed image
Processed image is passed through the CNN model

CNN Model:

CNN stands for convolutional neural network.It is most widely used for image classification.
In the layers of CNN, the neurons are arranged in 3 dimensions: width, height, depth. The neurons in a layer will only be connected to a small region of the layer (window size) before it, instead of all of the neurons in a fully-connected manner. Moreover, the final output layer would have dimensions (number of classes), because by the end of the CNN architecture we will reduce the full image into a single vector of class scores.


Fig 8.1.1 CNN Architecture

1. Convolution layer:

The first layer to extract information from the images in a CNN is the convolution layer.The relationship between pixels are preserved by learning the features in the images.This layer takes in two inputs:image matrix and a filter or kernel,and performs the

dot product between the two.

Here we take a small window size that extends to the depth of the input matrix.During every iteration we slide the window by stride size.As we continue this process we will create a 2-Dimensional activation matrix that gives the response of that matrix at every spatial position.

2. Strides:

Stride is the number of pixels shifted over the input matrix. When the stride is 1 then we move the filters to 1 pixel at a time. When the stride is 2 then we move the filters to 2 pixels at a time and so on

3. Activation function:

The main purpose of Activation function is to introduce non-linearity into the output of neuron.Activation function makes the back propagation possible
ReLU(Rectified linear unit):
ReLU introduces non-linearity.It is implemented in hidden layers of Neural Network.
It computes the function $f(\kappa)=\max(0,\kappa)$.It is basically the threshold at zero.
ReLU is better in performance in comparison to tanh or sigmoid.

4. Pooling Layer :

Pooling layer is used to decrease the size of the activation matrix and this in turn reduces the learnable parameters.
Pooling layers reduces the number of parameters when the images are too large. It helps in reducing the spatial size of the representation, which decreases the required amount of computation and weights. The pooling operation is processed on every slice of the representation individually.There are two types of pooling :
a) Max Pooling : In max pooling we take a window size , and only take the maximum of all the values.
b) Average Pooling : In average pooling we take average of all values in a window

5. Fully connected layer:

Neurons in this layer have full connectivity with all neurons in the preceding and succeeding layer. This is why it can be computed as usual by a matrix multiplication followed by a bias effect.The FC layer helps to map the representation between the input and the output.The layer we call as FC layer, we flattened our matrix into vector and feed it into a fully connected layer like a neural network.

Dataset consists of around 250 images per signs

Filter used is of size 3x3

8.2 Libraries used:

- OpenCV:OpenCV(Open Source Computer Vision) is an open source library of programming functions used for real-time computer-vision. It is mainly used for image processing, video capture and analysis for features like face and object recognition. It is written in C++ which is its primary interface, however bindings are available for Python, Java, MATLAB/OCTAVE.

- Tensorflow:Tensorflow is an open source software library for numerical computation. First we define the nodes of the computation graph, then inside a session, the actual computation takes place. TensorFlow is widely used in Machine Learning.

- keras:Keras is a high-level neural networks library written in python that works as a wrapper to TensorFlow. It is used in cases where we want to quickly build and test the neural network with minimal lines of code. It contains implementations of commonly used neural network elements like layers, objective, activation functions, optimizers, and tools to make working with images and text data easier.

- numpy:NumPy, which stands for Numerical Python, is a library consisting of multidimensional array objects and a collection of routines for processing those arrays. Using NumPy, mathematical and logical operations on arrays can be performed.

- pil:Python Imaging Library (expansion of PIL) is the de facto image processing package for Python language. It incorporates lightweight image processing tools that aids in editing, creating and saving images.

9. Implementation

Fig 9.1.1 Predicting the numbers

Fig 9.1.2 Predicting alphabets

10. Conclusion

This project successfully detects the signs and converts it to text. In future this will be extended to detecting sign language as whole, i.e including alphabets, greetings and complete sentences. We are planning to make this system dual-side useful, i.e along with abled people, disabled people too would be able to use it. Guides to ISL and videos for basic greeting and useful signs will be included. "Reduced communication gap" is to be achieved.

References

[1] Lionel Pigou (B) , Sander Dieleman, Pieter-Jan Kindermans, and Benjamin Schrauwen ELIS, "Sign Language Recognition Using Convolutional Neural Networks ",Ghent University, Ghent, Belgium

[2] Adithya V. , Vinod P. R. , Usha Gopalakrishnan,"Artificial Neural Network Based Method for
Indian Sign Language Recognition" ,Proceedings of 2013 IEEE Conference on Information and Communication Technologies (ICT 2013)

[3] Divya Deora , Nikesh Bajaj,"INDIAN SIGN LANGUAGE RECOGNITION",2012 1st International Conference on Emerging Technology Trends in Electronics, Communication and Networking

[4] P. Subha Rajam Dr. G. Balakrishnan,"Real Time Indian Sign Language Recognition System to aid Deaf-dumb People",J.J. College of Engineering & Technology,Trichy, Tamilnadu, India.

[5] Das, Aditya; Gawde, Shantanu; Suratwala, Khyati; Kalbande, Dhananjay (2018). [IEEE 2018 International Conference on Smart City and Emerging Technology (ICSCET) - Mumbai (2018.1.5-2018.1.5)] 2018 International Conference on Smart City and Emerging Technology (ICSCET) - Sign Language Recognition Using Deep Learning on Custom Processed Static Gesture Images.

[6] J . R. Balbin, D. A. Padilla, F. S. Caluyo, J. C. Fausto, C. C. Hortinela, C. O. Manlises, C. K. S. Bernardino, E. G. Finones, and L. T. Ventura, "Sign language word translator using neural networks for the aurally impaired as a tool for communication," in Proc. 2016 6th IEEE International Conference on Control System, Computing and
Engineering (ICCSCE), 2016, pp. 425-429

[7] Fatmi, Rabeet; Rashad, Sherif; Integlia, Ryan (2019). [IEEE 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Las Vegas, NV, USA (2019.1.7-2019.1.9)] 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Comparing ANN, SVM, and HMM based Machine Learning Methods for American Sign Language Recognition using Wearable Motion Sensors.

[8]Tolentino, Lean Karlo S., et al. "Static sign language recognition using deep learning." International Journal of Machine Learning and Computing 9.6 (2019): 821-827. Vol. 9, No. 6, December 2019

[9]Vijay More Sanket Sangamnerkar Dept. of Information Technology, Dept.of Information Technology, AISSMS Institute of Information Technology AISSMS Institute of Information Technology Pune, India Pune,India vijaymore85@gmail.com sanketsangamnerkar100@gmail.com Vaibhav Thakare Dnyaneshwari Mane Dept.of Information Technology, Dept.of Information Technology, AISSMS Institute of Information Technology AISSMS Institute of Information Technology Pune,India Pune,India

[10] Sahoo, A. K. (2021). Indian Sign Language Recognition Using Machine Learning Techniques. Macromolecular Symposia, 397(1), 2000241. doi:10.1002/masy.202000241

[11] 2017 International Conference on Innovations in Information Embedded and Communication Systems (ICIIECS) Miss. Juhi Ekbote Final Year Student of ME (Computer Engineering), B.V.M, VV Nagar, Gujarat, India , Mrs. Mahasweta Joshi Assistant Professor B.V.M, VV Nagar, Gujarat, India.

[12]Gebre, Binyam Gebrekidan; Wittenburg, Peter; Heskes, Tom (2013). [IEEE 2013 20th IEEE International Conference on Image Processing (ICIP) - Melbourne, Australia (2013.09.15-2013.09.18)] 2013 IEEE International Conference on Image Processing - Automatic sign language identification

Appendix

Appendix A
Python Download and Installation

1. Visit the official website and go to https://www.python.org/downloads/. Click the Download button.

2. Once we click the download button, it might ask for a location to save the file. Select an appropriate location and then proceed towards the installation.

3. Double Click the downloaded .exe file and select the Add Python to PATH checkbox below to ensure it is automatically added to the Windows Environment variable. Else we have to do it later on manually. Once the box is checked, click on Install Now.

4. At the time of installation of python, the pop-up will show like the installation is in progress here.

5. Once the setup is complete, we will get a message like this. Click on the Close button to finish the installation of python.

6. Once Python is installed, go to the Windows search bar and type Python, and we will find a desktop app called Python 3.7 (32-bit). Click on that and a command prompt will open.

Appendix B
VS Code Download and Installation

1. Download VS code from https://code.visualstudio.com/download

2. Download the Visual Studio Code installer for Windows. Once it is downloaded, run the installer (VSCodeUserSetup-{version}.exe). Then, run the file

3. Accept the agreement and click "next."

4. After accepting all the requests press the finish button. By default, VS Code installs under: **"C:\users{username}\AppData\Local\Programs\Microsoft VS Code."**

5. If the installation is successful, you will see the following

6. Install the Jupyter Extension for Visual Studio Code

Appendix C
Installing necessary python libraries

Install the following requirements using *pip install requirements.txt*

Sign Language Recognition(ISL)

Sofiya Mujawar

Professor-Computer Department
Department Of Computer Engineering
A.P.Shah Institute Of Technology
Thane(MH), India
ssmujawar@apsit.edu.in

Nidhi Singh
Department Of Computer Engineering
A.P.Shah Institute Of Technology
Thane(MH), India
singhnidhik2002@gmail.com

Ishanee Revankar
Department Of Computer Engineering
A.P.Shah Institute Of Technology
Thane(MH), India
ishaneeshet@gmail.com

Nidhi Heniya
Department Of Computer Engineering
A.P.Shah Institute Of Technology
Thane(MH), India
nrheniya02@gmail.com

Chirag Hegde
Department Of Computer Engineering
A.P.Shah Institute Of Technology
Thane(MH), India
hegdechirag321@gmail.com

Abstract— Sign language is the only way of communication for deaf and dumb people. Understanding human emotions are considered a pattern recognition problem. Sign languages use hand gestures, facial expressions, and body movements for communication. There are many systems available for recognizing ASL that is American Sign Language, but not ISL, the sign language used in India. Our system recognizes Indian Sign Language and converts them into human-readable English text. Our focus is on recognizing Alphanumeric (0 to 9 and A to Z) signs/gestures by training the machines with static images. We have created the dataset containing 26 signs of A-Z letters and 10 signs of 0-9 numbers.

The proposed method stated in this paper is digital image processing techniques and neural networks for recognizing different signs. Only hand movements are considered for sign language interpretation. Mainly steps involved in recognition are Real-time image capturing through a web camera, image pre-processing, feature extraction, and classification. The model used is CNN for gesture recognition and ANN for classification. The model classifies images of all signs with an accuracy of 93% in presence of proper sunlight and white background. Overall our study revealed that it is necessary to have a white background to obtain high accuracy in recognition.

Keywords—Convolutional Neural Network, Indian Sign Language ,Deep Learning , Image processing , Image Classification.

I. INTRODUCTION

Language is a bridge of communication used by two beings. In a world this large there are thousands of languages being spoken. Considering India itself, we have a near about 117 different languages. But these are verbal languages, there comes languages other than verbal languages which deaf, dumb, blind people use to communicate. Sign language is one of them. Sign Language is used by deaf and dumb people. Sign languages comes under several Spoken languages such as English, Chinese, Japanese, Indian, etc. Sign Languages are non-verbal form of communication which uses visual sign or gestures to form a way of communication. Sign Language used by Indian people is called as Indian Sign Language i.e., ISL.


Figure 1 Alphabets in ISL

Figure 2 Numbers in IS;

Outside India, Sign languages have gained immense importance, but in India it hasn't yet snatched the spotlight. Because of the same, not many plans/projects have been

created in/for ISL. But it is equally important to connect ISL to trendy technology too.

Sign languages are used as a primary means of communication by deaf and hard of hearing people worldwide. It is the most potent and effective way to bridge the communication gap and social interaction between them and the able people. Sign language interpreters help solve the communication gap with the hearing impaired by translating sign language into spoken words and vice versa. However, the challenges of employing interpreters are the flexible structure of sign languages combined with insufficient numbers of expert sign language interpreters across the globe. According to the World Federation of Deaf, more than 300 sign languages are used by more than 70 million worldwide. Therefore, the need for a technology-based system that can complement conventional sign language interpreters.

This project helps mute-deaf people and people in general to communicate with each other with ease. Basic aim of this project is to detect the signs gestured by a person and convert it to English text. Considering ISL is a little complicated since both hands are used to gesture a sign, 0-9 numbers will be detected using this project.

For this, we have built a project on ISL called as SIGN LANGUAGE RECOGNITION. In this project, gestures signed by a person are captured and recognized, thus detected signs are converted to readable English language and displayed on screen. For recognizing the signs, the Regions of Interest (ROI) are identified and tracked using the skin segmentation feature of OpenCV. The training and prediction of hand gestures are performed by applying CNN machine learning algorithm.

II. Literature Review

For the past decades, research on sign language recognition has been explored.

The initial process is to extract features from the frame sequences.[1] This will result in a representation, consisting of one or more feature vectors, also called descriptors. The second step is the classification using an artificial neural network .In [1] Temporal segmentation is used to predict the beginning and end frames of every gesture in the video sample. After preparing the dataset, the hand segmentation is done using a color segmentation method known as YCbCr color space. The image is converted to white and black by setting some constraints using Cb,Cr and Y values. Shape feature is derived from this binary image using distance transformation .Row and column projector vectors are calculated from the distance transformed image. Using Fourier Descriptors the hand shape is represented.

The classification tool used in [2] is Artificial Neural Network . A feed forward neural network in combination with a supervised learning method is used. Accuracy achieved is 91% with less computation time.

The feature selected in the paper [3] to reduce the recognition time is the number of finger tips in the image. Thinning is performed on image using distance transform and corner points are found using Harris corner detection algorithm. PCA is used for high dimensional data analysis (live data frames). Accuracy achieved in recognition through the above method is 94% .

After the acquisition of images in [4], they are processed using Canny Edge Detection technique to extract edges of the palm. Various studies convey the difficulties in recognizing bare hands of the signer used to portray the signs due to noise and other hindrances .The paper[5] presents the results obtained after retraining and testing the gesture dataset on a convolutional neural network model using Inception v3. The developed model consists of multiple convolutional filters .

In [6], the approach taken by Balbin et al was to use colored gloves for hands. For recognizing hand gestures, input images underwent various image processing methods . Initially, input images are converted into grayscale and a median filter is applied to denoise the image, the hand feature is detected and isolated from the background the model used is kohen self-organizing maps to identify patterns and groups dataset. The test accuracy of the above model is approximately 97.6%

In the study[7] they have compared the results of artificial neural networks ,support vector machines and hidden Markov based methods to recognize ASL Language.They collected data from Mayo armbands. A neural network was constructed with 26 features and 13 classes using a feed-forward network .It was a fully connected network.

The comparison was based on the recognition accuracy. The individual instance classification was used for ANN and SVM while the grouped instance classification was used for the HMM. The ANN method yielded an overall accuracy of 93.79% in terms of correctly recognized test instances and the best recognition accuracy result for SVM was 89.05% .The best performance of the HMM technique is reported at 85.90% . Referring to various conducted experiments, it was concluded that ANN has a better performance compared to other techniques

The research done in paper[8] is based on recognizing American sign language that includes gesture and alphabet recognition. The researchers have used convolutional neural networks for classification of images and keras for training. The proposed system uses skin-color modeling technique,a skin color range is explicitly defined in order to differentiate the hand pixels from the pixels of the background .The accuracy achieved through this method was around 93.76% , 90.04% accuracy was achieved by ASL alphabet recognition ,97.52% for static word recognition. According to the study SLR architecture is based on two different ways of inputs: data glove based and vision based .Using smart gloves it is easier to get the position of hands and the orientation but has limited movement . Vision based sign language recognition involves the feature extraction step, in this method image is given to the system and images are processed and features are extracted from it by image processing and computer vision method, then the recognizer learns from the patterns of the dataset of image and through machine learning algorithm it recognizes the image.

This paper uses multiple image processing methods to recognize hand gestures. Initially, input images are converted into grayscale and a median filter is applied to denoise the image, the hand feature is detected and isolated from the background the model used is kohen self-organizing maps to identify patterns and groups dataset. The test accuracy of the above model is approximately 97.6%

In the study[7] they have compared the results of artificial neural networks , support vector machines and hidden Markov-based methods to recognize ASL Language. They collected data from Mayo armbands. A neural network was constructed with 26 features and 13 classes using a feed-forward network .It was a fully connected network.

SVM is a binary classification technique. The comparison was based on the recognition accuracy. The individual instance classification was used for ANN and SVM while the grouped instance classification was used for the HMM. The ANN method yielded an overall accuracy of 93.79% in terms of correctly recognized test instances and the best recognition accuracy result for SVM was 89.05% .The best performance of the HMM technique is reported at 85.90% . Referring to various conducted experiments, it was concluded that ANN has a better performance compared to other techniques.

In the[8] proposed system vision based approach is deployed , a web camera is used to obtain data from the signer . They converted some of the letters in ASL alphabet so that it does not affect the accuracy of the system .Thirty five words were chosen and divided into four categories: family, communication ,and transportation. The methods used in this paper are gathering training data. That was done by capturing images using python . Images were then converted into black and white then skin color was detected by using cv2.cvtColor. The convolutional layer used 16 filters with 2*2 kernel. The resulting system was tested by thirty individuals.

The study in this paper is automatic sign language recognition based on a random forest machine learning algorithm.
.The system uses a low level visual features to recognize the sign language and achieved an accuracy of about 95%.

According to study, each sign consists of phonemes such as hand -shapes ,locations and movements that are made using one or both the hands . This paper uses the idea that signs can be broken into phonemes and then processed . This system uses a vision based method for sign detection. The methods used in the system are image capturing , skin detection ,feature extraction , modeling and identification of signs . The cameras are used to take the images and skin color is used to detect the hands. The problem in this case is that the perfect skin color range may not be the same for all the captured video and some objects in the background may have the same color as those of the hands. For the purpose of feature extraction the hand shapes are encoded using seven hu-moments and movements as XORs of two consecutive location grids . To encode the hand location they have used a 10 by 10 matrix with the center of the face used as reference, Viola jones face detector is used to detect the face. The size of the face is determined using data and implementation provided in Opencv library. In this study they have mentioned that ideal sign language is independent of context, content and vocabulary and robust with regard to signer identity.

To encode the types of body movements they compared the locations of hands/face in the current frame with respect to the previous frame. The system is trained on 50% of the dataset and tested on the other 50% of dataset. The system was trained randomly on clips of eleven signers and tested on clips of eight singers. The model is evaluated in terms of precision, recall and F1 score and achieves an accuracy of 95% .

The research work in this system[8] aims at developing an automatic recognition system for Indian sign language numerals . They have used their own database that consists of 1000 images, 100 images representing every sign. The system uses Shape descriptors ,Scale invariant feature transform and)and Histogram of Oriented Gradients (HOG) techniques are used for extracting desired features.

III. PROBLEM STATEMENT

Language is the only medium by which we can share our thoughts and communicate but for a person with disability faces difficulty in communicating. This people communicate using sign language. But sign language is not understood by everyone, because of this a deaf person and someone with speaking disability are not able to stand in race with others and fail to communicate. This project aims to implement a system that recognizes Indian Sign Language and converts it to readable English text in real time, making it easier for such people to communicate .

IV. METHODOLOGY

THE SYSTEM IS A VISION BASED APPROACH. ALL THE SIGNS ARE REPRESENTED WITH BARE HANDS AND SO IT ELIMINATES THE PROBLEM OF USING ANY ARTIFICIAL DEVICES FOR INTERACTION.

A] Dataset Generation:

We have created our own dataset with 250 images for each sign representing 0-9 numbers and 250 images for each sign representing A-Z numbers.

Fig : signs of numbers

Step1:OpenCV library is used to capture the images for our dataset. We captured 120 images for each symbol ,for the train set and around 12 images for the test set.

Step 2:We capture the frame shown by the webcam. In each frame we have defined ROI(region of interest) denoted by blue rectangle

Step 3:We extract the frame inside the ROI ,which is in RGB,.later we convert it into grayscale.

Step 4:Apply threshold to the captured frame to get processed image
Processed image is passed through the CNN model

B] Implementation

C] CNN Model:

It is most widely used for image classification. In the layers of CNN, the neurons are arranged in 3 dimensions width, height, and depth. The neurons in a layer will only be connected to a small region of the layer before it, instead of all of the neurons in a fully-connected manner. Moreover, the final output layer would have dimensions that represent the number of classes, because by the end of the CNN architecture we will reduce the full image into a single vector of class scores.


Fig CNN Architecture

1. Convolution layer:

The first layer to extract information from the images in a CNN is the convolutional layer

2. Strides:
Stride is the number of pixels shifted over the input matrix. When the stride is 1 then the filters are moved 1 pixel at a time. When the stride is 2 then we move the filters to 2 pixels at a time.

3. Activation function:

The main purpose of Activation function is to introduce non-linearity into the output of neuron.

Activation function makes the back propagation possible
ReLU(Rectified linear unit):
ReLU introduces non-linearity.It is implemented in hidden layers of Neural Network.
It computes the function $f(\kappa)=\max (0,\kappa)$.It is basically the threshold at zero.
ReLU is better in performance in comparison to tanh or sigmoid.

4. Pooling Layer :

The pooling layer is used to decrease the size of the activation matrix and this, in turn, reduces the learnable parameters.

It helps in reducing the spatial size of the representation, which decreases the required amount of computation and weights. We have used Max Pooling which takes only maximum values from a chosen window size.

5. Fully connected layer:
Neurons in this layer have full connectivity with all neurons in the preceding and succeeding layer. This is why it can be computed as usual by a matrix multiplication followed by a bias effect. The FC layer helps to map the representation between the input and the output.

Softmax Function: We have used this activation function at the end of the model definition. It limits the output into a range from 0-1 which represents the probability of output of a possible class. It gives output as a vector containing the probabilities of each possible outcome

D] Training:

The dataset is split into training and testing dataset, the dataset is passed to convolutional neural network model

E] Testing:

Once the model is trained, it is tested with images of number and alphabet in order to get the accuracy of the model. Captured image is passed to loaded model as an input to the convolutional neural network graph that gives a confidence level to the class of an image.

This system was tested by 10 individuals and each of them got all the signs correctly recognized. Initially the accuracy of this system was about 75%,

After increasing the size of dataset, we were able to achieve an accuracy of about 93%.

Software Requirments :

1. Python: General Programming Language used to code the model, includes several libraries.
2. Python libraries: Numpy, scipy,keras,tensorflow, PIL (Python Imaging Library), pandas, os.
3. VS Code/ Anaconda: IDE to run, train and test the ML model. Plenty of extensions, open-source, cross-platform support,

V. Result

F] Prediction:

We designed our system to predict the label for every sign language depicted in the image.
The system correctly recognized every sign language with an accuracy of 93%.
There were some alphabets like E F H I MN R that we excluded from our dataset.
Upon execution a region of interest is provided in the Open cv frame is provided to user so that only user's hand gesture is captured , the captured image gets converted into black and white and is fed to convolutional neural network model for classification. The predicted value is displayed on the screen below the region of interest.

Prediction of ISL numbers

Results of prediction of ISL alphabets

VI. Conclusion

This project successfully detects the signs and converts it to text. Overall our study revealed that it is necessary to have a white background to obtain high accuracy in recognition.

In future this will be extended to detecting sign language as whole that is including alphabets, greetings and complete sentences. We are planning to make this system dual-side useful, that is along with abled people, disabled people too would be able to use it. Guides to ISL and videos for basic greeting and useful signs will be included.

References

[1] Lionel Pigou (B), Sander Dieleman, Pieter-Jan Kindermans, and Benjamin Schrauwen ELIS, "Sign Language Recognition Using Convolutional Neural Networks", Ghent University, Ghent, Belgium

[2] Adithya V., Vinod P. R., Usha Gopalakrishnan," Artificial Neural Network Based Method for Indian Sign Language Recognition", Proceedings of 2013 IEEE Conference on Information and Communication Technologies (ICT 2013)

[3] Divya Deora, Nikesh Bajaj," INDIAN SIGN LANGUAGE RECOGNITION", 2012 1st International Conference on Emerging Technology Trends in Electronics, Communication and Networking

[4] P. Subha Rajam Dr. G. Balakrishnan, "Real Time Indian Sign Language Recognition System to aid Deaf-dumb People", J.J. College of Engineering & Technology, Trichy, Tamil Nādu, India.

[5] Das, Aditya; Gawde, Shantanu; Suratwala, Khyati; Kalbande, Dhananjay (2018). [IEEE 2018 International Conference on Smart City and Emerging Technology (ICSCET)-Mumbai (2018.1.5-2018.1.5)] 2018 International Conference on Smart City and Emerging Technology (ICSCET) - Sign Language Recognition Using Deep Learning on Custom Processed Static Gesture Images.

[6] J. R. Balbin, D. A. Padilla, F. S. Caluyo, J. C. Fausto, C. C. Hortinela, C. O. Manlises, C. K. S. Bernardino, E. G. Finones, and L. T. Ventura, "Sign language word translator using neural networks for the aurally impaired as a tool for communication," in Proc. 2016 6th IEEE International Conference on Control System, Computing and Engineering (ICCSCE), 2016, pp. 425-429

   1) [7] Fatmi, Rabeet; Rashad, Sherif; Integlia, Ryan (2019). [IEEE 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Las Vegas, NV, USA (2019.1.7-2019.1.9)] 2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC) - Comparing ANN, SVM, and HMM based Machine Learning Methods for American Sign Language Recognition using Wearable Motion Sensors.

[8] Tolentino, Lean Karlo S., et al. "Static sign language recognition using deep learning." International Journal of Machine Learning and Computing 9.6 (2019): 821-827. Vol. 9, No. 6, December 2019

A. P. SHAH INSTITUTE OF TECHNOLOGY
(Approved by AICTE New Delhi & Govt. of Maharashtra, Affiliated to University of Mumbai)
(Religious Jain Minority)

Department Of Computer Engineering
Academic Year: 20 21 to 20 22

Year (SE / TE / BE): __TE__   SEM : __VI__

Project Title: __Sign Language Recognition__

Team Member 1: (Team Leader)

Name: __Ishanee Revankar__

College ID: __19102040__   Email: __19102040@apsit.edu.in__

Mobile No: __9769526444__

Team Member 2:

Name: __Nidhi Singh__

College ID: __19102042__   Email: __19102042@apsit.edu.in__

Mobile No: __8446690188__

Team Member 3:

Name: __Nidhi Heniya__

College ID: __19102041__   Email: __19102041@apsit.edu.in__

Mobile No: __8369501379__

Team Member 4:

Name: __Chirag Hegde__

College ID: __19102035__   Email: __19102035@apsit.edu.in__

Mobile No: __9821537050__

Project Guide   Project Coordinator   **Head of Department**

Guide Name: __Prof. Sofia Mujawar__

Department Of Computer Engineering

Academic Year: 20__ to 20__

Year (SE / TE / BE): **TE**   SEM : **VII**   WEEK No.: **1 2 2**

Date: From **14-02** to **25-02**

Progress Planned	Progress Achieved
1. Deciding Domain	Domain selected as ML and language as python
P2. Project Title	Project Title decided.
3. Problem statement and understanding domain	Problem statement & domain understood
4. Need to review research papers based on problem statement.	Read various research papers.
5. Topic Finalisation	Topic is Sign languge Recognitı

Guides Review: Domain selected way Machine learning all other details/Information like Title & topic are finalised.

Signature
Team Member 1: _____

Team Member 2: Nidhi S

Team Member 3: Mr

Team Member 4: Chinaos

Project guide:

Signature: 25-2-22

Date:

Department Of Computer Engineering

Academic Year: 20_21_ to 20_22_

Year (SE / TE / BE): __TE__   SEM : __VI__   WEEK No.: __3__

Date: From __28-02__ to __04-03__

Progress Planned	Progress Achieved
1. Defining Objective & scope	Objective & scope is defined
2. Detailed literature review	Literature review prepared for Sign Language recognition
3. Setting up software requirements	Installing python, Opencv, VS code & Tensorflow
4. Process of workflow of project decided (modules)	Data collection, preprocessing, Model creation, Prediction were decided.

Guides Review: Software required were installed correctly and workflow was decided

Signature
Team Member 1: _____
Team Member 2: __Nidhis__
Team Member 3: __MY__
Team Member 4: __Chiroo__

Project guide:

Signature: 4-3-22

Date:

Department Of Computer Engineering

Academic Year: 2021 to 2022

Year (SE / TE / BE): **TE**   SEM : **VI** .   WEEK No.: **4**

Date: From **7-03** to **11-03**

Progress Planned	Progress Achieved
1. Selection of Algorithim	CNN model was selected for the project
2. Planned to learn the idndian sign language	learned to A-Z sign and 0-9 signs
3. Selection of preprocessing techniques, need to apply on image	+ The decision was taken to apply threasholding,
4. Image collection	Sign Images were collected

Guides Review: Algorithm selected was CNN and is
appropriate according to their topic

Signature
Team Member 1: _____

Team Member 2: Nidhi S

Team Member 3: M A

Team Member 4: Chinmay

Project guide:

Signature: 11-3-22

Date:

Department Of Computer Engineering

Academic Year: 20_2_1_ to 20_22_

Year (SE / TE / BE): __TE__   SEM : __VI__   WEEK No.: _586_

Date: From _14-03_ to _25-03_

Progress Planned	Progress Achieved
1. Image Preprocessing need to done before storing in dataset	All images collected were converted to black and white and resized.
2. Creation of Training data	Training dataset was created.
3. Creation and implementing model for project	Created the model with
4. Writing introduction and research paper review	Introduction and model abstract completed

Guides Review: _After all the procedure was done correctly, students started working on research paper_

Signature

Team Member 1: _____

Team Member 2: _Nidhis_

Team Member 3: _Mt_

Team Member 4: _Chinay_

Project guide:

Signature: _05-3-22_

Date:

Department Of Computer Engineering

Academic Year: 2021 to 2022

Year (SE / TE / BE): **TE**   SEM : **VI**   WEEK No.: **7 & 8**

Date: From **11-04** to **22-04**

Progress Planned	Progress Achieved
1. Completing Training of model	Machine learning model was trained with
2. Testing the trained model	Model was tested based on real time input and achieved accuracy of
3. Completed on literature review	Literature review was completed
4. Increase performace of model	Model performance increased

Guides Review: Other all documentation was completed correctly.

Signature

Team Member 1: _____

Team Member 2: Nidhis

Team Member 3: _____

Team Member 4: Chinno

Project guide:

Signature:

Date:

Department Of Computer Engineering

Academic Year: 20_21_ to 20_22_

Year (SE / TE / BE): __TE__   SEM : __VI__   WEEK No.: 9 8 810

Date: From __28-03__ to __8-03__

Progress Planned	Progress Achieved
1. Obtaining results	− Results obtained
2. Completing the integration of opencv and ML model	Opencv and Trained model was integrated
3. Methodology and conclusion of research paper	− Completed the research paper
4. Final formatting of research paper	− Final formatting of research paper is done

Guides Review: _Research paper was done correctly_
In proper format

Signature
Team Member 1: _____
Team Member 2: _Nidhis_
Team Member 3: _____
Team Member 4: _____

Project guide:

Signature: 8-3-22

Date: