Bedside

Amit Kumar · 28 yrs · Male · BMI 27.0

Generated 15 Sep 2026, 18:30
Consultation #2 · English
Status: Reviewed

Chief complaint

I have been feeling tired for two weeks, mild headaches, no fever

Symptoms

tired (two weeks); headache, mild; fatigue (two weeks); headache, mild; fatigue (two weeks); headache, mild; tiredness (two weeks); headache, mild; fatigue (two weeks); headache, mild; fatigue (two weeks); headache, mild; fever

Lifestyle

FACTOR	VALUE	ASSESSMENT
Sleep	8 hrs/day	Good
Exercise	0 min/week	Poor
Diet	Frequent Fast Food	Poor
Stress	High	Poor
Smoking	None	Good
Alcohol	Occasional	Fair
Sitting	9.0 hrs/day	Poor
Water	1.0 L/day	Poor

Lifestyle wellness score

44 **Needs attention**

FACTOR	VALUE	WEIGHT	POINTS
Sleep	8 hrs/day	15.0	15.0
Exercise	0 min/week	15.0	0.0
Diet	Frequent Fast Food	15.0	3.0
Stress	High	15.0	0.0
Smoking	None	15.0	15.0
Alcohol	Occasional	10.0	7.0
Sitting	9.0 hrs/day	10.0	3.0

FACTOR	VALUE	WEIGHT	POINTS
Water	1.0 L/day	5.0	1.5

Risk flags

Sedentary lifestyle · Medium
Reports only 0 minutes of exercise a week and sitting 9.0 hours a day.

High stress · Medium
Reports a high day-to-day stress level.

Unhealthy diet · Medium
Reports a frequent fast food diet pattern.

Low water intake · Low
Reports drinking 1.0 litres of water a day, below the recommended 1.5 litres.

Obese (BMI) · Medium
BMI of 27.0 is at or above the Asian-Indian obese cutoff of 25.0.

Possible obesity risk · Medium
Possible risk, for doctor review: a BMI of 27.0 and a sedentary lifestyle combined with an unhealthy diet.

Possible hypertension risk · High
Possible risk, for doctor review, based on high stress, a sedentary lifestyle, an unhealthy diet, a BMI at or above 25.0.

Recommendations

SLEEP

Aim for 7-8 hours of sleep each night, keeping a consistent bedtime and wake-up time.

Sources: general guidance

EXERCISE

Aim for at least 150 minutes of moderate-intensity aerobic activity (such as brisk walking 3–6 km/h) each week, adding muscle-strengthening sessions on two days to support metabolism and weight control.

Sources: who-physical-activity-guidelines.pdf (p. 42); who-physical-activity-guidelines.pdf (p. 22)

STRESS MANAGEMENT

Include short bouts of yoga or pranayama (breathing exercises) for 5–10 minutes several times a day to help reduce anxiety and improve mental relaxation.

Sources: icmr-nin-dietary-guidelines.pdf (p. 87)

DIET

Consume a variety of cereals, millets, pulses, vegetables and fruits daily, limiting ultra-processed foods, added sugar (to ≤25 g) and high-fat snacks to support overall health.

Sources: icmr-nin-dietary-guidelines.pdf (p. 19)

HYDRATION

Drink adequate safe water throughout the day, preferring plain water, buttermilk, tender coconut water or lemon water in hot weather, and avoid soft drinks and alcohol.

Sources: icmr-nin-dietary-guidelines.pdf (p. 109)

WEIGHT MANAGEMENT

Combine regular moderate-intensity activity (20–40 minutes daily) with strength training and yoga postures that boost metabolism to help reduce abdominal obesity.

Sources: icmr-nin-dietary-guidelines.pdf (p. 88)

BLOOD PRESSURE

Engage in regular aerobic exercise such as brisk walking or cycling, which has been shown to lower blood pressure and reduce hypertension risk.

Sources: who-physical-activity-guidelines.pdf (p. 43)

Doctor notes

Dr. dr_test · 15 Sep 2026, 16:49

Advised gradual lifestyle changes; follow up in 4 weeks.

This is a screening and documentation aid. It does not diagnose conditions or prescribe medication, and always defers to the treating doctor's clinical judgement. In a medical emergency, contact local emergency services immediately.