Subject - Information security Naml-Shivani Rollino - 52 (1022762) $\operatorname{Col}(f) := \operatorname{Col}(f) : \operatorname{C$ Q1+fm DSQL injection Valonerabilities -> Sql injection valonerabilities refer to areas in website code where direct user input ix passed to database Bad actors utilize these form to juject malicion code, sometimes called payloads juto et vebsite élatabase. This, allows the try capercriminal to accent the website in a variety of ways including. ways including.

Tinjecting malicious Spam ports into a lite. stealing customer information Goss site Scripting (XSS) - Cross site scripting targets on application's viers by injecting code, usually a client aside script such as javascript into a week application in output the concept of xse 11 to manipolate client-ride scripte of a web explication to execute in y the mannor desired by the attacker xxx allows attackers to execute

Scripta in the vitim's browsen which can higher Usen sessions, deface websites or rodirect the user to malicious sita Spam Content being destributed to unsuspecting 3) Command jujection - command jujection vulnerabilities allows attackers to romotely pass and execte code on the website's hasting server, This is done when NAOT input that in passed to the Keriver, Ruch cus header information. is not property withated allowing attackers. to include shell commands with the user information. - Hijack an entiro site Hijack an entire hosting renver 4) Cross-site Request forgery (CArf) - Crose site Request forgery in torged request come from the Cross soite cost attack it on attack the occurs when a malicious website, smail or program quin

Courses a User's browser to perform an unwanted.

action an trusted kite for which the user' in

currently authenticated.

An a result attackors may be able to take to

the following actions using valid user import

Change order values and product prices

Transfer Funds one account to another

society misconfiguration - security misconfiguration are encompassed servered types of unit volumerabilities all conserved on a lack of maintainance or a hack of affection to the web affection configuration. A secure configuration must be defined and deployed for the application. Franceworks, application, server, web server, database and platform.

Safe to the the total

Chiland Childan