**User Manual**

| | |
|---|---|
| **Date** | 2-October- 2026 |
| **TeamID** | 6ab46978b5170a9b58b3f461 |
| **ProjectName** | **Implement Client Script & UI Policy (Incident)** |
| **Maximum Marks** | 3 Marks |

**User Manual**

## Implement Client Script & UI Policy (Incident)

### 1. Introduction

This User Manual provides step-by-step instructions for using and verifying the **Implement Client Script & UI Policy (Incident)** project in ServiceNow. The implementation uses UI Policies and Client Scripts to control Incident form behavior, validate required information, automatically update fields, and restrict State changes through list editing. Implement Client Script & UI Po…

---

## 2. Open an Incident

1. Log in to the ServiceNow instance.
2. Navigate to **Incident → Create New** to create an Incident.
3. Enter the required Incident information.
4. Use the Incident form to verify the configured UI Policy and Client Script behavior.

---

## 3. Set Impact to High

1. Locate the **Impact** field.
2. Select **1 – High**.
3. The **High Impact Control** UI Policy is triggered.
4. Observe the changes applied to the Incident form. Implement Client Script & UI Po…

### Expected Result

- **Assignment Group** becomes mandatory.
- **Urgency** is controlled according to the UI Policy Action.
- The onChange Client Script sets Urgency to High. Implement Client Script & UI Po…

---

**User Manual**

## 4. Verify Urgency

When Impact is High, the Urgency field becomes **read-only** according to the configured UI Policy Action.

To verify:

1. Set Impact to **High**.
2. Locate the Urgency field.
3. Confirm that its value is automatically set to High.
4. Verify that the field cannot be manually modified while the policy condition is active. Implement Client Script & UI Po…

---

## 5. Verify Assigned To Validation

The onSubmit Client Script checks the **Assigned To** field before the Incident is submitted.

1. Set Impact to **High**.
2. Leave **Assigned To** empty.
3. Click **Submit**.
4. Observe the validation message.

### Expected Result

The Incident should not be saved, and an error message should indicate that **Assigned To is mandatory for High Impact incidents**. Implement Client Script & UI Po…

---

## 6. Successfully Submit an Incident

1. Set Impact to High.
2. Select a valid user in **Assigned To**.
3. Ensure the required information is available.
4. Click **Submit**.

### Expected Result

The Incident should be saved successfully without the Assigned To validation error. Implement Client Script & UI Po…

---

## 7. Test Reverse Condition

The UI Policy is configured with **Reverse if false**.

**User Manual**

1. Open an Incident where Impact is High.
2. Change Impact from **High** to **Medium**.
3. Observe the Assignment Group and Urgency fields.
4. Save the Incident.

### Expected Result

Assignment Group should no longer be mandatory, and the Urgency read-only behavior should be reversed according to the configured UI Policy. Implement Client Script & UI Po…

---

## 8. Test State List Editing

The onCellEdit Client Script prevents direct State modification from an Incident list.

1. Navigate to **Incident → All**.
2. Locate an Incident record.
3. Double-click the **State** field.
4. Attempt to change its value.

### Expected Result

An alert message should appear indicating that State cannot be updated through list editing and that the Incident should be opened instead. Implement Client Script & UI Po…

---

## 9. Update State Through the Form

To update State correctly:

1. Open the Incident record.
2. Locate the **State** field.
3. Select the required State.
4. Click **Update**.

### Expected Result

The State change should be saved successfully because the update is performed through the Incident form rather than list editing. Implement Client Script & UI Po…

---

## 10. Troubleshooting

| Problem | Action |
|---|---|
| Assignment Group is not mandatory | Check that Impact is set to **1 – High** and the UI Policy is active. |
| Urgency does not update | Verify that the **onChange Client Script** is active and configured for the Impact field. |

**User Manual**

| Problem | Action |
|---|---|
| Incident cannot be submitted | Check whether **Assigned To** is empty when Impact is High. |
| State cannot be changed from list | This is expected behavior of the **onCellEdit Client Script**. |
| State needs to be changed | Open the Incident form and update State there. |
| Fields remain restricted after changing Impact | Verify the UI Policy's **Reverse if false** configuration. |

## 11. User Workflow

**Login to ServiceNow**
↓
**Open/Create Incident**
↓
**Set Impact**
↓
**Impact = High?**
↓
**Apply UI Policy + Client Scripts**
↓
**Complete Assigned To**
↓
**Submit Incident**
↓
**Incident Saved Successfully**

For State changes:

**Incident List → Attempt State Edit → Update Blocked → Open Incident Form → Change State → Update**

---

## 12. Conclusion

The User Manual provides the operating procedure for the completed Incident configuration. Users can create and update Incident records while the configured UI Policies and Client Scripts automatically enforce the required field behavior, validation rules, Urgency automation, and State update restrictions. Implement Client Script & UI Po…

# User Manual