

Keybindings for Caser

@ alt	\$ shift	⌘ control
Naming		
to-CamelCase	⌘-\$-C	undo
to-KebabCase	⌘-\$-K	-
to-PascalCase	⌘-\$-P	-
to-SnakeCase	⌘-\$-S	-
to-SpaceCase	-	⌘-@-BS
Quotes		
to-Escaped	⌘-\$-E	⌘-@-e
to-Quoted	⌘-\$-"	\$-@-"
to-SQuoted	⌘-.'	@-.'
to-Backtick	⌘-`	@-`
Case		
to-LowerCase	⌘-\$-L	-
to-UpperCase	⌘-\$-U	-
to-TitleCase	⌘-\$-T	-
Wrappers		
to-Angle	⌘-\$-<	-
to-Curly	⌘-\$-{	-
to-Parens	⌘-\$-(-
to-Square	⌘-\$-[-
to-Tilde	⌘-\$-~	-
to-Star	⌘-\$-*	-
to-UnderScore	⌘-\$-_-	-
to-None	-	⌘-@-n
Lorem		
LoremIpsum	⌘-@-L	-

Encryption	
to-Secure	
to-Clear	
to-Flip	⌘-\$-/

Note: to-Flip uses a local environment variable as a passphrase: VSCODE_KEY

Combine with these:

alt click:	multiple cursors
alt dbl-click:	multiple words
alt shift:	rectangular select
home:	start of line
end:	end of line
control arrow:.	to next start/end of word
control shift arrow:	select all to next start/end of word
shift arrow:	select more in direction
alt arrow:	move up/down
alt shift arrow:	copy up/down