

Gentry Way Co., Ltd. is a manufacturer

of Physical Therapy Equipment in Taiwan since 1995. Walking aid and bathroom safety aid are core products in the company, such as crutch, forearm crutch, walking stick, quad cane, bath bench, walker, commode chair, and patient aid etc..

The more information is available on this website.



Crutch Series


GT-1011 New Push Button Crutch

- High strength tubing with 3-in-1 constructed design provides extra strong supports.
- Extra lightweight. Completely assembled crutch with foam or TPR cushion, handgrips, and reinforced metal rubber tip. Total weight 1.80 lbs only.
- 5-positions height adjustable handgrips with convenient wingnut lock type.
- No tools required. Double push-button adjusted foot piece for quickness, accuracy and safety.
- Free to choose yellow or grey underarm pad, handgrip and tip



GT-6402 Crutch Platform Attachment

- Lightweight anodized aluminum.
- No tool needed one hand-adjustable loop and latch fast and easy to adjust.
- Vinyl-covered, foam-padded platform reduces pressure on elbow during used.
- Secures easily with Velcro strap, handle can be rotated and extended. Unit can be used on right or left hand side without any remove.



Spare parts for separated sales

| MODLE NO. | SIZE | PATIENT HEIGHT | ADJ.SIZE | |
|-----------|------------|-------------------|----------|--|
| GT-1011T | Tall Adult | 5'10"~6'6" | 52"~60" | |
| GT-1011A | Adult | 5'2"~5'10" | 44"~52" | |
| GT-1011Y | Youth | 4'7"~5'3" | 37"-45" | |
| GT-1011C | Child | 4'1"~4'9" | 31"~39" | |

| | | (1) |
|--------------|----------|-----|
| Underarm Pad | Handgrip | Tip |

Walking Stick Series

GT-20052 Aluminum Available Stick

- Made of 6/8"&7/8" aluminum tubing.
- Wooden or plastic handles available.
- High quality Hard-Anodize treatment for avoiding scrape and surface damage.
- Adjustable Height: 31"-40"
- Color: Bronze / Black Available

avoiding

GT-20052

GT-20061 Folding Canes

- Made of 6/8*&7/8* aluminum tubing.
- Four sections folding design. Fold to only 1 foot length. Compact storage convenient for travel.
- Self open by action of heavy duty tension cord.
- Color-anodized finish, available in silver, black and bronze color.
- Available with wooden or plastic "T" shaped handles.
- Color: Bronze / Black Available
- Adjustable Height: S: 31"~35" L: 33"~37"







| Anodized Effects | Color | Cane Holder |
|------------------|-------|-------------|
| Semi-Matt | | |
| Grained Matt | | |



Walking Stick Series

GT-20042 Aluminum Offset Cane

- Made of 6/8"&7/8" aluminum tubing with offset handle, sponge hand grip.
- LAdjustable Height: 31"~40"
- Option: With carry strap.
- Color: Silver / Bronze / Black Available.



GT-21001 Aluminum Tripod Cane Seat

- Made of 3 main lightweight aluminum tripod tubes.
- Easily fold and unfold from stick to rest seat in second.
- Plastic seat and handle with deluxe design, shape and easily action.



Spare Parts & Attachments

GT-21001




GT-20720 Aluminum Half Round Cane

- Made of 6/8"&7/8" aluminum tubing.
 With crook handle.
- Sponge or PVC hand grip available
- Adjustable Height: 29"~38"
- Color: Silver / Bronze / Black Available.



GT-21002 & 21003 Folding Stick for Blind People

- Frame: Anodized aluminum tubing
- Hand Grip: PVC
- Surface Processing: Florecent finishing
- Length: GT-21002:59"
 GT-21003.:46"





Forearm Crutches Series

GT-3002 Adjustable Forearm Crutch

- Plastic arm cuff and vinyl coating handgrip.
- Heavy duty reinforced rubber tip for safety and silence
- Both are cuff and handgrip heights adjustable for different patient purpose.
- Height adjustable increment: 1" interval

GT-3003 Europe style Forearm Crutch

- Plastic arm cuff and vinyl coating handgrip
- Heavy duty reinforced rubber tip for safety and silence.
- Height adjustable increment: 1" interval



GT-3004 Adjustable Big Cuff forearm Crutch

- Steel coated arm cuff and vinyl coating handgrip.
- Heavy duty reinforced rubber tip for safety and silence.

GT-3002

- Both are cuff and hand rip heights adjustable for different patient purpose.
- Aluminum knurled cap and height adjustable increment: 1" interval





GT-3005 Deluxe Adjustable Forearm Crutch

- Plastic arm cuff and vinyl coating handgrip.
- Heavy duty reinforced rubber tip for safety and
- Both are cuff and handgrip heights adjustable for different patient purpose.
- Height adjustable increment: 1" interval



Quad Cane Series

GT-40011 Low base Quad Cane

- Made of aluminum anodize tubing with steel welded low base for additional stability and strength.
- Offset handle design and sponge grip for comfortable.
- Low center of gravity base for good balance.
- T lock silencer provides noiseless while guick pressing for shifting left and right and rotating handle 180 degree.
- Base size: 5"x 7"

Height Adjustable: 29"~38"

Shaft color: Silver/Bronze/Black

GT-40012

Base size: 7"x11"

Height Adjustable: 29"~38"

GT-40021 Low base Quad Cane

- Made of aluminum anodize tubing with steel welded low base for additional stability and strength.
- Offset handle design and sponge grip for comfortable.
- Low center of gravity base for good balance.
- Screw lock silencer provides noiseless while quick pressing for shifting left and right and rotating handle 180 degree
- Base size: 5"x 7"

Height Adjustable: 29"~38"

Shift color: Silver/Bronze/Black

GT-40022

Base size: 7"x11"

Height Adjustable: 29"~38"



GT-10011



GT-40012



GT-40021



GT-40022

GT-40031 Orthopedic Handle Quad Cane (Small Base)

- Frame: 7/8" Anodized Aluminum tubing
- Handle: Palm Contoured Grip
- Bearing Capacity: 300 lbs
- Small base with rounded edge prevents scraping and bruising of ankles
- Nut screwing lock type
- Adjustable height: 1" increments from 29"-38"

GT-40061 Arise Quad Cane

- Frame: 7/8" Anodized Aluminum tubing insert with square aluminumtube to increase the strength
- Bearing Capacity: 300 lbs
- Small base with rounded edge
- Nut screwing lock type
- Adjustable height: 1"increments from 31"-37"

Types of Connection



GT-40051 Imperial Collection Quad Cane

- Frame: 7/8" Anodized Aluminum tubing
- Bearing Capacity: 400lbs
- Steel base enhances stability
- T-bolt lock type
- Adjustable height: 1" increments from 29"-38"







5



Bath Bench Series

GT-5001

Shower Benches:

GT-5001 Without Backrest

GT-5002 With Standard Backrest

GT-5003 With Small Size Backrest

GT-5004 U-Shape Bench Without Backrest

GT-5005 U-Shape Bench With Backrest

GT-5011 Round Seat Stool

Feature:

NEW

- Seat and backrest are made of molded, high-density polyethylene plastic
- Adjustable legs with outward angles to prevent accidental overturning.
- Extra-large rubber tips for safety.
- Heavy-duty frame are made of anodized aluminum tubing, extra-wide base for good stability.

GT-5005

| Mold NO. | Color | Addition. Seat High | Seat Size | Backrest Size |
|----------------|--------|------------------------|-----------|------------------|
| GT-5001 | SILVER | 14"~18" | 20"x 12" | None |
| GT-5002 SILVER | | 14"~18" | 20"x 12" | 20"x 12" |
| GT-5003 | SILVER | 14"~18" | 20"x 12" | 16"x 8" |
| GT-5004 SILVER | | 14"-18" | 16"x 14" | None |
| GT-5005 SILVER | | 14"~18" | 16"x 14" | 16"x 8" |



GT-5003



GT-5002

GT-5004

Types Of Package

Assembled







Tool Free







Bath Bench Series

GT-5006 Transfer Bath Bench With Backrest

- 3-piece seat and backrest made of blow-molded and high-density polyethylene plastic.
- Both contoured backrest and armrest are reversible for right and left side.
- Reinforced rubber tips for safety.
- Adjustable Seat Height: 18"~22"



GT-5006



GT-5007 Deluxe Padded Bath Chair

- Frame: 1* Anodized Aluminum tubing
- · Seat dan Backrest: Soft cushion and Backrest board
- Bearing Capacity: 250 lbs
- Flared legs enhance stability
- Adjustable height: 1" increments from 17"-21" (ground to seat)

GT-5008

With U shape seat, flexible using as a over toilet chair



GT-5009 Imperial Transfer Bench

- Frame: 1" Anodized Aluminum tubing; Seat: High Density Molded Polyethylene plastic seat.
- Bearing Capacity: 400 lbs
- Flared legs and tips of suckers enhance stability
- Adjustable height: 1" increments from 8"-22"(ground to seat)
- "Quick Release" design available
- Armrest and backrest are flexible to move to opposite

GT-5010 Imperial Transfer Bench (Soft Seat and Backrest)

- Frame: 1"Anodized Aluminum tubing
- Seat and Backrest: Soft cushion and Backrest board are covered by Heat-sealed Vinyl
- Bearing Capacity:300 lbs





Aluminum Walker Series

GT-6001 Alum. Economic Folding Walker

- Made of 1' anodized Aluminum tubing frame and assemble with solid-core, aircraft-style rivets.
- One pinch-proof release button allows walker to be folded in a second, a compact size for easy storage and transportation.
- Single steel crossbar with powder coating finish.
- Comfortable cushion handgrips.
- Legs adjust in 1' increment and feature rubber tips with molded-in metal-disc inserts for safety.
- Adjustable Height: 31"-36"
- Width: 20"



GT-6002 Aluminum Deluxe Folding Walker

- Made of 7/8" anodized Aluminum tubing frame and assemble with solid-core, aircraft-style rivets.
- One pinch-proof release button allows walker to be folded in a second, a compact size for easy storage and transportation.
- Double steel crossbar with powder coating finish.
- Comfortable cushion handgrips.
- Legs adjust in 1' increment and feature rubber tips with molded-in metal-disc insert for safety, available
- Adjustable Height: 31"~36"
- Width: 20"



GT-6004 Alum, Economic Fixed Walker

- Lightweight walking frame is made of 7/8" anodized tubing only 2 kgs.
- Comfortable cushion handgrips.
- Legs adjust in 1"increament and feature rubber tips with molded-in metal-disc inserts for safety and durable use.
- Frame color: Silver/Bronze/Black available
- Adjustable Height: 30"-34"

GT-6005 Alum. Folding Side Walker

- Made of 7/8" tube with satin finish.
- Especially design for people with use of only one arm or hand.
- Reinforced rubber tips, cushioned handgrip
- Height adjustable by 1" increment
- Adjustable Height: 29"-33"







GT-6253















Aluminum Walker Series

GT-6006 Deluxe Alum. Two Button Folding Walker

- Made of 1" anodized Aluminum tubing frame and assemble with solid-core, aircraft-style rivets.
- Quick release buttons and double steel brace with hard powder coating offering extra stability.
- Weight capability: 400 lbs.
- Comfortable PVC handgrips.
- Legs adjust in 1' increment and feature rubber tips with molded-in metal-disc insert for safety.
- Frame color: Silver/Bronze/Black available

Adjustable Height: 32"~39"
Base: 20 1/2"x 17 ½"

GT-6006MB with 4 wheels and brake.





GT-6006

GT-6006MB

GT-6007 Alum, Heavy-Duty Fixed Walker

- Made of 1"x 1.35mm anodized Alum. Tubing frame, two fixed cross beam design, strong and stability.
- Loading ability: 600 lbs.
 Comfortable PVC handgrip.
- Legs adjust in 1" increment and feature rubber tips with molded-in metal-disc inserts for safety and durable use.
- Frame color: Silver/Bronze/Black available
- Adjustable Height: 30"~34"
- Base: 25"x 19"







C1-0015





CT 6401 Walley Platform Attachment

- Plush, Vinyl-covered, Foam-padded platform reduces pressure on elbow during used.
- Secures easily with Velcro strap, handle can be rotated forward as well as to either side to match the position of patient's hand.
- Distance between handle and platform is adjustable.
- Tile of platform cuff can be adjusted to accommodate patient with severely reduced elbow flexion.
- Attachment can be angled inward or outward as required. Left and right hand side can be interchanged.



Commode Chair Series

GT-7003 Alum, Foldable Commode With Backrest

- Made of 1" anodize tubing frame with backrest.
- · Comfortable full length cushioned armrest for easy holding.
- Easy clean plastic pan pail, seat and cover.
- Four reinforced rubber tips for safety.
- Foldable design for easy storage and carry.
- Adjustable seat height for different purpose.
- Width: 18"
- Adj. Seat Height: 18"~22"





GT-7005 Steel Folding Commode With Backrest

- Made of 1" steel tubing frame, with chrome plated finish.
- Four reinforced rubber suction tips for safety.
- Foldable design for easy storage and carry.
- Adjustable seat height for different purpose.
- Adj. Seat Height: 16"~20"
- Width: 18"





GT-7005

GT-7004 Steel Drop-Armrest Commode With Backrest

- Made of 7/8" steel tubing frame, with gray hard powder coating finish.
- Comfortable cushioned armrest.
- Quick release drop-arm mechanism design.
- Four reinforced rubber suction tips for safety.
- Adj. Seat Height: 18"~22"
- Width: 18"



GT-7015 Foldable Steel Commode

- Frame: 7/8" steel tubing
- Weight Bearing Capacity: 300 lbs
- Width: 19.75
- Height Adjustment: 1increment, 17.5 "- 22.5"
 from ground to seat
- Foldable design for saving space, easy to carry and store
- Cft=7015W1, 4 castors added

for moving freely

GT-7015W4

Add 4 castors to be a transfer commode







Commode Chair Series

GT-7007 Alum. High Backrest Commode Chair

- Made of 1" anodized aluminum tubing frame, with Satin finish.
- Comfortable full length cushioned armrest for easy holding.
- Special socket design for securing the connection of frame tube and cross brace.
- Easy clean plastic pan pail, seat and cover. Four reinforced rubber tips for safety.
- Adjustable Seat Height: 18"~23"
- Wide: 18"



GT-7007

GT-7007W Alum. High Backrest Commode Chair

- Ditto-Same as GT-7007
- But with four 3" swivel castors, two of rear with brake.
- Seat height: 20"-25"



GT-7007L Alum. Extra Wide High Backrest Commode Chair

- Ditto-Same as GT-7007
- Width between handles(outside): 24"



GT-7007L

GT-7008 Triple Usages Transfer Chair

- Frame: 1 Anodized Aluminum
- Armrest: Foamed Rubber
- Weight Bearing Capacity: 300 lbs
- Width:19"
- Height:21.5" from ground to seat
- It is able to use as an Over Toilet Commode, Transfer Chair and Shower Chair
- Rear castors with brake

VP-7014 Standard 3-in-1 Steel Commode

- Made of 1" steel tubing frame
- Surface processing:hard powder coating finish
- Color: Gray
- Weight bearing capacity: 300lbs
- Adjustable height: 17.5" -24.5" (from ground to seat)
- Welded and KD type available





VP-7017 Steel Drop-Arm Commode With Padded Armrest

- Steel tubing with white hard poweder coating finish
- Comfortable full length cushioned armrest for easy holding
- Welded method. Drop armrest, decent shape
- Adj. Seat height: 14" -18"





Bathroom Safety Series

GT-7012 Extra Wide Steel Commode (Drop Arm)

Frame: 1" steel tubing
Armrest: HDPE+S1010

Weight Bearing Capacity: 400lbs

Width: 25.5"

Height Adjustment: 1" increment, 19" -23"

from ground to seat.

Drop Arm design makes user more freely.

3-in-1 Bucket Set, includs Bucket, Lid an Splashguare



Bathroom Grab Bar:

Powder Coating Series

GT-80012PW 12" White grab bar GT-80016PW 16" White grab bar GT-80018PW 18" White grab bar GT-80024PW 24" White grab bar GT-80032PW 32" White grab bar

Diameter of bar: 1"

Distance from wall: 1.5"

Hardware: 6 pcs of stainless steel screw.



GT-8106 Adjustable Toilet Safety Rail

- Aluminum construction with plastic armrest and reinforced rubber tip.
- With stainless hardware.
- Adjustable for different seat height and width.

Adjustable Height: 28"~32"





GT-7013 Extra Wide 3-in-1 Steel Commode (Armrest Off)

Fram: 1" steel tubing

Weight Bearing Capacity: 400lbs

Width:24.5

Height Adjustment: 1" increment, 16"-23

from ground to seat

Extra-wide platform seat maximizes stability

3-in-1 Bucket Set, includs Bucket, Lid and Splashguard



Chrome Plated Series

GT-80012CP 12" Chrome Plated grab bar GT-80016CP 16" Chrome Plated grab bar GT-80018CP 18" Chrome Plated grab bar GT-80024CP 24" Chrome Plated grab bar GT-80032CP 32" Chrome Plated grab bar

Diameter of bar: 1"

Distance from wall: 1.5"

Hardware: 6 pcs of stainless steel screw.



CT-8103 Bath Toh Safety Bar

- Heavy Gauge welded steel construction with white coating finish.
- Just turn the knob to install and remove from all size of modern tub walls.
- Clamp Adjustable from 3-1/4" to 5-1/2"

Width: 6-3/4" to 8-3/4"

Overall Height: 18"

Above Tub Height: 13-1/4*





Patient Aid / Medical Equipment

Oxygen Cart

- Steel tubing with chrome plated finish
- Available used both for in door and out door.
- Provides secure handling of cylinder where mobile oxygen unit are required.
- Adjustable height: 37"to 42"
- D or E cylinder suitable for all oxygen unit.

Two 6" EVA wheels and reinforced rubber tips for better moving and stability



GT-9403

- Economic type, aluminum shalt with glossy finish.
- Detachable two or four bolt type hooks available.
- Four-legged powder coating steel base with 2" castors.
- Base size: 23.25" x 23.25"
- Adjustable Height: 47"~87"





GT-9304 Pedal Exerciser

- Heavy-duty construction of steel frame with chrome plated and non slip tips.
- Hook and Loop strap hold firmly to pedals.
- Adjustable tension control knob allows a board range of peda resistance brake for a progressive exercise program.
- Ideal for restoring impaired muscle strength circulation and coordination to the legs or arms.



GT-9403D Deluxe Steel I. V. Stand

- Deluxe aluminum shaft with glossy finish.
- Detachable two or four bolt type hooks available.
- Deluxe Molded five prong base with 2" plastic castors.
- Base size: 22"x 22"
- Adjustable Height: 47"~87"





Alum. Wheelchair Ramp

GT-RN5

- Flexible 3-section Alum. Wheelchair Ramp.
- 5 feet length, 11 cm inner width

GT-RN7

- Flexible 3-section Alum, Wheelchair Ramp.
- 7 feet length, 11 cm inner width

GT-RW5

- Flexible 3-section Alum. Wheelchair Ramp.
- 5 feet length, 20 cm inner width


GT-RW7

- Flexible 3-section Alum. Wheelchair Ramp.
- 7 feet length, 20 cm inner width



GT-RW5>-RW7

GT-RW8



| ITEM NO. | STYLE | LxWxHxt | N.W. | MEAS'T |
|----------|--------------------|-------------------|--------------|------------|
| GT-RN5 | Flexible 3-section | 150x11x4x0.16cm | 5.43 kgs/pr | 4 prs/2.3' |
| GT-RN7 | Flexible 3-section | 210x11x4x0.25cm | 10.90 kgs/pr | 2 prs/2.0' |
| GT-RW5 | Flexible 3-section | 150x20x4.5x0.16cm | 7.0 kgs/pr | 2 prs/2.0' |
| GT-RW7 | Flexible 3-section | 210x20x4.5x0.16cm | 14.5 kgs/pr | 1 prs/1.3' |
| GT-RW8 | Flexible 3-section | X20x4.5x0.16cm | Kgs/pr | prs/ |





- Frame: 1" Anodized Aluminum tubing
- Gear brake system provides enough support for the user
- Foldable design for easy storage an carry
- Specification:





| ITEM | WIDTH | DEPTH | HEIGHT | NET WEIGHT | GROSS WEIGHT | CARTON MEASUREMENTS | OTY. / CONTAINER |
|---------|-------|-------|---------|---------------|-----------------|------------------------|---------------------|
| CP-1200 | 22" | 26" | 15"-19" | 3. 88kg | 4.71kg | L55 X W15 X H59 cm | 1432 |
| CP-2200 | 24" | 29" | 19"-25" | 4.25kg | 5.26kg | L57 X W15 X H59 cm | 1263 |
| CP-3200 | 26" | 32" | 24"-32" | 5.26kg | 6.46kg | L66 X W15 X H71 cm | 951 |



CP 1050 Pelvic Stablizer

- Padded pieces keep comfortable when moving
- Security belt provides safety for users
- Tool free assembly
- Suitable for every item of our KAYE walkers