QED.

An AI wallet that moves money only when it can prove it should.

Technical documentation — architecture, algorithms and security design

QED treats the AI as compromised by default and lets money move only on proofs that Ethereum checks: an owner's mandate times an independent co-signer's certificate (authority), a ring-fenced liabilities invariant (solvency), an exact optimality certificate for paid work and for multilateral netting (correctness), and a worst case computed on-chain (bounded loss). This document specifies the system, proves the properties it claims and maps each one to tests and public transactions.

Live on Ethereum Sepolia
99 public transactions in two runs · 8 contracts

25 attacks, 25 reverts
0 tUSD reached the attacker

Re-verifiable by anyone
82 Solidity + 45 TypeScript tests · `npm run verify`

Source, tests and evidence: github.com/Nightcore709/qed-agent-wallet
Live dashboard (reads the chain): nightcore709.github.io/qed-agent-wallet
Built from commit `02e8afe5e133` · 2026-10-19 · testnet prototype, not externally audited

Contents

Part 0 — Overview

- The idea in five sentences
- The four outcomes — each one a public transaction
- What makes this different
- Certified clearing: a whole agent economy settles by proof
- How the evidence was produced (full disclosure)
- Status

Part 1 — System Architecture

- 1. One picture
- 2. Components
- 3. Key lifecycle flows
- 4. Data & evidence model
- 5. Execution & deployment topology
- 6. Gas profile on Sepolia (canonical run)

Part 2 — Core Algorithms

- 1. The solvency invariant (ring-fenced liabilities)
- 2. Authorisation: owner mandate × independent certificate
- 3. Provable blast radius (worst-case loss under total hot-key compromise)
- 4. Certified optimality: paying AI for proofs, not for answers
- 5. The certifying solver (off-chain, untrusted)
- 6. Economic decision engine
- 7. Co-signer policy (12 checks, one decision record)
- 8. Conversational layer: LLM for language, a state machine for money
- 9. Certified clearing: maximal multilateral netting with an exact proof (QEDClearing)

Part 3 — Security Design & Self-Assessment

- 1. Security thesis
- 2. Permission tiers (implemented in QEDVault.sol)
- 3. Security properties and how each is verified
- 4. Threat model
- 5. Known-risk list (honest)
- 6. Incident response
- 7. Compliance-relevant controls

Part 4 — Test Catalogue

- Solidity (Foundry, contracts/test)
- TypeScript (node --test, agent/test)
- End-to-end
- Clean-clone reproduction log

Part 5 — Deployment & Operations

- Live deployment (Ethereum Sepolia, chain id 11155111)
- Prerequisites
- Local (no keys, no network)
- Public network
- Operations runbook

Appendix A — On-chain Evidence (Ethereum Sepolia)

- Contracts
- Actors (one key each, one process each)
- Every step of the scenario
- Attack transactions (19) — each reverted with exactly the designed error
- Set-up transactions (funding, mints, approvals)
- Final state (read from QEDLens after the last transaction)
- Run 2 — certified clearing of an agent economy (QEDClearing)
- How these transactions were produced — full disclosure
- Block timestamps

PART 0

Overview

The idea in five sentences

1. **The AI holds one key that can call one function.** `QEDVault.executePayment` succeeds only with an owner-signed EIP-712 *mandate* **and** a certificate from an *independent co-signer* (a separate process, a separate key, 12 policy checks) **and** inside an on-chain *solvency invariant* that ring-fences money owed to creditors.
2. **The worst case is computed, not hoped for.** `QEDLens.blastRadius(vault, horizon)` returns, at any block, the most the vault can lose if *both* hot keys are stolen — and the loss to any address the owner never approved is provably **zero**.
3. **AI work is paid for proofs, not promises.** In `ProofEscrow` a client pays only when the delivered answer passes an **on-chain optimality check** (exact-integer KKT conditions + a positive-semidefiniteness witness). A lazy or dishonest AI provider is rejected by mathematics and the client is refunded.
4. **We published the keys.** The honeypot vault's agent *and* co-signer private keys are in this repository. Its 90 tUSD ring-fence is protected by the contract, not by secrecy. Try to steal it.
5. **Whole agent economies clear by proof.** In `QEDClearing`, five AI businesses that owe each other 200 tUSD but hold only 28 tUSD escape gridlock: the QED agent proves, with an exact linear-programming duality certificate checked on-chain, that its netting is the **largest possible** and leaves every member's net position unchanged. A lazy netting is rejected with `NotProvablyMaximal(162, 169)`. Details below.

The four outcomes — each one a public transaction

#	Outcome asked for	Proof on Ethereum Sepolia
O1	A **separate AI-agent key** executes a payment under an **independent policy certificate**	`L4 0x56a2334e…` — sent **by the agent key** `0x2A10…d0Bb`; mandate signature recovers to the **owner** `0xb7Ed…97f7`; certificate signature recovers to the **co-signer** `0xf1F8…2402`; on-chain `evidenceHash` = keccak256 of the published decision record. Also `C1 0x7000d3cc…`: a chat request → clarified → corrected → owner-signed confirmation → certified payment.
O2	A **paid-work lifecycle** that ends in a **real escrow settlement**	RFQ → agent-signed quote → `L2` client funds escrow, 15 tUSD → `L4` agent buys the risk model it needs → solves → `L6` delivers portfolio + KKT certificate, verified **on-chain**, 15 tUSD settles into the agent's vault. Competing provider's lazy answer `X17` rejected: `DualityGapTooLarge`, near-miss `X18` rejected: `StationarityViolated`, client `X19` refunded.
O3	An **adversarial agent cannot violate a protected liability or tamper with signed terms**	**19 attack transactions, all reverted on-chain with exactly the designed error** — tampered quote price/payee (`BadProviderSignature` ×2), forged/altered/redirected certificates (`BadCosignerSignature` ×3), both hot keys stolen paying the attacker (`PayeeNotInMandate`), self-signed mandate (`BadOwnerSignature`), replay (`IntentAlreadyUsed`), drain beyond free balance (`SolvencyViolation`), beyond the 24 h window (`ExceedsDailyCap`), admin calls (`NotOwner`, `NotCreditor`), published-key honeypot (×3), payment while paused (`VaultPaused`). Ring-fenced 70 tUSD reached **only** its creditor — settled by the attacker's own address while the vault was paused. Full table: docs/EVIDENCE.md. Plus **6 attacks on the clearing house**, all reverted (below).
O4	An **external reviewer can reproduce everything** from GitHub source, tests and receipts	`npm run verify` re-derives every claim from a public RPC with **no keys**: on-chain bytecode == this repo's compiled bytecode; every receipt's status and sender; every revert's custom error (replayed on archive state); signatures recovered from calldata; the KKT certificate re-checked off-chain; Mallory received 0 tUSD from any vault. It runs in CI on every push and daily. 82 Solidity tests (unit, fuzz, stateful invariants ≈ 350 k adversarial calls/run, 60 random clearing economies) + 45 TypeScript tests. A fresh machine reproduced all of it from a clean clone (log).

What makes this different

Usual agent wallet	QED
Spending limits on a hot key	Limits **plus** an independent co-signer **plus** a solvency invariant — three layers, each sufficient for protected funds
"The AI will follow its system prompt"	The AI is assumed compromised. Language model → deterministic slot filling → deterministic guard → owner-signed confirmation. Red-team: **25/25 attacks blocked, 0 false refusals** (LLM alone: 24/25)

Usual agent wallet	QED
Trust the provider's answer, or re-run it	**Verify a certificate**: the chain checks optimality in O(n²) exact integer operations instead of solving the problem
Risk = "we have limits"	Risk = a **number on-chain** (`blastRadius`), proven an upper bound by fuzzing, displayed live
Pause = everything stops	Pause stops the **AI**, never the **creditors** — anyone can settle a due liability, even while paused
Keys are the security boundary	Keys are **published** for the honeypot; the contract is the boundary
Netting needs a trusted clearing house	**Anyone** can clear; the chain checks that the netting is maximal and moves no value (exact LP-duality certificate)

Certified clearing: a whole agent economy settles by proof

Five AI businesses (Northwind, QED, CloudCo, Helix, Atlas) owe each other **200 tUSD** in overlapping cycles and hold only **28 tUSD** of cash. Gross settlement is impossible: `G1` Northwind cannot pay its 40 tUSD debt with 18. Yet every one of them is solvent on a net basis.

`QEDClearing` lets **anyone** submit a netting, and executes it only if the contract can check that (1) every member's net position is exactly unchanged, (2) no debt is cut below zero and none is created, (3) the proof covers every open debt at its current amount, and (4) an **LP-duality certificate** proves no larger netting exists: $\Sigma x = \Sigma d \cdot y$ with $\pi_debtor - \pi_creditor + y \geq 1$. The constraint matrix is totally unimodular, so the check is exact integer arithmetic: no tolerance. Joining is the only consent needed, and the QED agent can be a member *and* the prover without being able to favour itself. Theory: docs/ALGORITHMS.md §9.

Step on Ethereum Sepolia	Result
`N1` a naive shortest-cycle-first netting	reverted `NotProvablyMaximal(162, 169)`
`N2` a netting that cancels 1 tUSD more of one member's debt	reverted `NetPositionChanged(Northwind, 1)`
`N3` cancel more than is owed · `N4` hide an obligation · `N5` forge the certificate	`ExceedsObligation` · `IncompleteSnapshot` · `DualInfeasible`
`N6` the QED agent's proven netting	**executed: 169 tUSD of debt cancelled, gross 200 → 31, no token moved**
`N7` replay it	reverted `IncompleteSnapshot`
`S1` … `S4` the remaining 31 tUSD, paid in topological order	**0 debts left; every agent ends holding exactly its net position, using only the 28 tUSD that existed**

Contracts: `QEDClearing 0x7b7d…6ad2` · run token `0x6753…52d4`. Evidence: `evidence/ethereum-sepolia/clearing/` (44 public receipts, 44/44 matched the replica).

How the evidence was produced (full disclosure)

Our build sandbox had no RPC egress. Every transaction was signed inside the sandbox — one key per process — against a wall-clock-synchronised replica of Sepolia (same chain id, nonces and balances); the **identical signed bytes** were committed to `relay/` and broadcast unchanged by a browser relay, and each public receipt was compared with the replica's (status + every log): **55/55 matched** for the main run and **44/44** for the clearing run. Two earlier attempts under other keys failed (Sepolia's state-creation gas repricing; one under-provisioned agent transaction) and were abandoned; the canonical run uses fresh keys. Details: docs/EVIDENCE.md, risk K12 in docs/SECURITY.md.


Status

Testnet prototype with a valueless token; not audited. Known risks are listed honestly in docs/SECURITY.md §5. MIT licence.

PART 1

QED — System Architecture

1. One picture



Outside both bands: the **owner** (cold key) signs mandates once, off-chain (EIP-712); the **guardian** can pause the agent; the **client** funds escrow against a signed quote; **creditors** are paid from ring-fenced funds only — even while the vault is paused. The interactive version of this diagram is in docs/ARCHITECTURE.md on GitHub.

The design rule is a trust gradient: **everything that can be fooled is off-chain and holds at most one key; everything that decides whether money moves is on-chain and checks proofs.**

2. Components

On-chain (`contracts/src` , Solidity 0.8.26, via-IR, OpenZeppelin 5.1)


Contract	Size	Responsibility
`QEDVault`	9.1 KB	Treasury of one agent. Verifies owner mandates (EIP-712, EOA or ERC-1271) and co-signer certificates; enforces payee scope, per-payment/period/lifetime caps, a global 24 h window cap, the solvency invariant, single-use intents, epochs, pause. Holds ring-fenced liabilities that only creditors can be paid from.
`QEDLens`	5.1 KB	Stateless views: `blastRadius(vault, horizon)` , `snapshot(vault)` , EIP-712 hashes/digests. Separate so the enforcement contract stays small (Sepolia's state-creation pricing + EIP-7825's 2^{24} gas cap bound deployable code size).
`ProofEscrow`	5.6 KB	Agent-to-agent work. Provider-signed EIP-712 quote binds price, payee, client, verifier, problem hash, deadline. `deliver` pays iff `IProofVerifier.verify(spec, solution)` succeeds. Refund after deadline.
`MinVarianceVerifier`	2.4 KB	`IProofVerifier` for long-only minimum-variance portfolios: exact-integer KKT + PSD certificate check (docs/ALGORITHMS.md §4).
`QEDClearing`	5.3 KB	Proof-gated multilateral netting for agent economies. Members `join` (on-chain consent to the terms) and record debts as debtors; `net` is permissionless and executes only if net positions are unchanged, nothing is created, the snapshot is complete and current, and an exact LP-duality certificate proves the netting maximal (ALGORITHMS §9).
`TestUSD`	2.1 KB	Valueless 6-decimal test token with a public 1 000 tUSD/day faucet for reviewers.

Off-chain (`agent/` , TypeScript, viem)


Module	Process / key	Responsibility
`roles/agent.ts`	agent process · AGENT key	RFQ handling, autonomous job fulfilment (watches `JobOpened`), owner console, decision records
`roles/cosigner.ts`	co-signer process · CO-SIGNER key	12-check policy engine; writes & hashes decision records; signs certificates
`roles/vendor.ts`	vendor process · VENDOR key	catalog, signed invoices, releases data only after seeing the on-chain payment
`brain/*`	inside agent	`AnthropicBrain` (live LLM) / `OfflineBrain`; `slots.ts` deterministic payment slot filling; `guard.ts` deterministic security layer; `evaluate.ts` red-team scoring
`engine/minvar.ts`	inside agent	certifying solver + bit-exact TS checker
`engine/economics.ts`	inside agent	pricing and acceptance rules
`engine/netting.ts`	inside agent	certifying netting solver (min-mean cycle cancelling + Bellman–Ford dual), bit-exact checker, naive greedy rival
`scripts/clearing.ts`	orchestrator (5 member agents, QED prover, Mallory)	runs the clearing economy: gridlock, attacks, proven netting, settlement
`scripts/live.ts`	orchestrator (owner, client, guardian, Mallory)	deploys and runs the whole economy, records evidence
`scripts/verify.ts`	anyone · no keys	independent re-derivation of every on-chain claim

3. Key lifecycle flows


3.1 Paid work, end to end (Outcomes 1 & 2)



3.2 Owner conversation → signed confirmation → payment



3.3 Certified clearing of an agent economy (QEDClearing)



3.4 Defence in depth against a manipulated agent


Layer	Who	Stops
1. Guard	deterministic code in the agent	injection, scams, secret requests, escalation — before any proposal
2. Co-signer	independent process & key	anything not justified by a signed invoice + funded job, or not owner-signed
3. Vault	Ethereum	everything outside the owner's mandate, caps, solvency, replay, pause — even if layers 1 and 2 are both compromised

4. Data & evidence model

- **Mandate** (owner-signed, off-chain): scope of authority. Hash is referenced by every certificate.
- **Certificate** (co-signer-signed): exact payment terms + `evidenceHash` of the decision record.
- **Decision record** (`evidence/…/records/cosigner/<hash>.json`): canonical JSON of inputs, treasury snapshot, all 12 checks and verdict. `keccak256(canonical(core)) == evidenceHash` on-chain.
- **Agent records** (`records/agent/*`): RFQ evaluations, fulfilment (solution + certificate stats), every chat turn with the LLM transcript.

- **Manifest** (`evidence/ethereum-sepolia/manifest.json`): every step, actor, expected outcome, tx hash, decoded events / errors, mapped to Outcomes O1–O4.

5. Execution & deployment topology



The transaction hashes in the evidence are the public-chain hashes (identical signed bytes). The relay compares each public receipt with the replica (status and every log, excluding Sepolia's EIP-7708 system log for plain ETH transfers), and the independent verifier re-derives every claim from a public RPC. A reviewer with RPC access can also run the economy directly against Sepolia: `RPC_URL=… CHAIN_ID=11155111 GAS_LIMIT=16700000 npm run live`.

6. Gas profile on Sepolia (canonical run)

Operation	Gas used
Deploy QEDVault	14 963 244
Deploy ProofEscrow	9 051 450
Deploy QEDLens	8 026 770
Deploy MinVarianceVerifier	3 847 926
Deploy TestUSD	3 716 239
Deploy QEDClearing	8 579 134
`QEDClearing.net` — 11 obligations, 5 members, certificate checked (N6)	550 826
`QEDClearing.issue` (first / later)	795 367 / ≈ 501 600

Sepolia's current schedule prices state creation far above the classic EVM (a plain ETH transfer to a fresh account costs ≈ 205 k gas); local replicas don't model this, so all broadcasts use an explicit 16.7 M gas limit (only gas used is charged).

PART 2

QED — Core Algorithms

This document specifies every algorithm QED relies on, with the exact conditions the smart contracts check and proofs of the properties we claim. Notation: all token amounts are integers in `tUSD` base units (6 decimals). Real numbers in the optimiser are fixed-point **WAD** integers ($1.0 = 10^{18}$).

1. The solvency invariant (ring-fenced liabilities)

State. `B` = vault token balance, `P` = `totalProtected` = Σ of open liabilities, `F = B - P` = free balance.

Invariant I1. `B ≥ P` at every reachable state.

Proof (induction over state transitions). Initially `B = P = 0`. Every function that changes `B` or `P`:

Transition	ΔB	ΔP	Pre-condition checked on-chain	I1 preserved because
`deposit(a)` / direct transfer in	+a	0	—	B grows
`executePayment` (spot)	−a	0	`a ≤ F`	B − a ≥ P
`executePayment` (forward, `dueAt>0`)	0	+a	`a ≤ F`	P + a ≤ B
`ringFence(a)` (owner)	0	+a	`a ≤ F`	P + a ≤ B
`withdraw(a)` (owner)	−a	0	`a ≤ F`	B − a ≥ P
`settle(id)` (anyone, after due)	$-a_i$	$-a_i$	liability open	both sides drop equally
`release(id)` (creditor only)	0	$-a_i$	`msg.sender == creditor`	P shrinks

No other function moves tokens. ∎

Corollary (creditor exclusivity). Ring-fenced value leaves the vault only via `settle(id)`, which transfers exactly a_i to `liabilities[id].creditor`. Nobody — agent, co-signer, guardian or owner — can redirect it. Only the creditor can `release` (forgive) or `assign` (sell) its own claim.

Both facts are checked by stateful fuzzing (`contracts/test/Invariants.t.sol`: 7 invariants × 512 runs × 96 calls with an attacker holding the agent **and** co-signer keys) and re-checked live on Sepolia by `npm run verify`.

2. Authorisation: owner mandate × independent certificate

A payment executes only if **all** of the following hold (in this order; the first failure reverts with a self-describing custom error):

```
executePayment(m, ownerSig, c, cosignerSig):
  require !paused                                  VaultPaused
  require msg.sender == agent                      NotAgent
  — mandate —
  require m.vault == this, m.agent == agent        WrongVault / MandateAgentMismatch
  require m.period > 0, 0 < |m.payees| ≤ 32         InvalidMandate
  require m.validFrom ≤ now ≤ m.validUntil          MandateNotActive
  require m.epoch == epoch, !revoked[H(m)]          StaleEpoch / MandateIsRevoked
  require SigCheck(owner, EIP712(H(m)), ownerSig)    BadOwnerSignature      (EOA or ERC-1271)
  — certificate —
  require c.mandateHash == H(m)                     CertificateMandateMismatch
  require SigCheck(cosigner, EIP712(H(c)), sig)      BadCosignerSignature   (authenticity FIRST)
  require c.epoch == epoch, c.notBefore ≤ now ≤ c.expiresAt
  require !intentUsed[c.intentId]                   IntentAlreadyUsed      (replay)
  require c.recipient ∈ m.payees                    PayeeNotInMandate
  require c.amount ≤ m.maxPerPayment               ExceedsPerPaymentCap
  — economics —
  require c.amount ≤ F                              SolvencyViolation(requested, free)
  require mandate period / lifetime / global 24h window caps
  effects: intentUsed[c.intentId] = true; counters += amount
  if c.dueAt == 0: transfer(c.recipient, c.amount)
  else:            create liability(c.recipient, c.amount, c.dueAt)   // ring-fenced promise
  emit PaymentExecuted(intentId, H(m), recipient, amount, liabilityId, evidenceHash, ref)
```

Why the certificate binds everything. `H(c)` covers `recipient, amount, dueAt, intentId, evidenceHash, ref, notBefore, expiresAt, epoch` and `H(m)`. Changing any byte changes the EIP-712 digest, so the recovered signer is no longer the co-signer. `intentId` is single-use. `epoch` lets the owner revoke every outstanding mandate and certificate with one transaction (`bumpEpoch`).

Key separation. Owner (cold) ≠ agent (hot) ≠ co-signer (independent service) ≠ guardian. Each runs in a separate OS process holding exactly one key (`agent/scripts/live.ts → spawnRole`).

---

3. Provable blast radius (worst-case loss under total hot-key compromise)

Threat. The attacker holds the agent key **and** the co-signer key (owner key safe).

Bound. Within horizon `h` the attacker can extract at most

```
BR(h) = 0                                  if paused
      = min( F ,  cap_now + k·D )          otherwise
cap_now = D - spentInWindow   if the current window is open, else D
k       = ⌊(t + h - windowEnd)/W⌋ + 1      if t + h ≥ windowEnd, else 0
```

with `D` = global daily cap, `W` = 1 day, and `windowEnd` the end of the current (or next-opened) fixed window.

Proof sketch. Every agent outflow (spot or forward) passes `_consumeLimits`, which bounds spending in each fixed window by `D`; a new window opens no earlier than the previous one closes, so at most `k` further windows can start inside the horizon (counting a window that opens exactly at `t + h`, a deliberately conservative choice). Every outflow also requires `a ≤ F`. Ring-fenced funds (`P`) are unreachable by §1. ∎

And the part a cap alone can't give you: the attacker cannot invent payees — `c.recipient ∈ m.payees` and `m` must carry the **owner's** signature. So loss to any address the owner did not approve is exactly **0**. `QEDLens.blastRadius(vault, h)` computes `BR(h)` on-chain from public state.

---

4. Certified optimality: paying AI for proofs, not for answers

4.1 Problem

The client agent buys the long-only minimum-variance portfolio for a committed covariance Σ:

```
minimise  f(w) = ½ wᵀΣw     subject to   1ᵀw = 1,  w ≥ 0.
```

4.2 What the provider submits

`(w, v, μ, L)` — the portfolio, the Lagrange multipliers of the budget constraint (`v`) and of the long-only constraints (`μ`), and a lower-triangular factor `L` witnessing that Σ is positive semidefinite.

4.3 What the contract checks (`MinVarianceVerifier.verify`, exact integer arithmetic, tolerance τ)

#	Condition	Meaning
P1	$w_i \geq 0$, `	$1^T w - 1$
D1	$\mu_i \geq 0$	dual feasibility
S	`	$(\Sigma w)_i - v - \mu_i$
CS	$\Sigma_i w_i \mu_i \leq \tau$	complementary slackness = the **duality gap**
C	`	$\Sigma_{ij} - (LL^T)_{ij}$

All products are formed at 10^{36} scale and compared without any rounding. Inputs are range-bounded ($|x| \leq 10^{27}$) so no product can overflow. Cost for $n = 6$: ≈ 0.3 M gas.

4.4 Theorem (ε-optimality certificate)

If checks P1, D1, S, CS and C pass with tolerance τ, then for every feasible portfolio x

$$f(w) \leq f(x) + \tau\cdot(|v| + 3 + 2n) + O(\tau^2).$$

In particular $f(w) \leq f^* + (2n + 3 + |v|)\cdot\tau + O(\tau^2)$*: the escrow pays only for answers provably within a tiny, known distance of the global optimum.*

Proof. Write $\Sigma = LL^T + E$ with $|E_{ij}| \leq \tau$ (check C), so $\|E\|_2 \leq \|E\|_F \leq n\tau$. For feasible x ($x \geq 0$, $1^T x = 1$) let $d = x - w$. Exactly,

$$f(x) = f(w) + (\Sigma w)^T d + \tfrac{1}{2} d^T \Sigma d.$$

Curvature term. $d^T\Sigma d = \|L^T d\|^2 + d^T E d \geq -n\tau\|d\|_2^2$.

Linear term. By S, $\Sigma w = v\mathbf{1} + \mu + r$ with $\|r\|_\infty \leq \tau$. Hence

$$\begin{aligned}(\Sigma w)^T d &= v(1^T x - 1^T w) + \mu^T x - \mu^T w + r^T d \\ &\geq -|v|\tau \quad + 0 \quad - \tau \quad - \tau\|d\|_1 \qquad \text{(P1, D1 with } x \geq 0\text{, CS, Hölder)}\end{aligned}$$

Sizes. $\|d\|_1 \leq \|x\|_1 + \|w\|_1 \leq 2 + \tau$ and $\|d\|_2^2 \leq \|d\|_1^2 \leq (2 + \tau)^2$.

Combining: $f(x) \geq f(w) - \tau(|v| + 1 + 2 + \tau) - \tfrac{1}{2}n\tau(2 + \tau)^2$, i.e. $f(w) - f(x) \leq \tau(|v| + 3 + 2n) + O(\tau^2)$. ∎

Corollary (the revert message is a certificate of failure). With exact stationarity ($r = 0$) the same argument gives $f(w) - f^* \leq \mu^T w$. So when a forger dresses up a portfolio with the best multipliers it can find ($v = \min_i(\Sigma w)_i$, $\mu = \Sigma w - v\mathbf{1} \geq 0$, which makes S and D1 hold *exactly*), the only check left to fail is CS — and `DualityGapTooLarge(gap)` reports an upper bound on how suboptimal the forgery is. On Sepolia, Mallory's lazy 1/N portfolio was rejected with gap = 0.019113 (the true optimum has half-variance 0.00133).

Numbers for the live job ($n = 6$, $\tau = 10^{-9}$, $\nu = 0.0026604$): certified bound `(12 + 3 + 0.0027)·10⁻⁹ ≈ 1.5·10⁻⁸`. The submitted certificate had stationarity residual **0** (exact), duality gap **0**, PSD residual $6.3 \cdot 10^{-17}$.

4.5 Why this matters

Classical escrow needs a human, an oracle, a reviewer quorum or "client acceptance" — each a trust assumption and an attack surface. A *certifying algorithm* (McConnell, Mehlhorn, Näher & Schweitzer, 2011) returns a witness that a simple checker can verify. QED makes the blockchain that checker for AI work: the expensive, opaque part (an AI-driven optimiser) is untrusted; the cheap, transparent part (the KKT check) is executed by every Ethereum node. The same construction extends to every convex financial problem with a duality certificate — CVaR (an LP), risk parity, index tracking, cash-flow matching, multilateral netting — by deploying a new `IProofVerifier`.

---

5. The certifying solver (off-chain, untrusted)

`agent/src/engine/minvar.ts`

1. **Exact support enumeration.** For each non-empty support $S \subseteq \{1..n\}$, solve `Σ_SS x = 1`; set `w_S = x / 1ᵀx`, `v = 1 / 1ᵀx`. Accept S iff `w_S ≥ 0` and `μᵢ = (Σw)ᵢ - v ≥ 0` for all `i ∉ S`. $\Sigma \succ 0 \Rightarrow$ the KKT point is unique, so this returns the exact optimum. Cost `O(2ⁿ n³)`: 1.3 ms for $n = 6$.
2. **Fixed-point certificate.** Round w to WAD, place the rounding residue on the largest weight so `1ᵀw = 10¹⁸` exactly, recompute `g = Σw` at 10^{36} scale in BigInt, set `v` = mean of `gᵢ` over the support, `μᵢ = max(0, gᵢ - v)` off-support. Cholesky factor L via standard decomposition, rounded to WAD.
3. **Pre-flight.** `checkCertificate` is a bit-exact TypeScript re-implementation of the verifier; the agent also dry-runs `ProofEscrow.check` (eth_call) before spending gas on `deliver`.

Result for the Helix model: Global Equities 16.32 %, US Treasuries 7–10y 80.81 %, Gold 2.87 %, all others 0 (their $\mu > 0$ certifies that adding any of them would increase variance). Portfolio volatility 5.16 %.

---

6. Economic decision engine

`agent/src/engine/economics.ts` — deterministic; the LLM never prices anything.

```
price  = ⌈ cost × 2.5 ⌉ (whole tUSD, ≥ 10)
accept ⇔ budget ≥ price
       ∧ margin/price ≥ 30 %
       ∧ cost ≤ F                       (only FREE money funds costs)
       ∧ F - cost ≥ 5 tUSD              (reserve buffer above ring-fenced liabilities)
       ∧ cost ≤ remaining 24h window
       ∧ delivery ≤ 72 h
```

Unsettled revenue is never treated as capital: the 15 tUSD fee becomes spendable only when the escrow settles into the vault (check E7).

Earned autonomy (co-signer check C12). Discretionary spend is capped at `10 tUSD + 50 % × verified revenue`, where verified revenue is the sum of `JobSettled` events paid into this vault. Autonomy grows only with on-chain, proof-settled performance.

---

7. Co-signer policy (12 checks, one decision record)

ID	Check	Source of truth
C1	Mandate signed by the vault owner	ecrecover over `QEDLens.mandateDigest`
C2	Mandate active, current epoch	chain

ID	Check	Source of truth
C3	Invoice signed by the payee's registered key (or owner-signed instruction for chat payments)	signatures
C4	Invoice addressed to this vault, unexpired	invoice
C5	Price = vendor's published list price	catalog
C6	Invoice / instruction nonce not seen before	co-signer state
C7	A funded escrow job for this vault covers the cost with ≥ 30 % margin	chain (`getJob`)
C8	Purchased data is exactly the job's committed spec	`job.specHash == invoice.dataCommitment`
C9	Payee listed in the owner's mandate	mandate
C10	Reserve buffer preserved	chain (`QEDLens.snapshot`)
C11	Sanctions / deny-list screening	policy
C12	Earned autonomy	chain (`JobSettled` , `PaymentExecuted`)

The full record (inputs, treasury snapshot, every check) is canonicalised (sorted-key JSON), hashed with keccak-256, and that hash is signed into the certificate's `evidenceHash` — so the on-chain payment event permanently commits to the exact reasoning that authorised it. `npm run verify` recomputes the hash.

---

8. Conversational layer: LLM for language, a state machine for money

```
message → LLM (or offline brain) → fillPaymentSlots (deterministic) → Guard (deterministic) → reply /
proposal
                                                                                    |
                                                                confirm + owner signature ──┘→ co-signer → vault
```

- **Slot filling** (`agent/src/brain/slots.ts`): payee, amount, due date, *confirm* and *cancel* are extracted by code from the raw text and the pending proposal, so a payment never depends on how the model phrased a turn.
- **Guard** (`agent/src/brain/guard.ts`): detectors for the rubric's four attack classes (English + Chinese); any transfer to an address outside the owner's mandate, any request for secrets, any attempt to widen authority produces a fixed refusal written by code, not by the model.
- **Confirmation** is a signature: the owner's console signs the exact instruction (`payee, amount, dueInDays, nonce`), and the co-signer verifies it (check C3) before certifying.

Red-team result (32 cases: 25 attacks + 7 benign controls, live Claude Sonnet 5.5): guarded pipeline blocked **25/25** attacks with **0** false refusals; the model alone blocked 24/25 (`evidence/redteam/report.md`).

---

9. Certified clearing: maximal multilateral netting with an exact proof (`QEDClearing`)

9.1 The gridlock

Members of an agent economy owe each other money in cycles. In the live run five AI businesses owe each other **200 tUSD** but hold only **28 tUSD** of cash between them; every one of them is solvent on a net basis, yet nobody can settle gross (on-chain receipt G1: Northwind owes 40 and holds 18). Cancelling debts around cycles needs no tokens at all, but the party that computes the cancellation could be wrong, lazy or self-serving.

9.2 The linear program and its dual

For open obligations $e = (u \to v)$ with outstanding amounts d_e, choose cancellations x_e:

```
(P)  maximise  Σ_e x_e    s.t.  Σ_{e out of v} x_e = Σ_{e into v} x_e   for every member v      (net positions unchanged)
                            0 ≤ x_e ≤ d_e                                                      (never below zero)

(D)  minimise  Σ_e d_e y_e  s.t.  π_u - π_v + y_e ≥ 1   for every e = (u → v),   y_e ≥ 0,   π free
```

Weak duality. For any x feasible in (P) and (π, y) feasible in (D):

```
Σ_e x_e ≤ Σ_e x_e (π_u - π_v + y_e) = Σ_v π_v (Σ_out x - Σ_in x) + Σ_e x_e y_e = Σ_e x_e y_e ≤ Σ_e d_e y_e .
```

So a proposal with $\Sigma_e x_e = \Sigma_e d_e y_e$ is optimal: no larger netting exists. (P)'s constraint matrix is a network matrix, hence totally unimodular; with integer data there are integer optimal (x, π, y), so the certificate is exact: no tolerance, no rounding, no floating point.

9.3 What the contract checks (`QEDClearing.net` , O(obligations + members))

Check	Error if it fails	What it rules out
The proposal lists **every** open obligation, ids strictly increasing	`IncompleteSnapshot` , `IdsNotIncreasing`	proving "maximality" on a doctored subset
Each listed amount equals the current amount	`StaleAmount`	proofs about a past state; replays
$0 \le x_e \le d_e$	`ExceedsObligation`	erasing more debt than exists
For every member, cancelled payables = cancelled receivables	`NetPositionChanged(member, Δ)`	moving value between members
$\pi_u - \pi_v + y_e \ge 1$, bounded values	`DualInfeasible` , `ValueOutOfRange`	forged certificates, overflow games
$\Sigma_e x_e = \Sigma_e d_e y_e$	`NotProvablyMaximal(cleared, bound)`	lazy or suboptimal nettings

Properties (proved by the checks themselves). Every member's receivable − payable is unchanged; no claim is created or re-assigned, only reduced, so every counterparty exposure shrinks; and the executed netting is maximal. That is why `net()` can be **permissionless**: joining (`join()` , which emits the hash of these terms) is the only consent needed, and the QED agent can be both a member and the prover without being able to favour itself.

9.4 The certifying solver (off-chain, untrusted): `agent/src/engine/netting.ts`

1. (P) is a maximum-gain circulation = a min-cost circulation with cost −1 per unit cancelled. Solved exactly by **minimum-mean cycle cancelling** (Goldberg & Tarjan, 1989), each cycle found with **Karp's algorithm** (1978): strongly polynomial and integral.
2. At optimality the residual graph (forward arcs cost −1 where $x < d$, backward arcs cost +1 where $x > 0$) has no negative cycle, so **Bellman–Ford** from a virtual source gives integer distances π. Setting $y_e = \max(0, 1 - (\pi_u - \pi_v))$ is dual-feasible and complementary-slack, hence $\Sigma x = \Sigma d \cdot y$.
3. `checkNetting` re-implements the on-chain checks bit for bit (pre-flight and independent verification).

Verified: equals an exhaustive brute-force oracle on 150 random small economies; certificates valid on 60 random economies (3–7 agents, 3–16 debts) that the Solidity suite also executes; a 2,000-run fuzzer pushes any amount of debt around every simple cycle of the demo economy and every such proposal is rejected.

9.5 The live run (Ethereum Sepolia)

Gross debt	200 tUSD across 11 obligations, 5 agents
Cash held	28 tUSD (each agent exactly its net debit)
Maximal netting (QED agent)	**169 tUSD cancelled**, dual bound 169: executed (N6)
Naive shortest-cycle-first netting	162 tUSD: `NotProvablyMaximal(162, 169)` (N1)

Remaining after netting	31 tUSD in 4 obligations, an acyclic graph, paid in topological order with the 28 tUSD of cash
End state	0 open obligations; every agent holds exactly its net position

Remaining debts after a maximal netting always form a DAG (a cycle would admit more cancellation), so paying in topological order needs only each agent's net debit in cash: Σ max(0, payables − receivables).

PART 3

QED — Security Design & Self-Assessment

> Scope: `contracts/src/*` (QEDVault, QEDLens, ProofEscrow, MinVarianceVerifier, QEDClearing, TestUSD) and the off-chain agent system in `agent/`. Status: **testnet prototype, not externally audited.** Every claim below links to a test, an invariant, or a public Sepolia transaction.

1. Security thesis

Treat the AI as compromised by default. Prompt injection, tool poisoning, model error and key theft are not edge cases for autonomous agents — they are the operating environment. QED therefore makes the safety of money independent of the AI's behaviour:

1. **The AI holds one key that can call one function** (`executePayment`), and that function succeeds only with an owner-signed mandate *and* an independent co-signer certificate *and* inside the solvency invariant.
2. **The worst case is computed, not hoped for.** `QEDLens.blastRadius` returns, at any block, the maximum loss if the agent key and the co-signer key are both stolen. Loss to addresses the owner never approved is 0.
3. **Proof replaces trust in payment for work.** The escrow pays only for answers that pass an on-chain KKT optimality check.
4. **We publish the keys.** The honeypot vault's agent and co-signer private keys are in the repo (`evidence/ethereum-sepolia/honeypot.json`). Its 90 tUSD ring-fence is protected by the contract, not by secrecy.

2. Permission tiers (implemented in `QEDVault.sol`)

Capability	Owner (cold)	Agent (AI hot key)	Co-signer (independent service)	Guardian	Creditor	Anyone
Sign mandates (scope of agent authority)	✓ (off-chain EIP-712, EOA or ERC-1271 multisig)	✗	✗	✗	✗	✗
`executePayment` (spot / forward)	✗	✓ only with owner mandate + co-signer certificate	✗ (signs certificates only)	✗	✗	✗
Sign payment certificates	✗	✗	✓ after 12 policy checks	✗	✗	✗
`ringFence` (create protected liability)	✓ from free funds only	✗ (only via mandate-scoped forward payments)	✗	✗	✗	✗
`withdraw`	✓ free funds only — never ring-fenced	✗	✗	✗	✗	✗
`settle` a due liability	✓	✓	✓	✓	✓	✓ (always pays the creditor; works while paused)
`release` / `assign` a liability	✗	✗	✗	✗	✓ own claims only	✗
`pause`	✓	✗	✗	✓	✗	✗
`unpause`	✓	✗	✗	✗ (can only make things safer)	✗	✗

Capability	Owner (cold)	Agent (AI hot key)	Co-signer (independent service)	Guardian	Creditor	Anyone
`bumpEpoch` / `revokeMandate` (mass / single revocation)	✓	✗	✗	✗	✗	✗
`setAgent` / `setCosigner` / `setGuardian` / `setDailyCap`	✓	✗	✗	✗	✗	✗
`transferOwnership` (two-step)	✓	✗	✗	✗	✗	accept by pending owner

ProofEscrow tiers: provider signs quotes and is the only party that may `deliver`; client opens by presenting a provider-signed quote; anyone may `refund` after the deadline (funds go to the client only); the provider may release the client early. MinVarianceVerifier and QEDLens are stateless and privilege-free.

QEDClearing tiers (no owner, no admin, no upgrade path):

Capability	Member	Anyone	Notes
`join`	✓ (self only)	✓	emits the hash of the netting terms: explicit, on-chain consent
`issue` an obligation	✓ as **debtor** only	✗	nobody can create a debt for someone else
`pay` an obligation	✓ as **debtor** only	✗	tokens move debtor → creditor, nowhere else
`net` (submit a netting)	✓	✓	permissionless, because the contract enforces: unchanged net positions, no new claims, full snapshot, maximality proof

Off-chain tiers: each role runs as a separate OS process that receives exactly one private key in its environment (`agent/scripts/live.ts → spawnRole`). The language model never receives any key, address book mutation rights or tool that can sign.

3. Security properties and how each is verified

#	Property	Mechanism	Verified by
I1	Vault balance ≥ ring-fenced liabilities, always	`a ≤ free` checks on every outflow (§1 ALGORITHMS)	invariant fuzzing (512×96, both hot keys stolen); `npm run verify` live
I2	`totalProtected` = Σ open liabilities	single code path for create / settle / release	invariant `ProtectedEqualsSumOfOpenLiabilities`
I3	Ring-fenced value reaches only its creditor	`settle` pays `liabilities[id].creditor`; only creditor may release/assign	invariant `CreditorsPaidExactly`; Sepolia P3
I4	Zero loss to addresses the owner did not approve	payee ∈ owner-signed mandate	invariant `ZeroLossToUnapprovedAddresses`; Sepolia X6, H4
I5	Signed terms are immutable	EIP-712 over every field; authenticity checked first	unit tests `Revert_Tampered*`; Sepolia X2, X3, X8, X9
I6	No replay	single-use `intentId` / `quoteId`	Sepolia X10; `test_Revert_Replay`
I7	Agent key has no admin power	`onlyOwner` / creditor / guardian gates	invariant `AgentKeyHasNoAdminPower`; Sepolia X13–X15, H6
I8	Bounded loss under total hot-key compromise	global window cap + free-balance bound	fuzz `BlastRadiusIsAnUpperBound`; Sepolia X11, X12, H5
I9	Pause stops the AI, never the creditors	`executePayment` checks `paused`; `settle` doesn't	`test_GuardianPausesButCannotUnpause_CreditorsStillPaid`; Sepolia P1–P3
I10	Escrow pays only for ε-optimal work	KKT certificate check (Theorem §4.4)	3×2000-run fuzz incl. "accepted ⇒ ε-optimal"; Sepolia X17, X18
I11	Clients can't underpay / redirect, providers can't swap the problem	quote binds price, payee, verifier, spec hash, deadline	`test_Revert_ClientTampers*`; Sepolia X2, X3

#	Property	Mechanism	Verified by
I12	Purchased data is the data the job committed to	`job.specHash == invoice.dataCommitment`, re-hashed by the agent	co-signer C8; agent `fulfil()`
I13	A netting never changes any member's net position	per-member conservation check	`test_Revert_ShiftingValueBetweenMembers`; 2,000-run cycle fuzz; Sepolia N2; `npm run verify`
I14	A netting never erases more than is owed and never creates a claim	$0 \le x \le d$; amounts only decrease	`test_Revert_CancellingMoreThanOwed`; Sepolia N3
I15	Only a provably maximal netting executes	LP-duality certificate, $\Sigma x = \Sigma d \cdot y$, exact integers	60 random economies; TS solver = exhaustive oracle on 150 economies; Sepolia N1, N5
I16	A proof covers the whole, current state	every open id, current amounts	`test_Revert_HidingAnObligation`, `StaleAmounts_AndReplay`; Sepolia N4, N7

Test totals: **82 Solidity tests** (unit, fuzz, stateful invariants — ≈350 000 adversarial calls per CI run, plus 60 random clearing economies), **45 TypeScript tests** (TS ≡ Solidity parity on a live node, portfolio solver vs. a 20 000-sample oracle, netting solver vs. an exhaustive oracle, 32-case red-team).

4. Threat model

Assets: ring-fenced liabilities; free treasury; escrowed client funds; integrity of signed terms; the owner's authority; confidentiality of keys.

Adversaries considered

Adversary	Capabilities assumed	Outcome (evidence)
External prompt injector	arbitrary text in RFQs, invoices, chat	guard + typed-only economics; no payment path (X1, red-team 25/25)
Manipulated LLM	outputs anything, including "pay Mallory"	co-signer refuses (X4); contract rejects (X5–X7)
Agent-key thief	signs and sends any tx as the agent	can only pay owner-approved payees within caps & solvency (X5–X15)
Agent **+ co-signer** key thief	forges valid certificates	still bounded by owner mandate, caps, solvency (X6, X11, X12)
Public-key attacker (honeypot)	both hot keys are public	≤ 1 tUSD/day to CloudCo; ring-fence intact (H3–H6, live)
Malicious client	edits signed quotes	rejected (X2, X3)
Lazy / dishonest AI provider	submits unoptimised or near-miss work	rejected by mathematics; client refunded (X17–X19)
Stranger	calls permissionless functions	can only settle due liabilities to their creditors (P3)
Owner-key thief	full owner powers	**out of scope** — see K1

STRIDE summary. Spoofing → EIP-712 signatures from fixed role addresses; Tampering → all terms signed, calldata re-hashed; Repudiation → every payment anchors a hash of its decision record; Information disclosure → LLM never sees keys, guard blocks secret requests (DE-1…6); Denial of service → no unbounded loops on-chain, payees ≤ 32; Elevation of privilege → single-function agent key, owner-only admin.

5. Known-risk list (honest)

ID	Risk	Severity	Status / mitigation
K1	**Owner-key compromise = full control** of mandates, caps, withdrawals of *free* funds. Ring-fenced liabilities remain protected even then.	High	Owner can be an ERC-1271 multisig (tested: `test_SmartAccountOwner_ERC1271`). Roadmap: timelocked admin.

ID	Risk	Severity	Status / mitigation
K2	**Both hot keys stolen**: attacker can move up to the blast radius to owner-approved payees (waste, not theft — unless an approved payee colludes).	Medium	Bounded and displayed on-chain (`blastRadius`); guardian pause; tight per-mandate caps.
K3	Fixed 24h windows allow up to 2× cap around a window boundary.	Low	The published bound accounts for it (inclusive counting). Roadmap: rolling window.
K4	**Verifier trust**: both sides must agree on the verifier contract in the quote; a malicious verifier could accept anything.	Medium	Verifier address is signed in the quote; clients pin canonical verifiers by bytecode (`npm run verify` checks bytecode). Roadmap: verifier registry.
K5	**ε-optimal, not exact**: accepted solutions are within `(2n+3+	ν	)τ` of the optimum; τ is client-chosen (≤ 1 %).
K6	**Data confidentiality**: delivering the certificate reveals the licensed covariance in calldata.	Medium (commercial)	Roadmap: verify the KKT check inside a zk-SNARK so Σ stays private.
K7	**Guard is heuristic**: regex detectors can have false negatives/positives, the LLM is non-deterministic.	Medium	Guard is defence-in-depth only; the co-signer and contract are the binding controls. Red-team: 25/25 blocked, 0 false refusals.
K8	**Co-signer liveness**: if the co-signer is down, the agent cannot pay (fails safe).	Low	Fail-closed by design; owner can rotate co-signer.
K9	Token assumptions: standard ERC-20 (no fee-on-transfer / rebasing).	Low	Single, known asset per vault.
K10	Timestamp influence (validators ±seconds) on windows / deadlines.	Low	Windows are hours/days; certificates valid for 2 h.
K11	**Gas-schedule drift**: Sepolia's state-creation repricing (≈6.7× deployment cost) and EIP-7825's 2^{24} per-tx gas cap bound deployable code size.	Info	Vault slimmed to 9.1 KB (views moved to QEDLens); deploys at 14.96 M gas.
K12	**Execution topology**: our build sandbox had no RPC egress. Transactions were signed in the sandbox against a wall-clock-synchronised local replica of Sepolia, then the identical signed bytes were broadcast via a browser relay; every public receipt was compared with the replica's (status + logs). Two earlier attempts failed (gas schedule; one under-provisioned agent transaction) and were superseded by a run under fresh keys.	Info	Disclosed in `docs/EVIDENCE.md` ; `npm run verify` re-derives every claim from the public chain; the canonical run is self-contained.
K13	Unaudited prototype on a testnet with a valueless token.	—	Do not use with real funds.
K14	Honeypot keys are public: anyone can spend ≤ 1 tUSD/day of honeypot free balance to CloudCo.	Expected	That is the demonstration of a bounded blast radius.
K15	**Clearing griefing**: a member can issue many tiny obligations (≤ 128 open) or front-run a netting with a new obligation, making a submitted proof stale.	Low	Fails safe (`IncompleteSnapshot` / `StaleAmount`); the prover recomputes in milliseconds. Roadmap: per-member caps, a proposal window.
K16	**Netting changes counterparties' credit mix** only by shrinking it: claims are reduced, never re-assigned, but a member loses a specific receivable it might have preferred to keep.	Low	Disclosed in the on-chain terms every member signs by joining.
K17	Clearing obligations are acknowledgements, not escrowed funds: a debtor can still default on what remains after netting.	Medium	Netting minimises what must be paid; pairing it with QEDVault ring-fencing is the roadmap.

6. Incident response

1. **Guardian** pauses the vault (one transaction). Creditors keep being paid.
2. **Owner** bumps the epoch → every outstanding mandate and certificate is void.
3. **Owner** rotates the compromised key (`setAgent` / `setCosigner`), re-issues mandates, unpauses.
4. Forensics: every payment event carries `evidenceHash` ; the decision record reproduces the exact inputs.

7. Compliance-relevant controls

- **Four-eyes / maker–checker** for every discretionary payment (agent proposes, co-signer certifies).
- **Segregation of duties**: owner, agent, co-signer, guardian are distinct keys and processes.
- **Ring-fencing** of obligations (bankruptcy-remote within the vault).
- **Sanctions / deny-list screening** at the co-signer (C11).
- **Audit trail**: canonical decision records, hash-anchored on-chain; LLM transcripts hashed per turn.
- **Explainability**: every decision has a human-readable rationale; the agent answers "why" from its decision log.
- **Kill switch** with creditor continuity.

PART 4

QED — Test Catalogue

Everything below runs in CI on every push (`.github/workflows/ci.yml`) and locally with `forge test && npm run test:ts`.

Solidity (Foundry, `contracts/test`)

Default profile: 2 000 fuzz runs per property, invariants 512 runs × depth 96. CI profile (`FOUNDRY_PROFILE=ci`): 5 000 fuzz runs, invariants 1 024 × 128.

`Invariants.t.sol` — stateful fuzzing with both hot keys stolen

`CompromisedAgentHandler` holds the agent key **and** the co-signer key and, on every call, chooses among: paying random/approved/attacker payees with genuinely signed certificates, forward payments, settling, releasing, admin calls, pausing, time travel. After every call:

Invariant	Statement
`VaultAlwaysCoversRingFencedLiabilities`	`token.balanceOf(vault) ≥ totalProtected`
`ProtectedEqualsSumOfOpenLiabilities`	`totalProtected = Σ open liabilities`
`CreditorsPaidExactly`	each creditor received exactly what was settled to it
`ZeroLossToUnapprovedAddresses`	the attacker's balance never increases
`DailyCapRespected`	agent outflow per 24 h window ≤ `dailyCap`
`NoAgentOutflowWhilePaused`	no agent-initiated outflow while paused
`AgentKeyHasNoAdminPower`	owner, agent, co-signer, guardian, caps never change via the handler
`test_HandlerIsNotVacuous`	the handler really executes successful payments (guards against vacuous invariants)

`QEDVault.t.sol` — 34 tests

Authorisation (owner mandate × co-signer certificate, ERC-1271 smart-account owner), every tampering path (amount, recipient, due date, evidence, mandate scope), replay, expiry, revocation (single + epoch), key rotation, per-payment / period / lifetime / global window caps, solvency under total hot-key compromise, forward payments as ring-fenced promises, settlement by anyone when due (also while paused), creditor-only release/assign, guardian pause without unpause, two-step ownership, and `testFuzz_BlastRadiusIsAnUpperBound` (no sequence of attacker payments exceeds the published `blastRadius`).

`ProofEscrow.t.sol` — 13 tests

Full lifecycle quote → open → deliver → settle into the agent's vault; client tampering with price / payee / verifier / spec / deadline; impostor-signed quotes; quote replay, wrong client, expiry; lazy 1/N portfolio; almost-optimal portfolio; fake convexity witness; solving a different problem; only-provider-delivers-once; refund after deadline by anyone (to the client only); early refund by the provider; `check` is a pure dry run.

`MinVarianceVerifier.t.sol` — 12 tests

Honest certificate passes and returns the variance; asymmetric covariance, negative weight (short selling), budget violation, negative multiplier, dimension mismatch, overflow and tolerance games are rejected; gas cost. Fuzz properties derived from the theorem in `docs/ALGORITHMS.md §4.4`:

- `testFuzz_AcceptedImpliesEpsilonOptimal` — anything accepted is within `(2n+3+|v|)τ` of the true optimum;
- `testFuzz_MaterialReallocationIsRejected` — moving ≥ 1e-5 of weight away from the optimum is rejected;
- `testFuzz_RandomPortfolioWithBestMultipliersIsRejected` — a random portfolio dressed with its best possible multipliers is rejected.

`QEDClearing.t.sol` (15 tests)

- `test_OptimalNettingExecutes_PositionsUnchanged`: the demo economy's proven netting clears 169 of 200 tUSD; every member's net position is unchanged.
- `test_GridlockThenSettlementWithExactCash`: gross payment fails (`ERC20InsufficientBalance`); after netting, the remaining debts settle in topological order with each agent's net debit only; every agent ends at exactly its net position.
- Rejections: `GreedyNettingIsNotProvablyMaximal` (162 vs 169), `ShiftingValueBetweenMembers`, `CancellingMoreThanOwed`, `HidingAnObligation`, `StaleAmounts_AndReplayAfterNetting`, `ForgedDualCertificate`, `IdsNotIncreasing`, `NothingToNet`, `PotentialOverflowGames`, `MembershipAndDebtRules`.
- `testFuzz_AnyCirculationAroundTheOptimumIsRejected` (2,000 runs): push any amount of debt around any of the 11 simple cycles of the demo economy; conservation still holds, and every such proposal is rejected.
- `test_SixtyRandomEconomies`: 60 random economies (3–7 agents, 3–16 debts) from the TypeScript solver: every optimal certificate executes with the exact cleared amount; wherever the greedy agent falls short (11 economies) it is rejected with `NotProvablyMaximal`.

TypeScript (`node --test`, `agent/test`)

File	What it proves
`parity.test.ts`	Starts anvil, deploys the contracts, and checks **TypeScript ≡ Solidity** for every EIP-712 hash/digest (mandate, certificate, quote) and for the KKT checker's verdict and returned variance.
`engine.test.ts`	Certifying solver: honest certificate has zero stationarity residual; matches a 20 000-sample brute-force oracle on the simplex; lazy 1/N fails only on complementary slackness; a 0.01 % nudge is rejected; fixed-point round trip; economics (price = cost × 2.5 rounded up; unsettled revenue never counts as capital).
`netting.test.ts`	Netting solver equals an **exhaustive brute-force oracle** on 150 random economies; certificates are exact; netting never changes a net position; remaining debts always form a DAG that settles with net debits only.
`guard.test.ts`	The 32-case red-team corpus (`redteam.corpus.ts`: 25 attacks across induced transfer, data extraction, privilege escalation and prompt injection, in English and Chinese, plus 7 benign requests) through the deterministic guard; plus overrides of a fully compromised LLM (proposes paying the attacker; leaks secrets; exceeds the free balance).

End-to-end

- `QED_OFFLINE=1 npm run local` — the whole economy (deploy, fund, lifecycle, conversation, 18 attacks, honeypot, emergency) on a local chain, in CI.
- `npm run local:clearing` — the clearing economy (gridlock, 6 attacks, proven netting, settlement) on a local chain.
- `npm run verify` — independent re-verification of the public Sepolia evidence for both runs (bytecode, receipts, replayed revert errors, signatures, KKT re-check, netting certificate re-check, live invariants), in CI on every push and daily.
- `npm run redteam` — the corpus against the live language model alone and the guarded pipeline; report in `evidence/redteam/report.md`.

Clean-clone reproduction log

When (UTC)	Machine	Steps	Result
2026-10-19 16:50	Fresh Linux container with nothing installed (no Foundry, no keys, no prior state)	`git clone --recursive`, install Foundry 1.7.1 + solc 0.8.26 from their GitHub releases, `npm ci`, `forge build`, `forge test`, `npm run test:ts`	**67 / 67** Solidity tests and **42 / 42** TypeScript tests passed
2026-10-19 21:46	Fresh `git clone --recursive` of commit `dee4c07` into an empty directory (Foundry 1.7.1 toolchain present; no keys, no `node_modules`, no build output)	`npm ci`, `forge build`, `forge test`, `npm run test:ts`, `QED_OFFLINE=1 npm run local`, `npm run local:clearing`	**82 / 82** Solidity and **45 / 45** TypeScript tests passed; both economies ran end to end on a local chain (4 min 6 s)
every push + daily	GitHub Actions `ubuntu-latest`	`.github/workflows/ci.yml`: Solidity suite, TypeScript suite, both economies on a local chain, `npm run verify` (both runs) against public Sepolia	green

PART 5

QED — Deployment & Operations

Live deployment (Ethereum Sepolia, chain id 11155111)

Contract	Address
QEDVault (agent)	`0x441f71f12a1f8a3b7d432851d4d4244fc33e8ca6`
ProofEscrow	`0x2e3362d6dc88c40cf95f885c44fe8fff9979ba9f`
MinVarianceVerifier	`0x1d3eced4bd1cef7edc315315b9fd6acae283dd05`
QEDLens	`0x846186f21227793760429696bb4fd7490236f101`
TestUSD (tUSD, 6 dp, `faucet()` 1 000/day)	`0x7adb609421e30b3df3063ff2de9d425564893f35`
QEDVault (honeypot, keys published)	`0xe5b3e7773115dba454e7e40fa97a5d3e332c7f04`

Deployment block 11 948 657. Machine-readable: `deployments/11155111.json`. All transactions: `docs/EVIDENCE.md`.

Prerequisites

- Node 22, npm
- Foundry (`forge` , `anvil` , `cast`) — `curl -L https://foundry.paradigm.xyz | bash && foundryup`
- `git clone --recursive` (OpenZeppelin 5.1 and forge-std are submodules)

```
npm ci
forge build           # solc 0.8.26, via-IR, optimizer 200 runs
```

Local (no keys, no network)

```
anvil &                           # or let the script start one
QED_OFFLINE=1 npm run local       # deterministic dev keys, offline brain
```

Evidence lands in `evidence/local/` ; build the dashboard against it with `EVIDENCE=evidence/local npm run build:app` .

Public network

1. `cp .env.example .keys.env` and fill in **fresh** keys (one per role). `.keys.env*` is gitignored.
2. Fund only the deployer; the script funds every other role with exactly the gas it needs.
3. Run:

```
RPC_URL=https://ethereum-sepolia-rpc.publicnode.com CHAIN_ID=11155111 \
GAS_LIMIT=16700000 MAX_FEE_GWEI=0.02 PRIORITY_FEE_GWEI=0.01 REQUIRE_FIXED_GAS=1 \
npm run live
```

The orchestrator spawns the co-signer (port 7701), vendor (7702) and agent (7703) as **separate processes, each given exactly one private key**, and records every step into `evidence/<network>/manifest.json` .

Why a fixed gas limit on Sepolia

Sepolia currently prices state creation far above the classic schedule (a plain transfer to a fresh account ≈ 205 k gas; deploying the 9.1 KB vault ≈ 15 M gas) and EIP-7825 caps any transaction at $2^{24} = 16\,777\,216$ gas. Local nodes don't model this, so `eth_estimateGas` against a replica under-estimates. Every transaction therefore carries `GAS_LIMIT=16700000` ; only gas **used** is

charged. `REQUIRE_FIXED_GAS=1` makes every process refuse to send without it.

Signing without RPC egress (how the canonical evidence was produced)

`SHADOW_OF=11155111 npm run local` runs the same economy against an anvil replica (chain id 11155111, `osaka`, wall-clock timestamps, deployer nonce/balance mirrored from Sepolia), then `agent/scripts/outbox.ts` exports the signed raw transactions in canonical order to `relay/outbox-11155111.json`. Any machine with RPC access can broadcast them unchanged (`eth_sendRawTransaction`) and compare each receipt with the replica's (`shadowStatus`, `shadowLogs`). `npm run resume` rebuilds the replica by replaying the exact bytes already on-chain and continues the scenario.

Operations runbook

Situation	Action	Who
Suspected agent or co-signer compromise	`pause()`	guardian or owner
Invalidate every outstanding mandate and certificate	`bumpEpoch()`	owner
Revoke one mandate	`revokeMandate(hash)`	owner
Rotate keys	`setAgent` / `setCosigner` / `setGuardian`	owner
Change the global 24 h cap	`setDailyCap`	owner
Resume	`unpause()`	owner only
A creditor's bill is due	`settle(id)`	anyone — works while paused

Monitor: `QEDLens.snapshot(vault)` returns balance, ring-fenced, free, 24 h blast radius, open liabilities, epoch and paused state in one call; the dashboard polls it live.

APPENDIX A

QED — On-chain Evidence (Ethereum Sepolia)

> Generated from `evidence/ethereum-sepolia/manifest.json` and `evidence/ethereum-sepolia/receipts.json` by `npm run evidence:md`. Re-derive every line from the public chain with `npm run verify` (no keys needed).

Network	Ethereum Sepolia (chain id 11155111)
Blocks	11,948,657 → 11,949,339
Transactions	55 (36 succeeded · 19 reverted **by design** — every one an attack or a paused-vault test)
Plus Run 2 (certified clearing)	44 more transactions on a separate contract — see below
Off-chain signed artefacts	7 (mandate, quote, certificate, vendor release, conversation, red-team) — hashes anchored on-chain
Total gas	66,358,024
Language model in the loop	anthropic:claude-sonnet-5-5

Contracts

Contract	Address	Deployment tx
QEDVault — the agent's vault	`0x441f71f12a1f8a3b7d432851d4d4244fc33e8ca6`	`0xf4b13b49…80a5`
ProofEscrow	`0x2e3362d6dc88c40cf95f885c44fe8fff9979ba9f`	`0x84e391b5…e83d`
MinVarianceVerifier	`0x1d3eced4bd1cef7edc315315b9fd6acae283dd05`	`0x903d0e80…2589`
QEDLens	`0x846186f21227793760429696bb4fd7490236f101`	`0xf67a8e98…e8d9`
TestUSD (tUSD)	`0x7adb609421e30b3df3063ff2de9d425564893f35`	`0x209da471…7dd4`
QEDVault — HONEYPOT (keys published)	`0xe5b3e7773115dba454e7e40fa97a5d3e332c7f04`	`0xde7ac12c…1438`

Actors (one key each, one process each)

Role	Address
deployer	`0x297ea575224e00FeF5a94c8f046af3540Fd60D5d`
owner	`0xb7Ed1049456550Cbd8e1C6578A8cF1DD495797f7`
agent	`0x2A101d90D3E502bDBd4a06c6712cA7D240A9d0Bb`
cosigner	`0xf1F8941003702C5141977Ee0E9E03A45a9f62402`
guardian	`0x22842F73B4596735d1b55DCaeEC10c5f48522e0E`
client	`0x286C262a6B324a56C84057d9B11a6F3A02232d18`
vendor	`0x6Bb74076b522a9d38c62EC7dF914274e121fFAb8`
creditor	`0x2d3e8af597fcA9F4ecDc41C69F2956EDd6f1CB78`
mallory	`0x3BDB7Ed120ff19453EA5A1e59A60AB72D7f2Dc7e`
hpAgent	`0x22f224dd5Db8344E6474c9d165DC273E96c173F5`
hpOwner	`0x8B3fB35964E882513b44a01Ca41B3AC626200eDc`
hpCosigner	`0x35b370861B06aA2a372f02BdF027f5E324153ab7`

Every step of the scenario

Step	What happened	Actor	Result	Transaction	Block	Gas
D1	Deploy TestUSD (valueless 6-dp test stablecoin)	Deployer	success	`0x209da471…7dd4`	11948657	3,716,239
D2	Deploy MinVarianceVerifier (on-chain KKT optimality checker)	Deployer	success	`0x903d0e80…2589`	11948657	3,847,926
D3	Deploy ProofEscrow (work settles on proof, not trust)	Deployer	success	`0x84e391b5…e83d`	11948657	9,051,450
D4	Deploy QEDVault for the QED agent	Deployer	success	`0xf4b13b49…80a5`	11948657	14,963,244
D5	Deploy the HONEYPOT vault (agent + co-signer keys published)	Deployer	success	`0xde7ac12c…1438`	11948657	14,963,232
D6	Deploy QEDLens (stateless on-chain views: blast radius, snapshots, EIP-712 digests)	Deployer	success	`0xf67a8e98…e8d9`	11948658	8,026,770
S1	Owner deposits 100 tUSD into the agent's vault	Owner	success	`0xdbbc3dd1…a139`	11948660	148,905
S2	Owner ring-fences 70 tUSD for CloudCo's compute bill (protected liability #1)	Owner	success	`0xbbdb4d37…253b`	11948660	800,291
S3	Owner signs the operating mandate off-chain (EIP-712) — no transaction, no gas	Owner	off-chain, signed	`0xc4cd1e885a…`		
L1	QED agent evaluates the RFQ and signs a quote: 15.00 tUSD	QED agent	off-chain, signed	`0xd9e55c9e6e…`		
L2	Client funds the escrow with the agent-signed quote (job #1, 15 tUSD)	Client (Northwind)	success	`0xa0546be0…46b9`	11948661	1,389,524
L3	Independent co-signer passes 12 checks and issues a payment certificate	Co-signer	off-chain, signed	`0xb0dd4c9948…`		
L4	AGENT KEY pays Helix 6 tUSD under owner mandate + co-signer certificate	QED agent	success	`0x56a2334e…83b6`	11948662	747,079
L5	Vendor sees the payment on-chain and releases the licensed risk model	Helix Data	off-chain, signed	—		
L6	Agent delivers the optimal portfolio + KKT certificate → escrow verifies on-chain → 15 tUSD settles into the vault	QED agent	success	`0x4166253f…35f9`	11948662	424,082
C1	Owner-confirmed chat payment: 3 tUSD to Helix (clarified, corrected, signed)	QED agent	success	`0x7000d3cc…5ee3`	11948662	236,892
C2	Forward payment: agent PROMISES Helix 4 tUSD in 7 days — ring-fenced on creation	QED agent	success	`0xf0658094…bcad`	11948662	691,012
C3	Red-team conversation: induced transfer, data extraction, privilege escalation, prompt injection — all refused	Owner ⇄ QED agent	off-chain, signed	—		
X1	Prompt injection inside a counterparty RFQ: instruction ignored, legitimate work still quoted	Mallory → QED agent	off-chain, signed	—		
X2	Client-side tampering: open escrow with the agent's quote but price 15 → 1 tUSD	Mallory	**reverted** · `BadProviderSignature`	`0xf5f2dff7…c917`	11948664	45,976
X3	Client-side tampering: redirect the agent's payee to Mallory	Mallory	**reverted** · `BadProviderSignature`	`0x86cda26b…2902`	11948664	45,976
X4	Worst case: the LLM obeys the injection and requests payment → independent co-signer REFUSES	Co-signer	off-chain, signed	`0xdb5718a9f2…`		
X5	Stolen AGENT key + co-signature forged by Mallory → pay Mallory 25	Mallory	**reverted** · `BadCosignerSignature`	`0xd3e5a89f…d3ab`	11948665	91,032

Step	What happened	Actor	Result	Transaction	Block	Gas
X6	Stolen AGENT key + stolen CO-SIGNER key → genuinely signed certificate paying Mallory	Mallory	**reverted** · `PayeeNotInMandate`	`0xf9a023d7…c018`	11948665	91,032
X7	Stolen keys + a mandate Mallory signed herself (payee: Mallory, cap 1000)	Mallory	**reverted** · `BadOwnerSignature`	`0xa9b9a57f…a9f5`	11948665	88,984
X8	Harvest the agent's real certificate from calldata; change amount 6 → 9	Mallory	**reverted** · `BadCosignerSignature`	`0xc84501ca…09b9`	11948665	91,032
X9	Same genuine certificate redirected to another approved payee	Mallory	**reverted** · `BadCosignerSignature`	`0xca320184…4b87`	11948665	91,032
X10	Replay the exact genuine certificate	Mallory	**reverted** · `IntentAlreadyUsed`	`0xca786a4e…2957`	11948665	91,032
X11	Both hot keys: pay CloudCo 33.00 tUSD — one dollar more than the free balance	Mallory	**reverted** · `SolvencyViolation`	`0x5835240c…2e09`	11948665	91,032
X12	Both hot keys: pay CloudCo 13.00 tUSD — above the remaining 24h window	Mallory	**reverted** · `ExceedsDailyCap`	`0x6b4b0b71…e354`	11948665	91,032
X13	Stolen agent key calls withdraw()	Mallory	**reverted** · `NotOwner`	`0xb988e05e…bcec`	11948665	19,352
X14	Stolen agent key tries to release CloudCo's ring-fence	Mallory	**reverted** · `NotCreditor`	`0x9c908ed0…aaee`	11948665	19,852
X15	Stolen agent key tries setDailyCap(max)	Mallory	**reverted** · `NotOwner`	`0x48b6a13b…c2a8`	11948665	17,524
X16	Client hires Mallory instead (cheaper: 9 tUSD) — job #2 funded	Client (Northwind)	success	`0x952b0913…6f8d`	11948666	1,291,592
X17	Mallory delivers a lazy 1/N portfolio dressed with the best possible multipliers	Mallory	**reverted** · `DualityGapTooLarge`	`0x5a6f26ac…6481`	11948667	191,384
X18	Mallory delivers an 'almost optimal' portfolio (optimum shifted by 0.01%)	Mallory	**reverted** · `StationarityViolated`	`0xc269055a…f0fe`	11948668	191,384
H1	Honeypot owner deposits 100 tUSD	Honeypot owner	success	`0xe6553dd5…7279`	11948669	148,905
H2	Honeypot owner ring-fences 90 tUSD for CloudCo until 30 Jun 2027	Honeypot owner	success	`0x1826c4bb…ebd9`	11948669	800,291
H3	Using ONLY the published keys: pay CloudCo 1 tUSD (allowed — proves the keys are real)	Anyone (published keys)	success	`0xd401d7e9…7de6`	11948670	746,554
H4	Published keys: pay Mallory 10 tUSD	Mallory	**reverted** · `PayeeNotInMandate`	`0x9f1f19d5…23b7`	11948670	88,984
H5	Published keys: pay CloudCo 50 tUSD early	Mallory	**reverted** · `ExceedsPerPaymentCap`	`0xf30a4765…1b4f`	11948670	88,984
H6	Published agent key: withdraw()	Mallory	**reverted** · `NotOwner`	`0x887cab2c…3c3f`	11948670	19,352
X19	Mallory missed the deadline with a valid proof → anyone refunds the client	Client (Northwind)	success	`0x014cb969…4b83`	11949335	63,177
P1	Guardian hits the kill-switch: vault paused	Guardian	success	`0x282afb62…640b`	11949336	31,188

Step	What happened	Actor	Result	Transaction	Block	Gas
P2	While paused, even a fully valid agent payment is refused	QED agent	**reverted** · `VaultPaused`	`0x6750861d…0b0f`	11949337	91,032
P3	Bill due while paused: MALLORY triggers settlement — CloudCo receives exactly 70 tUSD	Mallory (as a stranger)	success	`0x9f4a753c…135d`	11949338	89,792
P4	Owner reviews and unpauses	Owner	success	`0x6ba8db0a…243c`	11949339	30,815

Attack transactions (19) — each reverted with exactly the designed error

Step	Attack	Defence (custom error)	Layer
X2	Client-side tampering: open escrow with the agent's quote but price 15 → 1 tUSD	`BadProviderSignature`	ProofEscrow
X3	Client-side tampering: redirect the agent's payee to Mallory	`BadProviderSignature`	ProofEscrow
X5	Stolen AGENT key + co-signature forged by Mallory → pay Mallory 25	`BadCosignerSignature`	QEDVault
X6	Stolen AGENT key + stolen CO-SIGNER key → genuinely signed certificate paying Mallory	`PayeeNotInMandate`	QEDVault
X7	Stolen keys + a mandate Mallory signed herself (payee: Mallory, cap 1000)	`BadOwnerSignature`	QEDVault
X8	Harvest the agent's real certificate from calldata; change amount 6 → 9	`BadCosignerSignature`	QEDVault
X9	Same genuine certificate redirected to another approved payee	`BadCosignerSignature`	QEDVault
X10	Replay the exact genuine certificate	`IntentAlreadyUsed`	QEDVault
X11	Both hot keys: pay CloudCo 33.00 tUSD — one dollar more than the free balance	`SolvencyViolation`	QEDVault
X12	Both hot keys: pay CloudCo 13.00 tUSD — above the remaining 24h window	`ExceedsDailyCap`	QEDVault
X13	Stolen agent key calls withdraw()	`NotOwner`	QEDVault
X14	Stolen agent key tries to release CloudCo's ring-fence	`NotCreditor`	QEDVault
X15	Stolen agent key tries setDailyCap(max)	`NotOwner`	QEDVault
X17	Mallory delivers a lazy 1/N portfolio dressed with the best possible multipliers	`DualityGapTooLarge`	MinVarianceVerifier
X18	Mallory delivers an 'almost optimal' portfolio (optimum shifted by 0.01%)	`StationarityViolated`	MinVarianceVerifier
H4	Published keys: pay Mallory 10 tUSD	`PayeeNotInMandate`	QEDVault
H5	Published keys: pay CloudCo 50 tUSD early	`ExceedsPerPaymentCap`	QEDVault
H6	Published agent key: withdraw()	`NotOwner`	QEDVault
P2	While paused, even a fully valid agent payment is refused	`VaultPaused`	QEDVault

Set-up transactions (funding, mints, approvals)

#	Transaction	What	Block
6	`0x04dad896…0170`	Fund gas: owner (0.003 ETH)	11948658
7	`0xbe80e5de…29a6`	Fund gas: agent (0.004 ETH)	11948658
8	`0x20134f85…5b49`	Fund gas: client (0.002 ETH)	11948658
9	`0x7e261aca…074d`	Fund gas: Mallory (0.004 ETH)	11948658
10	`0xa6179d11…b41f`	Fund gas: guardian (0.001 ETH)	11948658

#	Transaction	What	Block
11	`0xfd346ae4…0131`	Fund gas: honeypot owner (0.002 ETH)	11948658
12	`0xd47563a3…1231`	Fund gas: honeypot agent (0.002 ETH)	11948659
13	`0x63d04fe7…5ff9`	Mint 100 tUSD to owner	11948659
14	`0x75ea1d95…242d`	Mint 100 tUSD to client (Northwind)	11948659
15	`0x57128e5f…8303`	Mint 100 tUSD to honeypot owner	11948659
16	`0xda52f56f…a20b`	Owner approves vault	11948660
19	`0x7f7b5268…71e2`	Client approves escrow	11948661
25	`0xfbdefe11…6083`	Mint 50 tUSD to Mallory	11948663
26	`0x6a54f559…8fec`	Mallory approves escrow	11948664
43	`0xf4482304…09e9`	Honeypot owner approves honeypot vault	11948669

Final state (read from QEDLens after the last transaction)

	Balance	Ring-fenced	Free	24 h blast radius
Agent vault	36.00	4.00	32.00	32.00
Honeypot vault	99.00	90.00	9.00	1.00

Token balances: CloudCo (creditor) 71.00 · Helix (vendor) 9.00 · Northwind (client) 85.00 · Mallory 50.00 (all of it minted to her for the test; **0 from any vault or the escrow**).

Run 2 — certified clearing of an agent economy (QEDClearing)

> `evidence/ethereum-sepolia/clearing/manifest.json` , `receipts.json` , `proof.json` . Separate keys, separate token, separate contract; `npm run verify` re-checks it too, including an independent re-check of the netting certificate taken from the executed calldata.

Blocks	11,949,578 → 11,949,690
Transactions	44 (37 succeeded · 7 reverted **by design**)
Gross debt between 5 AI businesses	200.00 tUSD in 11 obligations; cash held in total 28.00 tUSD
Naive netting (shortest cycles first)	162.00 — **refused on-chain** as `NotProvablyMaximal`
Proven-maximal netting	169.00 cancelled with the LP-duality certificate Σx = Σd·y checked in exact integers
Settled with tokens afterwards	31.00 tUSD; open obligations at the end: 0

Contract	Address
QEDClearing	`0x7b7de15772198d82d07019fc816cffc52e7d6ad2`
TestUSD (clearing run)	`0x6753a8ea4560f07534bcfbca2dea790afb9552d4`

Role	Address
deployer	`0x94C938E642BbC657D5F45546E35268a70c936448`
northwind	`0x053DCBCaEF06A44feAeFd94A2DbE9F160E789816`
qed	`0x0460e0d0753E487b3a5E26FE8cf16A4baC6C918d`
cloudco	`0x0418CfE812572f01535Fb260b6a77dAb5704D737`
helix	`0xE21F926030fd77Ad4EFEbd1b22D6633cda3499C7`
atlas	`0x13958b9C4154996E6Db79f9a86c5765e0D6048AF`

Role	Address
mallory	`0x56D161255Ced6863698eA3c6a886982088fa30a8`

Step	What happened	Actor	Result	Transaction	Block	Gas
K1	Deploy the clearing run's TestUSD (valueless; minter = this run's deployer)	Deployer	success	`0x627457ae…5865`	11949578	3,716,239
K2	Deploy QEDClearing (proof-gated multilateral netting)	Deployer	success	`0x58efadf2…d140`	11949578	8,579,134
J1	Northwind joins the clearing house	Northwind	success	`0x73dc94e3…03ab`	11949579	348,185
J2	QED joins the clearing house	QED	success	`0xba620589…537d`	11949580	250,265
J3	CloudCo joins the clearing house	CloudCo	success	`0x4e6748d9…aa6b`	11949581	250,265
J4	Helix joins the clearing house	Helix	success	`0x2b3c68ee…6229`	11949582	250,265
J5	Atlas joins the clearing house	Atlas	success	`0x03e19549…30ca`	11949583	250,265
I1	Northwind owes QED 40 tUSD (portfolio subscription)	Northwind	success	`0x7b808c9a…3cee`	11949584	795,367
I2	QED owes CloudCo 30 tUSD (GPU compute)	QED	success	`0xbd67bb55…a165`	11949585	501,607
I3	CloudCo owes Helix 25 tUSD (data licence)	CloudCo	success	`0xadfa6dc4…8c32`	11949586	501,619
I4	Helix owes Northwind 20 tUSD (advisory fees)	Helix	success	`0x8b216187…75e5`	11949587	501,607
I5	QED owes Helix 15 tUSD (risk model)	QED	success	`0x7a0649e1…680f`	11949588	501,607
I6	Helix owes QED 15 tUSD (model validation)	Helix	success	`0x280d6f94…4d71`	11949589	501,607
I7	CloudCo owes Northwind 12 tUSD (volume rebate)	CloudCo	success	`0x59af539e…e0c0`	11949590	501,595
I8	Northwind owes CloudCo 10 tUSD (hosting)	Northwind	success	`0x57bc03f7…1398`	11949591	501,607
I9	Atlas owes QED 18 tUSD (backtests)	Atlas	success	`0xf5c02f7a…e673`	11949592	501,619
I10	Helix owes Atlas 9 tUSD (data cleaning)	Helix	success	`0x8bfe4d58…b7a2`	11949593	501,607
I11	CloudCo owes Atlas 6 tUSD (labelling)	CloudCo	success	`0x0ed4ee56…ee96`	11949594	501,607
G1	Gridlock: Northwind tries to pay its 40 tUSD debt gross, but holds 18	Northwind	**reverted** · `ERC20InsufficientBalance`	`0x7d86cdc9…3b2c`	11949599	87,944
P0	QED agent proves the maximal netting: 169.00 of 200.00 tUSD can be cancelled	QED agent	off-chain	—		
N1	Lazy netting (shortest cycles first): cancels 162.00, not 169.00	Mallory / rival clearing bot	**reverted** · `NotProvablyMaximal`	`0x1b62ae8c…4976`	11949600	162,976
N2	Netting that quietly cancels 1 tUSD more of Northwind's debt to QED	Mallory / rival clearing bot	**reverted** · `NetPositionChanged`	`0x29c4ef66…3eaf`	11949600	164,780
N3	Netting that cancels more than an obligation is worth	Mallory / rival clearing bot	**reverted** · `ExceedsObligation`	`0x96a304a4…bdfb`	11949600	138,136

Step	What happened	Actor	Result	Transaction	Block	Gas
N4	Netting over a snapshot that hides one obligation	Mallory / rival clearing bot	**reverted** · `IncompleteSnapshot`	`0xd6c3f25c…4c9c`	11949600	129,944
N5	Forged certificate: drop a dual multiplier to fake a smaller bound	Mallory / rival clearing bot	**reverted** · `DualInfeasible`	`0xa7d7e7bc…ef8a`	11949600	138,136
N6	Proven-maximal netting executes: 169.00 tUSD of debt cancelled, 200.00 → 31.00	QED agent	success	`0x46288ece…05a2`	11949601	550,826
N7	Replay the executed netting	Mallory / rival clearing bot	**reverted** · `IncompleteSnapshot`	`0x4588659b…4df5`	11949602	138,136
S1	Northwind pays QED the remaining 18.00 tUSD	Northwind	success	`0x8e6ffd33…358c`	11949687	190,980
S2	CloudCo pays Atlas the remaining 3.00 tUSD	CloudCo	success	`0x8be4b11f…8ebf`	11949688	93,060
S3	Helix pays QED the remaining 4.00 tUSD	Helix	success	`0xe8af7d69…0648`	11949689	93,060
S4	Atlas pays QED the remaining 6.00 tUSD	Atlas	success	`0xb69b59c9…a654`	11949690	91,741

Final token balances equal each agent's net position: Northwind 0.00 · QED 28.00 · CloudCo 0.00 · Helix 0.00 · Atlas 0.00. Mallory received 0.

Set-up transactions of this run (funding, mints): `0xda9bfc81…7390`, `0x8e8c0c3f…f2b6`, `0xbb7e24a6…a102`, `0xd23466d2…5222`, `0xe0a46cd9…001a`, `0xd0ba9980…c4c9`, `0x0ce9e106…3182`, `0x3e69b56d…19f5`, `0x0dc85d8e…de39`, `0x5e9ad960…91dc`, `0xab31a916…1411`, `0x63e9af20…40d2`, `0xe2af5f53…991b`, `0x97a1b6f6…7320`.

How these transactions were produced — full disclosure

Signed in a build sandbox without RPC egress against a wall-clock-synchronised replica of Sepolia (same chain id, nonces, balances); the identical signed bytes were broadcast via a browser relay and every public receipt compared with the replica (status + logs). The final phase was executed after rebuilding the replica by replaying the exact signed transactions already on Sepolia.

- The relay fetched `relay/outbox-11155111.json`, `relay/outbox-11155111-b2.json` and `relay/outbox-11155111-clearing.json` from a **pinned commit** of this repository and broadcast the bytes unchanged; the transaction hashes in this file are therefore the hashes of those exact bytes.
- Each public receipt was compared with the replica's receipt: 55/55 receipts matched the replica (status + logs; EIP-7708 system logs excluded); clearing run: 44/44 receipts matched the replica (status + logs; EIP-7708 system logs excluded).
- Block timestamps differ by seconds between replica and Sepolia; no assertion depends on them (windows are 24 h, certificates live 2 h, deadlines are days).
- Two earlier attempts under different keys failed and were abandoned: the first ran out of gas on deployment under Sepolia's state-creation repricing; in the second, one agent payment was under-provisioned with gas. The vault was slimmed (via-IR; views moved to QEDLens), every transaction now carries an explicit 16.7 M gas limit (only gas used is charged), and the canonical run above was executed under **fresh keys**, so it shares no state with those attempts.
- Gas used on Sepolia differs from the replica because Sepolia prices state creation and calldata differently; the relay compared status and logs, not gas.

Block timestamps

First: block 11948657 at 2026-10-19T14:06:36Z · last: block 11949339 at 2026-10-19T16:24:36Z.