

WIRELESS SECURITY ASSESSMENT REPORT

BLACK ICE

v2 · SIGINT WIRELESS SURVEILLANCE PLATFORM · NIGHTFALL35

Bank HQ

Wireless Security Assessment

THREAT LEVEL: NOMINAL

0

ACCESS POINTS

0

OPEN NETWORKS

0

EVIL TWINS

0

DEAUTH SOURCES

DATE

19 May 2026, 16:15:34

OPERATOR

Ishmael D. Tembo

GPS COORDS

-15.387500, 28.322800

SURVEY READINGS

0

EXECUTIVE SUMMARY

0 Access points found	0 Open (unencrypted)	0 Evil twins detected	0 Deauth sources
--------------------------	-------------------------	--------------------------	---------------------

OVERALL THREAT LEVEL: NOMINAL

A passive 802.11 wireless survey was conducted at Bank HQ using the BLACK ICE v2 SIGINT platform. The survey detected 0 unique access points across the 2.4 GHz and 5 GHz bands.

No open networks or rogue access points were detected during this survey. The wireless environment at this site is operating within acceptable security parameters. Continued periodic monitoring is recommended to detect new threats.

All findings, coordinates, and evidence are detailed in the sections below.

Key Findings

- No critical issues detected — continue routine monitoring

ACCESS POINT INVENTORY

The following table lists all access points detected during the survey, ordered by signal strength (strongest first). Risk level is computed from encryption status, cipher suite, and proximity.

SSID	BSSID	SECURITY	SIGNAL	CH	VENDOR	RISK
HIGH		Open / rogue / WEP / TKIP				
MEDIUM		WPA legacy / WPS enabled / TKIP				
LOW		WPA2-CCMP or better				

THREAT ANALYSIS

Open (Unencrypted) Networks — 0 found

No open networks detected during this survey.

Evil Twin / Rogue Access Points — 0 found

No rogue access points detected during this survey.

Deauthentication Attacks — 0 source(s)

No deauthentication attacks observed during this survey.

Weak Cipher Suites (TKIP) — 0 found

No TKIP-only configurations detected.

RECOMMENDATIONS

The following recommendations are ordered by priority. Critical items should be resolved within 24 hours of this report. High items within 7 days. Medium items within 30 days.

PRIORITY	ACTION	EFFORT	DEADLINE
MEDIUM	Deploy 802.11w Protected Management Frames Enables encryption of deauth/disassoc frames, preventing injection attacks.	1–2 hours	30 days
MEDIUM	Schedule monthly wireless audits Recurring scans detect new rogue APs, configuration drift, and new open networks.	Ongoing	30 days
LOW	Enable wireless intrusion detection system (WIDS) Continuous passive monitoring integrated with SIEM for real-time alerting.	1–3 days	90 days

APPENDIX — TECHNICAL DETAIL

Survey Statistics

Total APs detected	0
Open (unencrypted) APs	0
WPA2 APs	0
WPA3 APs	0
TKIP-only APs	0
Evil twin detections	0
Deauth attack sources	0
GPS survey readings	0
Operator GPS position	-15.387500, 28.322800
GPS hardware lock	No (browser approximate)
Report generated	19 May 2026, 16:15:34
Platform	BLACK ICE v2 — NIGHTFALL35
Operator	Ishmael D. Tembo

Channel Distribution

No channel data available.

Methodology

This assessment was conducted using passive 802.11 frame capture (no active transmission). The BLACK ICE v2 platform operated in promiscuous monitor mode, capturing beacon frames, probe responses, and management frames across all available channels using an automated channel hopper with 150ms dwell time per channel. Geographic positions were resolved using on-device GPS hardware where available, falling back to Wigle.net geolocation and IP approximation. Evil twin detection uses a frequency-map algorithm comparing BSSID prefixes and SSID patterns across channels. All findings are based on passive observation only; no active exploitation was performed.

Legal Notice

This report was produced under written authorization from the site owner. Unauthorized use of wireless scanning tools may violate the Computer Misuse Act (Zambia), Computer Fraud and Abuse Act (USA), Computer Misuse Act (UK), and equivalent legislation in other jurisdictions. This report is confidential and intended solely for the authorized recipient. Distribution, reproduction, or disclosure to unauthorized parties is prohibited.