

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
61	0.904941400	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
103	2.004622100	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
125	2.907674000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
129	4.007080000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
135	5.000506000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
140	5.903180000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
146	7.001765000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
153	7.996272000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
166	8.904732000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
171	9.992223000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
183	11.004140000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
194	12.004310000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
246	12.998821000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
256	13.991460200	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
259	14.043864000	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
263	15.001807000	192.168.1.101	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
267	15.008113700	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
270	15.992807300	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
274	16.001922600	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
281	16.105091500	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
309	16.291361200	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
381	16.405097600	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
402	16.533430000	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1

Frame 1: Packet, 408 bytes on wire (3264 bits), 408 bytes captured (3264 bits) on interface Device\NPF_{1B6AC166-2178-4F72-A888-961B8357C959} Interface id: 0 (Device\NPF_{1B6AC166-2178-4F72-A888-961B8357C959}) Interface name: Device\NPF_{1B6AC166-2178-4F72-A888-961B8357C959} Interface description: Wi-Fi Encapsulation type: Ethernet (1) Arrival Time: Apr 9, 2026 13:55:02.567860000 Bangladesh Standard Time UTC Arrival Time: Apr 9, 2026 07:55:02.567860000 UTC Epoch Arrival Time: 175721302.567860000 [Time shift for this packet: 0.000000000 seconds] [Time since reference or first frame: 0.000000000 seconds] Frame Number: 1 Frame Length: 408 bytes (3264 bits) Capture Length: 408 bytes (3264 bits) [Frame is marked: False] [Frame is ignored: False] [Protocols in Frame: ethertype:ip:tcp:http] Character encoding: ASCII (0) [Coloring Rule Name: HTTP] [Coloring Rule String: http tcp.port == 80 http2] Ethernet II, Src: CloudNetworkK_0c:21:cb (50:c2:e8:0c:21:cb), Dst: MercusysTech_4b:b6:d8 (30:16:9d:4b:b6:d8) Internet Protocol Version 4, Src: 192.168.1.100, Dst: 103.230.106.216 Transmission Control Protocol, Src Port: 62022, Dst Port: 80, Seq: 1, Ack: 1, Len: 354 Hypertext Transfer Protocol
--

0000	30 16 9d 4b b6 d8 50 c2	e8 0c 21 cb 08 00 45 00	0 K P . ! : E
0010	01 8a 21 ca 40 00 80 06	40 d8 c0 a8 01 d0 07 06	# @ . @ _ mg
0020	6a d8 f2 45 00 80 3a	e8 aa 4e d5 dd 8f 50 18	j f P > > N . P
0030	ff ff 95 1e 00 00 47 45	54 20 2f 7a 69 6d 05 2e	 GET /time.
0040	70 6d 70 20 48 54 54 50	2f 31 2e 31 8d 0a 48 0f	php HTTP /1.1. Ho
0050	73 74 3a 20 63 73 70 62	2e 74 65 6c 65 74 61 6c	st: csob .teletel
0060	6b 2e 63 6f 6d 2e 62 64	0d 0a 43 0f 6e 6e 05 63	k.com.bd Connec
0070	74 69 6f 6e 3a 20 6b 05	65 70 2d 61 6c 69 76 65	tion: ke ep-alive
0080	0d 0a 55 73 65 72 2d 41	67 65 6e 74 3a 20 4d 6f	User-A gent: No
0090	7a 69 6e 6c 61 2f 35 2e	30 20 28 57 69 6e 64 6f	zilla/S. 0 (windo
0100	77 71 20 4e 54 20 31 30	2e 30 30 20 57 69 6e 36	us HT 10 ;b;Idno
0110	34 3b 20 78 36 34 29 20	41 70 70 6c 65 57 65 62	4; x64) AppleWeb
0120	4b 69 74 2f 35 33 37 2e	33 36 20 28 4b 48 54 4d	Kit/537. 36 (KHTML
0130	4c 2c 20 6c 69 6e 65 20	47 65 63 6b 6f 20 20 43	l, like Gecko) C
0140	68 72 6f 6d 65 2f 31 34	3e 2e 30 2e 30 2e 30 20	chrome/14 6.0.0.0
0150	53 61 66 61 72 69 2f 35	33 37 2e 33 36 0d 0a 41	Safari/5 37.36 .A
0160	63 63 65 70 74 3a 20 2a	2f 2a 8d 0a 58 2d 52 65	cept: /* X-Re
0170	71 75 65 73 74 65 64 2d	57 69 74 68 3a 20 58 4d	quested-with: XM
0180	4c 48 74 7a 70 52 65 71	75 65 73 74 8d 0a 52 65	httpreq west .Re
0190	65 65 72 65 72 3a 20 68	74 74 70 3a 2f 2f 63 73	feren: h ttp://cs
0200	70 62 2e 74 65 6c 65 74	61 6c 6b 2e 63 6f 6d 2e	pb.teletel aik.com.
0210	62 64 2f 0d 0a 41 63 63	65 70 74 2d 45 6e 63 6f	bd/ Acc ept-enco
0220	64 69 6e 67 3a 20 67 7a	69 70 2c 20 64 65 66 6c	ding: gr ip, def1
0230	61 74 65 0d 0a 41 63 63	65 70 74 2d 4c 61 6e 67	ate Acc ept-Lang
0240	75 61 67 65 65 3a 20 65	6e 2d 55 53 2c 65 6e 3b 71	uage: en-US,en;q
0250	3d 30 2e 39 6d 0a 0a		=0.9

The header fields shown are standard HTTP request headers that identify the target, client, and connection settings for the request.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
61	0.904941400	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
103	2.004622100	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
125	2.907674000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
129	4.007080000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
135	5.000506000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
140	5.903180000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
146	7.001765000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
153	7.996272000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
166	8.904732000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
171	9.992223000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
183	11.004140000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
194	12.004310000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
246	12.998821000	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
256	13.991460200	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
259	14.043864000	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
263	15.001807000	192.168.1.101	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
267	15.008113700	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
270	15.992807300	192.168.1.100	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
274	16.001922600	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
281	16.105091500	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
309	16.291361200	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
381	16.405097600	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1
402	16.533430000	192.168.1.100	103.230.106.216	HTTP	515	GET / HTTP/1.1

Frame 1: Packet, 408 bytes on wire (3264 bits), 408 bytes captured (3264 bits) on interface Device\NPF_{1B6AC166-2178-4F72-A888-961B8357C959} Destination: MercusysTech_4b:b6:d8 (30:16:9d:4b:b6:d8) 0..... = IG bit: Globally unique address (factory default) 0..... = IG bit: Individual address (unicast) Source: CloudNetworkK_0c:21:cb (50:c2:e8:0c:21:cb) 0..... = IG bit: Globally unique address (factory default) 0..... = IG bit: Individual address (unicast) Type: IPv4 (Internet) [Stream index: 0] Internet Protocol Version 4, Src: 192.168.1.100, Dst: 103.230.106.216 Transmission Control Protocol, Src Port: 62022, Dst Port: 80, Seq: 1, Ack: 1, Len: 354 Hypertext Transfer Protocol
--

0000	30 16 9d 4b b6 d8 50 c2	e8 0c 21 cb 08 00 45 00	0 K P . ! : E
0010	01 8a 21 ca 40 00 80 06	40 d8 c0 a8 01 d0 07 06	# @ . @ _ mg
0020	6a d8 f2 45 00 80 3a	e8 aa 4e d5 dd 8f 50 18	j f P > > N . P
0030	ff ff 95 1e 00 00 47 45	54 20 2f 7a 69 6d 05 2e	 GET /time.
0040	70 6d 70 20 48 54 54 50	2f 31 2e 31 8d 0a 48 0f	php HTTP /1.1. Ho
0050	73 74 3a 20 63 73 70 62	2e 74 65 6c 65 74 61 6c	st: csob .teletel
0060	6b 2e 63 6f 6d 2e 62 64	0d 0a 43 0f 6e 6e 05 63	k.com.bd Connec
0070	74 69 6f 6e 3a 20 6b 05	65 70 2d 61 6c 69 76 65	tion: ke ep-alive
0080	0d 0a 55 73 65 72 2d 41	67 65 6e 74 3a 20 4d 6f	User-A gent: No
0090	7a 69 6e 6c 61 2f 35 2e	30 20 28 57 69 6e 64 6f	zilla/S. 0 (windo
0100	77 71 20 4e 54 20 31 30	2e 30 30 20 57 69 6e 36	us HT 10 ;b;Idno
0110	34 3b 20 78 36 34 29 20	41 70 70 6c 65 57 65 62	4; x64) AppleWeb
0120	4b 69 74 2f 35 33 37 2e	33 36 20 28 4b 48 54 4d	Kit/537. 36 (KHTML
0130	4c 2c 20 6c 69 6e 65 20	47 65 63 6b 6f 20 20 43	l, like Gecko) C
0140	68 72 6f 6d 65 2f 31 34	3e 2e 30 2e 30 2e 30 20	chrome/14 6.0.0.0
0150	53 61 66 61 72 69 2f 35	33 37 2e 33 36 0d 0a 41	Safari/5 37.36 .A
0160	63 63 65 70 74 3a 20 2a	2f 2a 8d 0a 58 2d 52 65	cept: /* X-Re
0170	71 75 65 73 74 65 64 2d	57 69 74 68 3a 20 58 4d	quested-with: XM
0180	4c 48 74 7a 70 52 65 71	75 65 73 74 8d 0a 52 65	httpreq west .Re
0190	65 65 72 65 72 3a 20 68	74 74 70 3a 2f 2f 63 73	feren: h ttp://cs
0200	70 62 2e 74 65 6c 65 74	61 6c 6b 2e 63 6f 6d 2e	pb.teletel aik.com.
0210	62 64 2f 0d 0a 41 63 63	65 70 74 2d 45 6e 63 6f	bd/ Acc ept-enco
0220	64 69 6e 67 3a 20 67 7a	69 70 2c 20 64 65 66 6c	ding: gr ip, def1
0230	61 74 65 0d 0a 41 63 63	65 70 74 2d 4c 61 6e 67	ate Acc ept-Lang
0240	75 61 67 65 65 3a 20 65	6e 2d 55 53 2c 65 6e 3b 71	uage: en-US,en;q
0250	3d 30 2e 39 6d 0a 0a		=0.9

The header fields shown are the packet details that describe where the request came from, where it is going, and how the HTTP message is structured.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
61	0.904041400	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
103	2.004022100	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
125	2.007074000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
129	4.007080000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
135	5.000050000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
140	5.003100000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
146	7.001765000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
153	7.996270000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
166	8.004723000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
171	9.992322300	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
183	11.004140000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
194	12.004310000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
246	12.998821000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
256	13.991460200	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
259	14.043864000	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
263	15.001807000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
267	15.008113700	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
270	15.992807300	192.168.1.101	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
274	16.091922600	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
281	16.105091500	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
369	16.291361200	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
381	16.465097600	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
393	16.632300000	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1

Frame 1: Packet, 408 bytes on wire (3264 bits), 408 bytes captured (3264 bits) on interface Device\NPF{1B6AC166-2178-4F72-...} Ethernet II, Src: CloudNetwork_0c:21:cb:50:c2:88, Dst: MercusysTech_4b:b6:d8 (30:16:9d:4b:b6:d8) Internet Protocol Version 4, Src: 192.168.1.109, Dst: 103.230.106.216

0100 = Version: 4
 0101 = Header Length: 28 bytes (5)
 > Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
 0000 00.. = Differentiated Services Codepoint: Default (0)
 00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
 Total length: 384
 Identification: 0x2ca (9162)
 > 0100 = Flags: 0x2, Don't Fragment
 0..... = Reserved bits: Not set
 ..1.... = Don't fragment: Set
 ..0.... = More fragments: Not set
 ..0 0000 0000 = Fragment Offset: 0
 Time to live: 128
 Protocol: TCP (6)
 Header checksum: 0x4000 [validation disabled]
 [Header checksum status: Unverified]
 Source address: 192.168.1.109
 Destination address: 103.230.106.216
 [Stream index: 0]
 > Transmission Control Protocol, Src Port: 62022, Dst Port: 80, Seq: 1, Ack: 1, Len: 354
 > Hypertext Transfer Protocol

Request: Boolean

Packets: 693 · Displayed: 38 (5.5%) · Dropped: 0 (0.0%)

Profile: Default

The header fields are the metadata lines in the HTTP request that tell the server who is sending it, what resource is requested, and how to handle the connection.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
61	0.904041400	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
103	2.004022100	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
125	2.007074000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
129	4.007080000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
135	5.000050000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
140	5.003100000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
146	7.001765000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
153	7.996270000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
166	8.004723000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
171	9.992322300	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
183	11.004140000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
194	12.004310000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
246	12.998821000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
256	13.991460200	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
259	14.043864000	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
263	15.001807000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
267	15.008113700	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
270	15.992807300	192.168.1.101	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
274	16.091922600	192.168.1.101	239.255.255.250	SSDP	212	M-SEARCH * HTTP/1.1
281	16.105091500	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
369	16.291361200	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
381	16.465097600	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
393	16.632300000	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1

Transmission Control Protocol, Src Port: 62022, Dst Port: 80, Seq: 1, Ack: 1, Len: 354

Source Port: 62022
 Destination Port: 80
 [Stream index: 0]
 [Conversation completeness: Incomplete (12)]
 [TCP Segment Len: 354]
 Sequence Number: 1 (relative sequence number)
 [Next Sequence Number: 355 (relative sequence number)]
 Acknowledgment Number: 1 (relative ack number)
 Acknowledgment number (raw): 1322638735
 0101 = Header Length: 20 bytes (5)
 [Window size scaling factor: 65535]
 [Window size scaling factor: -1 (unknown)]
 Checksum: 0x051e [Unverified]
 [Checksum Status: Unverified]
 Urgent Pointer: 0
 [Timestamps]
 [Client Contiguous Streams: 1]
 [Server Contiguous Streams: 1]
 TCP payload (354 bytes)
 > Hypertext Transfer Protocol

Request: Boolean

Packets: 693 · Displayed: 38 (5.5%) · Dropped: 0 (0.0%)

Profile: Default

The header fields are the packet metadata lines that show the source, destination, protocol, and request details of the HTTP message.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
61	0.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
103	2.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
125	2.997074000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
129	4.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
135	5.000000000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
140	5.993100000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
148	7.001700000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
153	7.990270000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
166	8.994732000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
171	9.992222000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
183	11.000440000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
194	12.004310000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
246	12.998821000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
256	13.991460000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
259	14.043864000	192.168.1.101	239.255.255.250	SDP	212	M-SEARCH * HTTP/1.1
263	15.001807000	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
267	15.006813700	192.168.1.101	239.255.255.250	SDP	212	M-SEARCH * HTTP/1.1
270	15.092807300	192.168.1.109	103.230.106.216	HTTP	408	GET /time.php HTTP/1.1
274	16.001922000	192.168.1.101	239.255.255.250	SDP	212	M-SEARCH * HTTP/1.1
281	16.105091500	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
309	16.291361200	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
381	16.460697000	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1
393	16.632320000	192.168.1.109	103.230.106.216	HTTP	515	GET / HTTP/1.1

Frame 1: Packet, 408 bytes on wire (3264 bits), 408 bytes captured (3264 bits) on interface Device\NPF_{1B6AC166-2178-4772-AB88-961B8357C959}

Ethernet II, Src: CloudNetwork_0c:21:c1:08:30:16:0b, Dst: MercusysTech_4b:b6:d8:30:16:9d:4b:b6:d8

Internet Protocol Version 4, Src: 192.168.1.109, Dst: 103.230.106.216

Transmission Control Protocol, Src Port: 62022, Dst Port: 80, Seq: 1, Ack: 1, Len: 354

Hypertext Transfer Protocol

GET /time.php HTTP/1.1

Request Method: GET

Request URI: /time.php

Request Version: HTTP/1.1

Host: cspb.teletalk.com.bd

Connection: keep-alive

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

X-Requested-With: XMLHttpRequest

Referer: http://cspb.teletalk.com.bd

Accept-Encoding: gzip, deflate

Accept-Language: en-US,en;q=0.9

Full request URI: http://cspb.teletalk.com.bd/time.php

The header fields are the request details shown in Wireshark, including method, host, user-agent, and other metadata used to describe the HTTP packet..

No.	Time	Source	Destination	Protocol	Length	Info
3	0.013791000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
63	1.000429300	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
105	2.000132000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
127	3.000935700	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
131	4.002707500	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
137	5.000307000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
142	6.000410400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
148	7.010400000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
155	8.010000000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
168	9.010365400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
173	10.001303100	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
185	11.010330400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
196	12.012756400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
248	13.010173000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
258	13.000514400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
265	15.000606200	103.230.106.216	192.168.1.109	HTTP	455	HTTP/1.1 200 OK (text/html)
272	16.003209700	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
405	17.713140000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
519	18.717427000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
525	19.777068400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
539	20.717709000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
547	21.734673800	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
553	22.725803000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
664	23.210600000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)

Frame 3: Packet, 456 bytes on wire (3648 bits), 456 bytes captured (3648 bits) on interface Device\NPF_{1B6AC166-2178-4772-AB88-961B8357C959}

Section number: 1

Interface id: 0 (Device\NPF_{1B6AC166-2178-4772-AB88-961B8357C959})

Interface description: NPF_{1B6AC166-2178-4772-AB88-961B8357C959}

Encapsulation type: Ethernet (1)

Arrival Time: Apr 9, 2026 07:55:02.58174100 Bangladesh Standard Time

UTC Arrival Time: Apr 9, 2026 07:55:02.58174100 UTC

Epoch Arrival Time: 1775721302.58174100

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 4.774300 milliseconds]

[Time since reference or first frame: 13.879100 milliseconds]

Frame Number: 3

Frame Length: 456 bytes (3648 bits)

Capture Length: 456 bytes (3648 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: ethertype:ip:tcp:http:data:text-lines]

Character encoding: ASCII (0)

[Coloring Rule Name: HTTP]

[Coloring Rule String: http || tcp.port == 80 || http2]

Ethernet II, Src: MercusysTech_4b:b6:d8:30:16:9d:4b:b6:d8, Dst: CloudNetwork_0c:21:c1:08:30:16:0b

Internet Protocol Version 4, Src: 103.230.106.216, Dst: 192.168.1.109

Transmission Control Protocol, Src Port: 80, Dst Port: 62022, Seq: 1, Ack: 355, Len: 402

Hypertext Transfer Protocol, has 2 chunks (Including last chunk)

HTTP Response Reason Phrase (http.response.reason), 2 bytes

Packet (456 bytes) De-chunked entity body (93 bytes) Uncompressed entity body (80 bytes)

The header fields are the HTTP response headers that provide status code, content type, server info, and transfer encoding details.

No.	Time	Source	Destination	Protocol	Length	Info
3	0.013879100	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
63	1.000429300	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
105	2.000152600	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
127	3.000933500	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
131	4.027075400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
137	5.020367600	103.230.106.216	192.168.1.109	HTTP	454	HTTP/1.1 200 OK (text/html)
142	6.000410400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
148	7.000000000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
155	8.000069000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
168	9.018054000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
173	10.001383100	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
185	11.015039000	103.230.106.216	192.168.1.109	HTTP	454	HTTP/1.1 200 OK (text/html)
196	12.012756400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
248	13.010173900	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
258	13.990014400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
265	15.000608200	103.230.106.216	192.168.1.109	HTTP	455	HTTP/1.1 200 OK (text/html)
272	16.003209700	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
495	17.713480000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
519	18.717427000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
525	19.777060400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
539	20.717709600	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
547	21.734673800	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
553	22.725083000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
564	23.742000000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)


Frame 3: Packet, 456 bytes on wire (3648 bits), 456 bytes captured (3648 bits) on interface Device\NPF{1B6AC166-2178-4F72-...}	0000 30 30 20 4f 6d 0a 53 65 72 76 65 72 3a 20 6e 00 00 5 server: n
Ethernet II, Src: MercusysTech_4b:b6:db (30:16:9d:4b:b6:db), Dst: CloudNetwork_0c:21:c0 (50:c2:e8:0c:21:c0)	0000 67 69 6e 78 0d 0a 44 61 74 65 3a 20 54 68 75 2c 61nx-da te: Thu,
Destination: CloudNetwork_0c:21:c0 (50:c2:e8:0c:21:c0)	0000 20 30 39 20 41 70 72 20 32 30 32 36 20 30 37 3a 09 Apr 2026 07:
Source: MercusysTech_4b:b6:db (30:16:9d:4b:b6:db)	0000 6e 74 2d 54 79 70 65 3a 20 74 65 78 74 2f 68 74 nt-type: text/ht
Type: IPv4 (0x0008)	0000 6d 6c 30 20 63 68 61 72 73 65 74 3d 55 54 46 2d al; char set=UTF-
Internet Protocol Version 4, Src: 103.230.106.216, Dst: 192.168.1.109	0000 38 0d 0a 54 72 61 6e 73 66 65 72 2d 45 6e 03 6f 8-Trans fer-Enco
Transmission Control Protocol, Src Port: 80, Dst Port: 62022, Seq: 1, Ack: 355, Len: 402	0000 64 69 6e 67 3a 20 63 68 75 6e 6b 65 64 0d 0a 43 ding: ch unkned-C
Hypertext Transfer Protocol, has 2 chunks (including last chunk)	0000 6f 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 65 70 2d connectio n: keep-
Line-based text data: text/html (1 lines)	0000 65 70 74 2d 45 6e 63 6f 64 69 6e 67 0d 0a 58 2d ept-Enco ding-X: keep-

The header fields are the HTTP response headers displaying status, content type, server details, and transfer encoding for the packet.


No.	Time	Source	Destination	Protocol	Length	Info
3	0.013879100	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
63	1.000429300	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
105	2.000152600	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
127	3.000933500	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
131	4.027075400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
137	5.020367600	103.230.106.216	192.168.1.109	HTTP	454	HTTP/1.1 200 OK (text/html)
142	6.000410400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
148	7.000000000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
155	8.000069000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
168	9.018054000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
173	10.001383100	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
185	11.015039000	103.230.106.216	192.168.1.109	HTTP	454	HTTP/1.1 200 OK (text/html)
196	12.012756400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
248	13.010173900	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
258	13.990014400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
265	15.000608200	103.230.106.216	192.168.1.109	HTTP	455	HTTP/1.1 200 OK (text/html)
272	16.003209700	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
495	17.713480000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
519	18.717427000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
525	19.777060400	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
539	20.717709600	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
547	21.734673800	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
553	22.725083000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)
564	23.742000000	103.230.106.216	192.168.1.109	HTTP	456	HTTP/1.1 200 OK (text/html)

Frame 3: Packet, 456 bytes on wire (3648 bits), 456 bytes captured (3648 bits) on interface Device\NPF{1B6AC166-2178-4F72-...}	0000 30 30 20 4f 6d 0a 53 65 72 76 65 72 3a 20 6e 00 00 5 server: n
Ethernet II, Src: MercusysTech_4b:b6:db (30:16:9d:4b:b6:db), Dst: CloudNetwork_0c:21:c0 (50:c2:e8:0c:21:c0)	0000 67 69 6e 78 0d 0a 44 61 74 65 3a 20 54 68 75 2c 61nx-da te: Thu,
Internet Protocol Version 4, Src: 103.230.106.216, Dst: 192.168.1.109	0000 20 30 39 20 41 70 72 20 32 30 32 36 20 30 37 3a 09 Apr 2026 07:
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)	0000 6e 74 2d 54 79 70 65 3a 20 74 65 78 74 2f 68 74 nt-type: text/ht
Differentiated Services Codepoint: Default (0)	0000 6d 6c 30 20 63 68 61 72 73 65 74 3d 55 54 46 2d al; char set=UTF-
Explicit Congestion Notification: Not ECN-Capable Transport (0)	0000 38 0d 0a 54 72 61 6e 73 66 65 72 2d 45 6e 03 6f 8-Trans fer-Enco
Total Length: 442	0000 64 69 6e 67 3a 20 63 68 75 6e 6b 65 64 0d 0a 43 ding: ch unkned-C
Identification: 0xb01d (44048)	0000 6f 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 65 70 2d connectio n: keep-
Flags: 0x02, Don't fragment	0000 65 70 74 2d 45 6e 63 6f 64 69 6e 67 0d 0a 58 2d ept-Enco ding-X: keep-
Reserved bit: Not set	0000 50 6f 77 65 72 65 64 2d 42 79 3a 20 50 48 50 2f Powered: By: PHP/
Don't fragment: Set	0000 35 26 26 24 30 0d 0a 58 2d 46 72 61 66 65 2d 5,6,4b- X-Frame-
More Fragments: Not set	0000 45 70 74 69 6f 6e 73 3a 20 53 41 4d 45 4f 52 49 Options: SAMEORI
Fragment Offset: 0	0000 47 49 46 0d 0a 58 2d 58 53 53 2d 50 72 6f 74 65 GIN-X-X SS-Prote
Time to Live: 240	0000 63 6f 63 0d 0a 03 6f 6e 74 65 6e 74 2d 45 6e lock-Co ntent-En
Protocol: TCP (6)	0000 64 69 6e 67 3a 20 67 7a 69 70 0d 0a 0d 0a 03 73 2e coding: g1p-...
Header Checksum: 0x3151 (validation disabled)	0000 35 64 0d 0a 1f 0b 08 00 00 00 00 00 03 73 2e S,
Source Address: 103.230.106.216	0000 2d 2a 4a c2 2b 51 08 c9 cc 4d b5 52 30 00 4d 37 -3+ q- M R0 7
Destination Address: 192.168.1.109	0000 30 41 37 32 30 32 43 51 30 30 34 32 35 b1 32 b1 0 7202 Q 00 25 2
Transmission Control Protocol, Src Port: 80, Dst Port: 62022, Seq: 1, Ack: 355, Len: 402	0000 54 00 46 05 49 2a b2 73 cc cf 2b 4b 2d 2a 49 4d T 1's +K+TM
Hypertext Transfer Protocol, has 2 chunks (including last chunk)	0000 81 29 35 04 37 30 04 37 b4 34 37 00 2a 35 b3 32 -5 70 7 47 *5 2
Line-based text data: text/html (1 lines)	0000 30 b1 32 30 50 70 74 05 00 c2 d6 ad df 50 00 00 0 200p ... P-

The header fields are the IP header details including version, header length, type of service, total length, and fragmentation flags.



The header fields are the TCP header details including source/destination ports, sequence numbers, acknowledgment, window size, and flags.



The header fields are the HTTP response headers specifying content type, transfer encoding, server info, and request timing details.