

Cucumber Report

22-Feb-2024, 10:38:42 pm

Start : Feb 22, 10:33:15.501 pm

End : Feb 22, 10:38:41.073 pm

Duration : 5 m 25.572 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 1
FAILED - 1
SKIPPED - 10



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To check Login functionality</u>	5 m 16.561 s	3	0	3	0	8	0	0	8
<u>Verify Admin</u>	8.985 s	1	0	1	0	4	1	1	2





#	Feature Name	T	P	F	S	Duration
1	<u>To check Login functionality</u>	3	0	3	0	5 m 16.561 s
2	<u>Verify Admin</u>	1	0	1	0	8.985 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check Login functionality</u>	<u>Login page title</u>	2	0	0	2	1 m 9.919 s
2	<u>To check Login functionality</u>	<u>Forgot password link</u>	2	0	0	2	2 m 12.308 s
3	<u>To check Login functionality</u>	<u>Login with Correct credentials</u>	4	0	0	4	1 m 54.265 s
4	<u>Verify Admin</u>	<u>Verify user is on Admin page</u>	4	1	1	2	8.985 s

To check Login functionality

FAILED	DURATION - 5 m 16.561 s	Scenarios		Steps	
/ 10:33:15.501 pm // 10:38:32.062 pm /		Total - 3		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 8	



Login page title

<div>FAILED</div> <div>DURATION - 1 m 9.919 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 10:33:15.509 pm // 10:34:25.428 pm /				
To check Login functionality				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.Hooks.LaunchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Process unexpectedly closed with status 0 Host info: host: 'DESKTOP-CE7VRV3', ip: '192.168.0.112' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133)	FAILED	1 m 9.869 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at com.factory.FactoryTest.init_driver(FactoryTest.java:26) at parallel.Hooks.LaunchBrowser(Hooks.java:36) </pre>		
1	Given User is on login page	SKIPPED	0.001 s
2	And User gets title of the page	SKIPPED	0.000 s
	<pre> AFTER - parallel.Hooks.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.Hooks.teardown(Hooks.java:51) </pre>	FAILED	0.007 s
	<pre> AFTER - parallel.Hooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.Hooks.quitBrowser(Hooks.java:42) </pre>	FAILED	0.001 s



Forgot password link

FAILED DURATION - 2 m 12.308 s / 10:34:25.463 pm // 10:36:37.771 pm / To check Login functionality		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
---	---	---	--

#	Step / Hook Details	Status	Duration
	<pre> BEFORE - parallel.Hooks.LaunchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error Host info: host: 'DESKTOP-CE7VRV3', ip: '192.168.0.112' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) </pre>	FAILED	2 m 12.296 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at com.factory.FactoryTest.init_driver(FactoryTest.java:26) at parallel.Hooks.LaunchBrowser(Hooks.java:36) </pre>		
1	Given User is on login page	SKIPPED	0.001 s
2	Then Forgot password link should be displayed	SKIPPED	0.000 s
	AFTER - parallel.Hooks.teardown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.Hooks.teardown(Hooks.java:51) </pre>	FAILED	0.002 s
	AFTER - parallel.Hooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.Hooks.quitBrowser(Hooks.java:42) </pre>	FAILED	0.002 s



Login with Correct credentials

FAILED	DURATION - 1 m 54.265 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:36:37.797 pm // 10:38:32.062 pm /				
To check Login functionality				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.Hooks.LaunchBrowser()	FAILED	1 m 54.250 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error Host info: host: 'DESKTOP-CE7VRV3', ip: '192.168.0.112' Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os. </pre>		

#	Step / Hook Details	Status	Duration
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:103) at com.factory.FactoryTest.init_driver(FactoryTest.java:26) at parallel.Hooks.LaunchBrowser(Hooks.java:36)		
1	Given User is on login page	SKIPPED	0.000 s
2	When User enters username as "Admin" and Password as "admin123"	SKIPPED	0.001 s
3	And User clicks on login button	SKIPPED	0.001 s
4	Then User gets the title of the page	SKIPPED	0.001 s
	AFTER - parallel.Hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.Hooks.teardown(Hooks.java:51)		
	AFTER - parallel.Hooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.Hooks.quitBrowser(Hooks.java:42)		

Verify Admin

FAILED	DURATION - 8.985 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:38:32.088 pm // 10:38:41.073 pm /					

Verify user is on Admin page

<div><div>FAILED</div><div>DURATION - 8.985 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:38:32.088 pm // 10:38:41.073 pm /				
Verify Admin				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	1.297 s
2	When User enters username as "Admin" and Password as "admin123"	FAILED	5.045 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: MicrosoftEdge=121.0.2277.128) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [17a19817946b7af4fd3459bc64ef43cc, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 121.0.2277.128, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52106}, msedge: {msedgedriverVersion: 121.0.2277.128 (33d347b6876..., userDataDir: C:\Users\dell\AppData\Local..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52106/devtoo..., se:cdpVersion: 121.0.2277.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 17a19817946b7af4fd3459bc64ef43cc</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.pages.LoginPage.enterUsername(LoginPage.java:42) at parallel.LoginSteps.user_enters_username_as_and_password_as(LoginSteps.java:46) at ?.User enters username as "Admin" and Password as "admin123"(file:///C:/Users/dell/eclipse-workspace/OraangeHRM_Cucumber/src/ test/resources/Appfeatures/VerifyAdmin.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	And User clicks on login button	SKIPPED	0.000 s
4	Then User gets the title of the page	SKIPPED	0.000 s
	AFTER - parallel.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.170 s
	<u>_V_e_r_i_f_y_u_s_e_r_i_s_o_n_A_d_m_i_n_p_a_g_e_</u>		
	