Store & Inventory

Part 1: Setting up your lists, opening stock and stock on hand, labels and scanning, the recipe of each finished good and production orders

A step-by-step guide for store managers, store keepers, accounts and administrators. Read it from top to bottom the first time; after that, use each step as a checklist while you enter data.

Page in the Inventory menu	What it is for
Inventory settings	The rules of the house (once)
Units	How things are measured
Item categories	Folders to group items
Stores	The rooms where stock is kept
Bins	Shelves inside a store (optional)
Raw materials ... General items	Every single thing you keep: one page per type
Suppliers	Who you buy from
Customers	Who you sell to
Opening stock	The count on day one
Stock on hand	What you have, where, and its value
Labels	Barcode labels for items, batches, packages and bins
Scan	Scan any label to see what it is
Production orders (Production menu)	Make finished goods from the materials

Version: 26 October 2026 (one page per item type; a finished good's materials on its own page; production orders).
Example company in this guide: a juice factory (sugar, mango pulp, bottles, mango juice).

What is inside

1. How to use this guide
2. The big picture: the idea and the order
3. Before you start: switch it on, give permissions, prepare your lists
4. Buttons you will see on every page
5. Step 1 · Inventory settings
6. Step 2 · Units
7. Step 3 · Item categories
8. Step 4 · Stores
9. Step 5 · Bins
10. Step 6 · Items: one page per type (and pack units)
11. Step 7 · Suppliers
12. Step 8 · Customers
13. Faster: filling lists from Excel
14. Step 9 · Opening stock (the count on day one)
15. Step 10 · Stock on hand
16. Step 11 · Labels
17. Step 12 · Scan
18. The finished goods flow, from raw material to sale
19. Step 13 · Materials (recipe) of a finished good
20. Step 14 · Production orders: make it
21. A full worked example from start to finish
22. Messages you may see, and what to do
23. Checklist
24. Words used in this guide


How to use this guide
Each step has: **Where** to find the page, **what it is**, what you **need first**, **what to click**, and a table of **every field**: what to write, an example, and **what the field does in the software** (the blue column).
Must fill? **Yes** = the form will not save without it. **No** = optional. **Sometimes** = needed only in the case explained.
Follow the steps **in order**. Each page uses what the pages before it created.

The big picture

The idea in one sentence: first you tell the software **what exists** (units, groups, stores, shelves, items, suppliers, customers); then you **count what is in each store on day one** and enter that count; from then on the software shows **exactly what you have and where**.

Think of opening a new shop's stock book: you write the headings, you count everything on opening day, and from then on you read the book to know what is there.

The order



Each page needs the ones above it: you cannot add an item without a unit and a category, and you cannot count stock without a store and an item.

Step	Page	Why it comes here
1	Inventory settings	General rules; set once before anything moves.
2	Units	Items are counted in a unit, so units come before items.
3	Item categories	Every item belongs to a category.
4	Stores	Stock always sits in a store.
5	Bins	Shelves belong to a store (optional).
6	Item pages	Uses units, categories and (optionally) a usual store.
7	Suppliers	Needed later for buying; set them up now.
8	Customers	Needed later for selling; set them up now.
9	Opening stock	Uses stores, bins and items. Stock starts here.
10	Stock on hand	Shows the result of everything above.
11	Labels	Labels are printed for items, batches, packages and bins.
12	Scan	Reads those labels back; needs labels to exist.
13	Materials (recipe)	On the finished good's page: uses its materials.
14	Production orders	Make the finished good from the materials in stock.

Before you start

1. Switch Store & Inventory on (platform owner)

1. Sign in as the **platform owner (root)**.
2. Open **Companies** → the company → **Feature access**.
3. Turn on **Store & Inventory** and save.
4. Sign in as the company's owner or administrator: the **Inventory** menu now appears in the sidebar.

> **Until this is on**
> The company sees no Inventory menu and no inventory permissions on the Access page.

2. Give people their permissions (company owner)

Open **Organisation** → **Access**, choose each person, and tick what they need. The owner and company administrator can do everything already.

Permission (as written on the Access page)	What it allows in this part
View stock and items	Open the Inventory pages, Labels, Scan and production orders, and look.
Set up items, stores, suppliers and customers	Add and edit steps 2 to 8.
Enter stock adjustments, counts and opening stock	Create an opening stock draft, add or remove its lines, import it.
Approve and post adjustments and opening stock	Post the opening stock (this puts it into stock), and reverse it.
See stock costs and values	See average cost and value on Stock on hand.
Print and reprint labels	Print item, batch, package and bin labels; void a label.
Set up BOMs (recipes)	Set the materials on a finished good's page (Step 13).
Plan and release production orders	Plan a run; release one someone else planned (Step 14).
Use materials and record production output	Use the materials and post the output (Step 14).

> **Good practice: two people**
> Let one person **enter** the opening stock and a **different person post** it. The software allows the same person if they hold both permissions, so make it a team rule.

3. Prepare your lists (on paper or Excel)

- Your **stores** (rooms) and, if you use them, the **shelves** in each.
- Your **items**: code, name, the unit you count in, and pack sizes (1 bag = 50 kg, 1 carton = 24 bottles).
- Which items have **batch numbers**, which **expire**, and which need a **quality check** before use.
- Your **suppliers** and **customers**.
- A **count day**: the date you will count every store, and who counts which store.

Buttons you will see on every page

Steps 2 to 8 are **lists**. Every list page works the same way:

Button / control	What it does
Add <something>	Opens a small form to add one new row (for example **Add unit**, **Add item**). Fill it and click **Add**.
Edit	On each row. Opens the same form with the row's values; change and click **Save**.
Activate / Deactivate	Switches a row off when you no longer use it, or on again. What it was used for stays correct. The software asks you to confirm first.
Delete	On the item pages, for an item whose stock never moved (a mistake, a test): it is gone for good, with its pack units. An item that has been used is deactivated instead.
Search box, filters	Find rows quickly. Lists show a count and page through long results.
Import from Excel	On the item pages, Stores, Suppliers, Customers and Opening stock: fill a ready template and upload many rows at once (see "Faster: filling lists from Excel").

Codes
Every list has a **Code**: a short, unique name such as **KG**, **RMS** or **RM-SUGAR**. The software turns it into CAPITAL letters for you. Keep codes short, without spaces, and never reuse one for something else.

If a form will not save
The reason appears in red under the field that needs fixing. Fix it and save again. Nothing is half-saved.

Step 1 · Inventory settings

Where: Inventory → Inventory settings Only the owner or company administrator.

What it is: the general rules for the whole company. You set them once, before any stock is entered.

1. Open the page.
2. Check each field below (most can stay as they are).
3. Click **Save**.

Field on screen	What to write	What it does in the software
Average cost Required	**One average cost per item for the whole company** (usual), or one per store if stores really buy at different prices. e.g. Whole company	Decides how every stock value is worked out: one moving average cost per item for the whole company, or a separate one in each store. **Fixed once stock has moved.**
Warn before expiry (days) Required	How many days before a batch expires the software starts warning. e.g. 30	Batches that expire within this many days are listed as "expiring" in the morning email (and the Batch and expiry report, a later part).
Slow-moving days Required	An item not used, issued or sold for this many days is called slow-moving in reports. e.g. 90	The "Slow and non-moving stock" report (a later part) lists items that have not moved for this many days.
Alert emails Optional	Who gets the morning email about low and expiring stock. One email per line. Empty = no email. e.g. store@company.com	These people get the morning stock email: items to reorder, expired and expiring batches. Starts once the daily email is switched on on the server.
Small label Required	Size of small stickers for the label printer. e.g. 50 × 25 mm	The size used when small labels are printed (items, batches).
Large label Required	Size of carton stickers. e.g. 100 × 50 mm	The size used when carton (package) labels are printed.
GS1 labels Optional (tick)	A special barcode some big buyers ask for. Leave unticked unless a customer asks. e.g. Unticked	Adds a GS1-128 barcode (item, batch, expiry, quantity) to large labels, for items with a 13 or 14 digit barcode.

Important
Average cost cannot be changed once stock has moved. Decide it before Step 9. After that the page says: "Stock has moved, so the average cost choice is fixed now."

Step 2 · Units

Where: Inventory → Units

What it is: the units you measure and count in: kilogram, litre, piece, bag, carton...

You need first: nothing.

1. Click **Add standard units** once. It adds KG, G, L, ML, PCS, BOX, CARTON, BAG, DRUM, ROLL, M, SET and PAIR. Units you already have are kept.
2. For anything missing, click **Add unit**, fill the form, click **Add**.

Field on screen	What to write	What it does in the software
Code Required	A short, unique code. e.g. KG	Shown next to every quantity in this unit, e.g. "500 KG".
Name Required	The full name. e.g. Kilogram	Shown in lists, so people know what the code means.
Kind Required	Weight, Volume, Count, Length or Other. e.g. Weight	Describes the unit. It does not change any calculation.
Decimals Required	How many digits after the point a quantity may have. **0** = whole numbers only. e.g. KG: 3 (1.250 kg) PCS: 0	**Checked on every quantity** in this unit: with 0, "2.5 PCS" is refused; with 3, "1.2505 KG" is refused.

Pack sizes are not set here
"1 carton = 24 bottles" or "1 bag = 50 kg" is set on **each item** (Step 6, Pack units), because a carton of one item is not a carton of another.

Step 3 · Item categories

Where: Inventory → Item categories

What it is: folders to group items, so lists and reports are easy to read. They do not change stock or costs.

You need first: nothing.

1. Click **Add category**.
2. Make the **main** folders first, with Parent category = **None (main category)**.
3. Then add **sub-folders**, choosing their main folder as the Parent category.

Field on screen	What to write	What it does in the software
Code Required	A short, unique code. e.g. SWT	Identifies the folder in lists and Excel imports.
Name Required	The folder's name. e.g. Sweetener	Shown in the Items list and reports.
Item type Required	One of five: Raw material, Packaging, Finished goods, Spare part, General store. e.g. Raw material	An item can only be put in a category of **its own** item type.

Field on screen	What to write	What it does in the software
Parent category Optional	**None (main category)** for a main folder; or choose one to put this inside it. It must have the **same item type**. e.g. Sugar → parent Sweetener	Builds folders inside folders. Only for grouping; the parent must have the same item type.

Example tree	
Raw material	Sweetener → Sugar, Glucose; Fruit → Mango pulp
Packaging	Bottle → PET 500 ml; Carton
Finished goods	Juice → Mango juice 250 ml
Spare part	Bearing; Belt

The list page
In the list, the column **Parent** shows each category's parent folder.

Step 4 · Stores

Where: Inventory → Stores

What it is: each room or warehouse where stock is kept. Every store belongs to one branch.

You need first: the branches (Organisation → Branches), which already exist.

1. Click **Add store**.
2. Fill the form, click **Add**.
3. Repeat for every store. Or import them all (see "Faster: filling lists from Excel").

Field on screen	What to write	What it does in the software
Branch Required	The branch the store is in. e.g. HC Factory	Stock in this store belongs to that branch. People see and work with the store only if they have permissions in that branch.
Code Required	A short, unique code. e.g. RMS	Identifies the store on lines, labels, reports and Excel imports.
Name Required	The store's full name. e.g. Raw Material Store	Shown in lists and on Stock on hand.
Store type Required	Raw material, Packaging, Finished goods, Spare parts, General, Production floor, Quarantine, In transit, or Rejected. e.g. Raw material	**Quarantine, Rejected and In transit** are "not for use": stock there can never be issued, used in production or sold. The other types are normal stores.
Notes Optional	Anything extra. e.g. Ground floor, gate 2	For reference only.

Tip
Make a store for each real room. Typical factory: Raw Material Store (RMS), Packaging Store (PKS), Finished Goods Store (FGS), Spare Parts Store (SPS), plus a Quarantine store if goods wait for a quality check.

Step 5 · Bins

Where: Inventory → Bins

What it is: shelves, racks or bins inside a store, so the software can say exactly where something is. **Optional**: skip this step if you do not track shelves.

You need first: the stores (Step 4).

1. Click **Add bin**.
2. Choose the store, write the bin code, click **Add**.

Field on screen	What to write	What it does in the software
Store Required	The store the shelf is in. e.g. RMS	The shelf belongs to this store. On a line, the bin must be in that line's store.
Bin code Required	The shelf's address, unique inside that store. e.g. R1-S2-B3 (rack 1, shelf 2, bin 3)	Shown on Stock on hand, so people know exactly which shelf to go to.
Description Optional	Words that help people find it. e.g. Left wall, top shelf	For reference only.

Step 6 · Items: one page per type

Where: Inventory → Raw materials, Packaging, Finished goods, Spare parts, General items

What it is: every single thing you buy, make, store or sell. Each type has **its own page** and its own short **Add** form; **All items** lists every type together. This is the most important list: take your time with it.

You need first: units (Step 2) and categories (Step 3); stores (Step 4) if you want to set a usual store.

1. Open the page of the type, e.g. **Inventory** → **Raw materials**, and click **Add raw material**. The type is set by the page: there is no Item type box.
2. Fill the short form below and click **Add**. The rarely used fields are folded under **More details (optional)**.
3. If you also buy or count it in packs, open the item (its code) and add its **pack units** (below).

The Add form

Field on screen	What to write	What it does in the software
Code Required	A short, unique code. e.g. RM-SUGAR	Identifies the item everywhere: lines, labels, reports, Excel imports. Search and scan find it by code.
Name Required	The item's name. e.g. Sugar	Shown everywhere. Search finds the item by name too.
Category Required	Its folder from Step 3. Only categories of this type are offered. e.g. Sugar	Groups the item in lists and reports. Must be of the same item type.

Field on screen	What to write	What it does in the software
Base unit Required	The unit stock is counted in. **Cannot change once stock has moved.** e.g. KG	**All stock of this item is kept in this unit**; every report shows it in this unit; its Decimals rule applies. Fixed once stock has moved.
Keeps batches Optional (tick)	Tick if each delivery has a batch or lot number you want to track (food, chemicals). e.g. Ticked	**Every stock entry needs a batch number.** Stock on hand shows each batch separately. Later, issues take the batch that expires first.
Has an expiry date Optional (tick)	Tick if it can go bad. **Keeps batches** is ticked with it. e.g. Ticked	**Every batch needs an expiry date.** Expired batches can never be issued, used or sold, and appear in the warnings. Needs "Keeps batches" ticked too.
Shelf life (days) Optional	Shown once expiry is ticked. How long it lasts after it is made. e.g. 365	When only the manufacture date is given, the expiry date is worked out by itself: made 1 Oct + 365 days = expires 1 Oct.
QC before use Optional (tick)	Raw materials and packaging only. Tick if new stock must pass a quality check before anyone may use it. e.g. Ticked	Goods of this item that arrive later (from a purchase or from production) are held until a quality check passes them. Opening stock counts as already checked.
Usual store Optional	Where it is normally kept. e.g. RMS	On the count day, the item is listed on this store's count sheet. Shown on the item's page.
Sale price Optional	Finished goods only, on the main form. Elsewhere under More details. e.g. (empty)	The selling price used on a sales order when the customer's price list has no price for it (a later part).
VAT rate Optional	Finished goods only, on the main form. Elsewhere under More details. e.g. (empty)	Filled in on purchase and sales order lines, and printed on invoices (later parts).
Name in Bangla Optional	Under More details. The Bangla name, if you want it shown. e.g. (Bangla name)	Shown with the item; search also finds it by the Bangla name.
Barcode Optional	Under More details. Only a barcode **already printed** on the product (EAN-13). e.g. (empty)	Scanning the product's printed barcode finds this item.
Min stock Optional	Under More details. Never let stock fall below this. e.g. 500	If what is available falls **below** this, the item shows as "Below minimum" in the morning email and the Reorder report.
Reorder point Optional	Under More details. When stock falls to this, buy more. e.g. 1000	If what is available falls **to or below** this, the item is listed "to reorder" in the morning email and the Reorder report.
Reorder qty Optional	Under More details. How much to buy each time. e.g. 2000	The quantity the Reorder report suggests buying (when no Max stock is set).
Max stock Optional	Under More details. Do not keep more than this. e.g. 5000	If set, the suggested order is Max minus what is available minus what is already on order. Min and Reorder point cannot be above it.
Standard cost Optional	Under More details. The expected cost of **one base unit**. e.g. 120	Pre-filled as the unit cost on the count sheets, and as the price on new purchase orders (a later part). Does not change stock value.
HS code Optional	Under More details. Customs code, for imported items. e.g. (empty)	For reference only (customs).

Field on screen	What to write	What it does in the software
Notes Optional	Under More details. Anything extra. e.g. Supplier packs in 50 kg bags	For reference only.

Rules the item form checks
Ticking **Has an expiry date** ticks **Keeps batches** too (each batch has its own expiry); clearing Keeps batches clears the expiry.
Only categories of the page's type are offered.
Min stock and **Reorder point** cannot be above **Max stock**.
Base unit and the batch / expiry ticks should be right from the start: once stock has moved, the base unit is fixed.
A form that will not save opens again with your values and the reason in red.

Raw materials and finished goods
Make **every material** first (on Raw materials or Packaging), then the **finished good** on Finished goods, with its **Sale price**.
The materials a finished good is made of are set **on its own page**, in the **Materials (recipe)** card (Step 13).
Raw materials can be sold too: a sales order takes any active item (Sales is a later part).

Pack units (on the item's own page)

Open the item, then **Pack units** → **Add pack unit**. A pack unit lets people count in bags or cartons while the software keeps the stock in the base unit.

Field on screen	What to write	What it does in the software
Pack unit Required	The bigger unit (from Step 2). e.g. BAG	Lets people enter quantities in this unit on any line.
Factor Required	How many **base units** are in one pack. e.g. 50 (1 bag = 50 kg)	**The conversion**: 10 BAG × 50 = 500 KG is what goes into stock. A cost per bag becomes a cost per kg the same way (6,000 ÷ 50 = 120).
Barcode Optional	Only if the pack has its own printed barcode. e.g. (empty)	Scanning the carton's own barcode finds this item and this pack.

Example
Sugar: base unit KG; pack unit BAG with factor 50. On the count day you can write **10 BAG**; the software stores **500 kg**.

What the item page shows

- **Details**: the values above.
- **Pack units**: add or remove packs.
- **Materials (recipe)**: finished goods only (Step 13).
- **Batches**: stock of this item in each store, by batch.
- **Stock card**: every movement in and out, newest first.

Step 7 · Suppliers

Where: Inventory → Suppliers

What it is: the companies you buy from. Set them up now; they are used fully when buying is switched on later.

You need first: nothing.

1. Click **Add supplier**.
2. Fill the form, click **Add**.

Field on screen	What to write	What it does in the software
Code Required	A short, unique code. e.g. SUP-ABC	Identifies the supplier on purchase documents and Excel imports.
Name Required	Company name. e.g. ABC Sugar Mills Ltd.	Printed on purchase orders (a later part).
Contact person Optional	Who you talk to. e.g. Mr. Rahman	For reference; shown on the supplier's row.
Phone Optional	Their phone. e.g. 01700-000000	For reference; shown on the supplier's row.
Email Optional	Their email. e.g. sales@abcsugar.com	Where "Email to supplier" sends the purchase order (a later part).
Address Optional	Their address. e.g. Tongi, Gazipur	For reference.
BIN Optional	Their VAT registration number. e.g. 000123456-0101	Printed on the purchase order PDF.
TIN Optional	Their tax ID. e.g. 123456789012	For reference only.
Payment terms (days) Required	Days they give you to pay. **0** = cash on delivery. e.g. 30	Fills in the order's terms: "Payment 30 days after delivery" (a later part).
Items supplied Optional	Item codes they sell, separated by commas. e.g. RM-SUGAR, RM-GLU	For reference only: a note of what they sell.
Notes Optional	Anything extra.	For reference only.

Step 8 · Customers

Where: Inventory → Customers

What it is: the people and companies you sell to. Set them up now; they are used fully when selling is switched on later.

You need first: nothing.

1. Click **Add customer**.
2. Fill the form, click **Add**.

Field on screen	What to write	What it does in the software
Code Required	A short, unique code. e.g. CUS-SYL01	Identifies the customer on sales documents and Excel imports.
Name Required	Customer's name. e.g. Sylhet Traders	Printed on challans and invoices (a later part).
Customer type Required	Distributor, Dealer, Retailer or Corporate. e.g. Distributor	Groups customers in lists and reports.
Contact person Optional	Who you talk to. e.g. Mr. Karim	For reference.
Phone Optional	Their phone. e.g. 01800-000000	For reference; shown on the row.
WhatsApp Optional	Their WhatsApp number (lets the future order assistant recognise them). e.g. 01800-000000	Lets the AI order assistant recognise orders from this number (a later part).
Email Optional	Their email. e.g. orders@sylhettraders.com	Lets the AI order assistant recognise orders from this address (a later part).
Address Optional	Their address. e.g. Zindabazar, Sylhet	For reference.
Territory Optional	Their sales area. e.g. Sylhet	Groups customers by area; shown on the row.
Credit limit Required	The most they may owe. **0** = no limit is checked. e.g. 200000	When a sales order is confirmed (a later part), the software adds up what is unpaid, on order and this order; above the limit it asks why. **0 = no credit check.**
Payment terms (days) Required	Days given to pay. e.g. 15	Printed on the invoice ("Payment within 15 days") and sets its due date (a later part).
Price list name Optional	Which price list they buy at (used later in Sales). e.g. Distributor	Sales order prices come from the price list with this name; if it has no price, the item's Sale price is used (a later part).
Notes Optional	Anything extra.	For reference only.

Faster: filling lists from Excel

Instead of typing rows one by one, you can fill a ready Excel template and upload it. Available for **Stores (with their bins)**, **Items (with their pack units)**, **Suppliers**, **Customers** and **Opening stock**.

1. On the list page, click **Import from Excel**.
2. Click **Download the template**. Fill it in Excel. Keep the column headings as they are.
3. Back on the import page: **1. Upload** the filled file (.xlsx, .xls or .csv).
4. **2. Preview**: every row is shown with its result: **Add** (will be added), skipped (already in the software or empty), or refused **with the reason**.
5. Fix any refused rows in the file and upload again, or confirm if all is well.
6. **Confirm**. Only now are the rows written.

> **Safe to try**
> **Nothing is written until you confirm.** Uploading and previewing changes nothing, so you can upload as often as you need.

Template	What it fills	Fill it after
01-stores.xlsx	Stores and their bins	Branches exist
02-items.xlsx	Items and their pack units	Units and categories
03-suppliers.xlsx	Suppliers	-
04-customers.xlsx	Customers	-
06-opening-stock.xlsx	Opening stock lines (as a draft)	Stores and items

Step 9 · Opening stock (the count on day one)

Where: Inventory → Opening stock

What it is: how the real stock gets into the software. **Until an opening stock is posted, every item has zero stock.**

You need first: stores (Step 4), items (Step 6), and bins (Step 5) if you use them.

It happens in three stages

Stage	What it means	Who
Draft	Being entered and checked. **Nothing is in stock yet.** Lines can be added, removed or imported.	"Enter stock adjustments, counts and opening stock"
Posted	Final. The stock now exists, batches are made, each item gets its first average cost. **Never edited after this.**	"Approve and post adjustments and opening stock"
Cancelled / Reversed	Cancelled = a draft thrown away. Reversed = a posted one undone (with a reason).	As above

Stage A: count every store

1. Choose the **opening day**: the date you count.
2. Count store by store: the quantity, and for batch items the batch number and expiry (and manufacture date if known), and the shelf if you use bins.
3. Write the cost of each item (accounts checks it; the last purchase price is a good basis).

Stage B: enter it as a draft

Way 1, by hand: click **New opening stock**, fill the header, then add one line per item, per store, per batch with **Add line**.

Way 2, from Excel: click **Import from Excel**, give the **Opening day**, upload the filled opening stock template, check the preview, confirm. The rows become the lines of a **new draft**.

The header

Field on screen	What to write	What it does in the software
Opening day Required	The date you counted. All the stock is dated this day. e.g. 01 Nov 2026	Every stock movement of this opening stock is dated this day.
Note Optional	Anything extra. e.g. Full count, all stores	For reference only.

Each line (Add line)

Field on screen	What to write	What it does in the software
Store Required	Where it was counted. e.g. RMS	The stock goes into this store.
Bin Optional	The shelf, if you use bins. It must be in that store. e.g. R1-S2-B3	The stock goes onto this shelf; Stock on hand shows it there.

Field on screen	What to write	What it does in the software
Item Required	What was counted. e.g. RM-SUGAR	The item whose stock this is.
Batch no. Sometimes required	**Required** if the item keeps batches. **Must be empty** if it does not. e.g. SUG-2610	Creates the batch with this number. Stock on hand and labels show it. Shown only for an item that keeps batches.
Supplier batch no. Optional	The supplier's own batch number, if any.	Kept on the batch, to trace it back to the supplier.
Manufacture date Optional	When it was made. Not after the opening day. e.g. 01 Oct 2026	Kept on the batch; with the item's shelf life it sets the expiry.
Expiry date Sometimes required	**Required** if the item has an expiry date. Leave empty to have it worked out from the shelf life. Not before the manufacture date. e.g. 01 Oct 2027	Kept on the batch: drives the expiry warnings, and blocks the batch from use once expired.
Quantity Required	How many were counted (more than 0). e.g. 10	With the unit, becomes the stock in the base unit (shown as "In base unit").
Unit Required	The item's base unit, **or one of its pack units**. e.g. BAG	Base unit or a pack unit; a pack is converted with its factor.
Unit cost Required	The cost of **one** of the unit you chose. e.g. 6000 (one bag)	Sets the item's **first average cost** (per base unit = unit cost ÷ pack factor) and the value of this stock.
Note Optional	Anything extra.	For reference only.

The line follows the item
Once you choose the **Item**, the line asks only what that item needs: the batch, supplier batch, manufacture and expiry boxes show only for an item that keeps batches, and **Unit** offers only the item's base unit and its packs (with one unit, it is chosen and hidden).
The manufacture date cannot be after the opening day: later days are greyed out.

How the software counts it
10 BAG at 6,000 a bag, with 1 BAG = 50 KG, becomes **500 kg at 120 a kg** (value 60,000). The line shows both: the quantity you wrote and the quantity **In base unit**.

Stage C: check, then post

1. Open the draft. Check every line: store, item, batch, expiry, quantity, cost, and the total value.
2. Wrong line? Click **Remove** on it and add it again correctly.
3. When everything is right, the person who posts clicks **Post** and confirms.
4. After posting, **Print all labels** gives one label per batch (or per item without batches) to stick on the stock.

After posting
A posted opening stock is **never edited**. If something was wrong, click **Reverse**, write why, then enter and post a correct one.
Reverse is refused if some of that stock has already been used. In that case the correction is made with a stock adjustment (a later part of the module).

Other buttons
Cancel draft: throw away a draft that will not be posted (it stays listed as cancelled).

Step 10 · Stock on hand

Where: Inventory → Stock on hand

What it is: the answer to **what do we have, where, and what is it worth**.

You need first: a posted opening stock (Step 9).

Column	Meaning
Code, Item	The item.
Store, Bin	Where it is.
Batch, Expiry	Which batch, and when it expires.
On hand	How much is physically there, in the base unit.
Reserved	Kept aside for a sales order (used in a later part).
Available	On hand minus reserved: what can be used now.
Average cost, Value	Cost per base unit, and on hand × cost. Shown only to people with "See stock costs and values".

Filters: choose a **store** or an **item type** to narrow the list. Click an item to open its page and see its **stock card** (every movement).

Check after posting
Compare Stock on hand, store by store, with your count sheets. They must match exactly.

Step 11 · Labels

Where: Inventory → Labels

What it is: barcode labels the software prints, and the register of every label it made: where it came from, how often it was printed, and whether it still scans.

You need first: items (Step 6); bins (Step 5) for bin labels; a posted opening stock (Step 9) for its labels. Permission: **Print and reprint labels**.

The four kinds of label

Kind	What it is stuck on	Printed from	Code
Item	A shelf card or a loose item. One per item.	The item's page: **Print item label**	The item's own barcode, else its code
Batch	The card of one batch (no quantity).	The item's page, Batches: **Batch card**	B...
Package	One bag, drum, carton or roll: item, batch and quantity.	The item's page: **Package labels**; a posted opening stock: **Labels** on a line or **Print all labels**	P...
Bin	A shelf. One active label per bin.	Bins: **Label** on a row; Stores: **Bin labels** (every bin of the store)	L...

Printing

1. Click the print button where the label belongs (table above).
2. The **Print** box opens. Choose the number of copies. If the label was printed before, also write **why** it is printed again.
3. Click **Print**. A PDF opens with one page per label, sized for the label printer. Print it and stick the labels on.

The Print box

Field on screen	What to write	What it does in the software
Copies of each Required	How many copies of each label. e.g. 1	Every label in the PDF is printed this many times (1 to 20). Each copy carries the same code, so any copy scans to the same record. At most 500 labels in one PDF.
Why print again Sometimes required	**Required** when the label was printed before: torn, lost, unreadable. e.g. Label torn in the store	Asked only when a label was printed before. Saved with the reprint in the audit trail; the label's **Printed** count goes up.

Package labels (from the item's page)

For stock that comes in packages: say how many packages and what one holds; the software makes one label per package.

Field on screen	What to write	What it does in the software
Batch Sometimes required	**Required** if the item keeps batches: the batch in the packages. e.g. SUG-2610	Printed on every label. Scanning one then fills the item, the batch and its expiry at once. Required for an item that keeps batches.
Packages Required	How many packages (labels). e.g. 10	How many labels to make: one per bag, drum or carton (1 to 500). Each gets its own code (P...), so each package can be told apart.
In each package Required	What one package holds. e.g. 1	The quantity printed on each label. A scan fills this quantity in, so it must be what one package really holds.
Unit Required	The unit of that quantity. e.g. BAG	The unit of that quantity: the item's base unit or one of its pack units. Shown on the label and converted to the base unit when scanned.

Field on screen	What to write	What it does in the software
Store Optional	Where the packages are kept. e.g. RMS	Recorded on the label as where the packages were put. Only stores of your branches are offered.
Bin Optional	The shelf, if you use bins. e.g. R1-S1	The shelf inside that store, recorded on the label. Choosing a bin alone also sets its store.

The register (this page)

Every label, newest first: **Code, Kind, Item, Batch, Quantity, Where** (store / bin), **Printed** (how many times), **Last printed** and **Status**. Filter by kind and status; search by code, item, batch or bin. Each row has **Print / Reprint** and **Void**.

Void a label

Field on screen	What to write	What it does in the software
Why it is void Required	Why the label must no longer be used. e.g. Wrong batch written	From now on a scan of this label is **refused with this reason**, and it can no longer be printed. It cannot be made active again: print a new label instead.

When to void
A label stuck on the wrong goods, or a package that no longer exists. Peel it off, **Void** it, and print a correct one. A void label never scans again.

Step 12 · Scan

Where: Inventory → Scan

What it is: scan any label to see what it is. **Nothing changes; it only looks.**

You need first: labels (Step 11), or items with their printed barcode (Step 6).

1. Open the page; the cursor is already in the **Scan or type a code** box.
2. With a **barcode scanner**: point it at the label and scan. The scanner types the code and presses Enter.
3. On a **phone**: click **Camera**, allow the camera, and hold the label in front of it.
4. No scanner? Type the code and press Enter.
5. The result appears under the box, newest first. Scan the next label.

What a scan shows

You scan	It shows
A package label (P...)	The item, its batch and expiry, the quantity in the package, and the store / bin it was put in.
A batch card (B...)	The item and the batch with its expiry.
An item label or the product's own barcode	The item (code and name); its page opens from the result.
A pack's own barcode (e.g. a carton)	1 pack of the item (e.g. 1 CARTON of PK-BTL500).
A bin label (L...)	The bin and its store.


You scan	It shows
A supplier's GS1 barcode	The item, and the batch, expiry and quantity printed in the barcode.

Warnings a scan can give
Label ... is void: (reason): the label was voided; peel it off.
Batch ... is quarantined / rejected: it cannot be issued or sold.
Batch ... expired on (date).
Label ... is marked used up.
Label ... belongs to another company.
"..." is not a label, item or barcode in this company.: nothing in the software has that code.

Where scanning is used later
The same scan box is on the pages of goods receipts, store issues, production and deliveries (later parts): scanning a package label there fills the item, batch and quantity of the line by itself.

The finished goods flow, from raw material to sale

A finished good is **made from** raw materials and packaging. The software keeps three things apart: the **items** (what exists), the **recipe** (what one batch of a product uses) and the **stock** (what you have).



	What you do	Where	Today
1	Make every material an item: Raw material or Packaging.	Inventory → Raw materials, Packaging (Step 6)	Shown
2	Make the finished good an item: type **Finished goods**, with its sale price; tick batches / expiry if it expires.	Inventory → Finished goods (Step 6)	Shown
3	Add its materials: what one batch uses. It is in use at once.	The finished good's page (Step 13)	Shown
4	Make it: a **production order** takes the materials out of the raw material store and puts the finished goods into the finished goods store as a new batch, with its labels and its cost.	Production → Production orders (Step 14)	Shown
5	Sell it (and raw materials too): sales order, delivery, invoice.	Sales	A later part

Finished goods already on the shelf
Count them on **Opening stock** (Step 9) like any other item. From then on they come from production orders (Step 14).

How a production order uses the recipe

- **Materials planned** = quantity per batch × (quantity to make ÷ batch size) × (1 + scrap %).
- Materials are taken from the store **first expiry first**, or by scanning their package labels.
- When the run is finished, the good quantity goes into the finished goods store as a **new batch** (expiry from the product's shelf life) at **unit cost = cost of materials used ÷ good quantity**. Rejects are recorded as wastage.

Step 13 · Materials (recipe) of a finished good

Where: Inventory → Finished goods → the product → **Materials (recipe)**

What it is: what one batch of a finished good uses, on the product's own page. There is nothing to activate: the recipe is **in use as soon as it has a material**.

You need first: the finished good and all its materials as items (Step 6). Permission: **Set up BOMs (recipes)**.

Add the materials

1. Open **Inventory** → **Finished goods** and click the product's code.
2. In **Materials (recipe)**, write how much **one batch makes** (in the product's unit) and click **Save**.
3. Click **Add material** once for every ingredient and packaging item. The material's unit shows beside the quantity as soon as you choose it.
4. Not added yet? In Add material choose **A new raw material or packaging item**: give its type, code, name, category and unit, and it is made and put on the recipe in one go.
5. A wrong line: **Remove** it and add it again. The page comes back to the card and says what was saved.

One batch makes

Field on screen	What to write	What it does in the software
One batch makes Required	How much one batch makes, in the product's unit. e.g. 1000 (PCS)	How much one batch of the recipe makes, in the product's own unit. Every material quantity is for this amount; a production order for more or less scales them up or down.

The Add material form

Field on screen	What to write	What it does in the software
Material Required	One already added, or a new one (type, code, name, category, unit). e.g. RM-MANGO Mango pulp	Only active **raw materials and packaging** are offered, and not those on the recipe already. A new one is made as an item of its type, then put on the recipe. Packaging items are marked **Packaging** by themselves.
How much one batch uses Required	In the material's own unit (shown beside the box). e.g. 120 (KG)	In the material's own unit, shown beside the box when you choose it. Planning multiplies it by (quantity to make ÷ batch size).
Normal wastage % Optional	Normal wastage of this material (0 to 100). e.g. 2	Added on top when production is planned: 2% on 120 kg plans 122.4 kg.

Changing a recipe

Remove the line and add it again with the new quantity. Production orders already made keep the materials they were planned with; new orders use the recipe as it is now.

Rules the recipe checks
Only a finished good has a recipe; only raw materials and packaging can be on it.
Each material is on a recipe once: the Add material list leaves out those already on it.
A recipe in use keeps at least one material: add the new one first, then remove the old one.

Step 14 · Production orders: make it

Where: Production → Production orders

What it is: a run that makes a quantity of a finished good: plan it, release it, use the materials, post the output.

You need first: a finished good with materials (Step 13) and the materials in stock. Permissions: **Plan and release production orders**, **Use materials and record production output**.

1. Click **Plan production**, fill the form below, click **Plan**. The order opens with the planned materials worked out.
2. Click **Release**. Someone other than the planner releases it, unless the planner is the owner or a company administrator; a planner who may not sees "someone else with planning access releases it".
3. Click **Use planned materials**: a draft opens with each material taken first expiry first (or scan the package labels). Check it and click **Post**.
4. Back on the order, click **Post output**: the good and rejected quantity. The finished goods are in their store as a new batch, at the cost of the materials.
5. When nothing is left to do, click **Close**.

The Plan production form

Field on screen	What to write	What it does in the software
Product Required	The finished good. e.g. FG-MJ500 Mango juice 500 ml	Only finished goods whose recipe has materials are offered. The recipe in use is followed.
How many to make Required	In the product's unit. e.g. 5000	In the product's own unit. The planned materials are worked out from it at once.
Planned date Required	The day of the run. e.g. 05 Nov 2026	The day the run is planned for; the output date starts from it.
Materials from store Required	Chosen already: your raw material store. e.g. RMS	The materials are taken from this store. Your raw material store is chosen already.
Finished goods into store Required	Chosen already: your finished goods store. e.g. FGW	The good quantity goes into this store. Your finished goods store is chosen already.
Note Optional	Anything extra.	For reference only.

The Post output form

Field on screen	What to write	What it does in the software
Output date Required	The day it was made. e.g. 05 Nov 2026	The new batch is made on this day; its expiry is worked out from the product's shelf life.
Good quantity Required	What passed, in the product's unit (shown in the label). e.g. 4950	Goes into the finished goods store as a **new batch**, at unit cost = materials used ÷ good quantity.
Rejected Optional	What was thrown away. e.g. 50	Recorded as wastage. It is not in stock.

Field on screen	What to write	What it does in the software
More details Optional	Folded: batch no., expiry, bin, packages, note.	Batch no. (made by itself when empty), expiry date, bin, how many packages (one label each) and a note.

A full worked example

A juice factory sets up its items, enters its count of 1 November 2026, prints labels, adds the materials of its mango juice and makes the first run.

1. Settings and lists

Page	What they entered
Inventory settings	Average cost: whole company. Warn before expiry: 30. Alert emails: store@company.com
Units	Clicked Add standard units (KG, PCS, BAG, CARTON, DRUM ...).
Item categories	SWT Sweetener (Raw material, main); SUG Sugar (parent Sweetener); FRT Fruit (Raw material); BTL Bottle (Packaging).
Stores	RMS Raw Material Store (Raw material) and PKS Packaging Store (Packaging), both in HC Factory.
Bins	RMS: R1-S1, R1-S2.
Item pages	RM-SUGAR Sugar (Raw materials): base KG, keeps batches, has expiry, shelf life 365, pack BAG = 50. RM-MANGO Mango pulp (Raw materials): base KG, keeps batches, has expiry, QC before use, pack DRUM = 220. PK-BTL500 PET bottle 500 ml (Packaging): base PCS, no batches, pack CARTON = 200.
Suppliers	SUP-ABC ABC Sugar Mills, terms 30 days.
Customers	CUS-SYL01 Sylhet Traders, Distributor, credit limit 200,000.

2. The count (opening stock draft, opening day 01 Nov 2026)

Store / Bin	Item	Batch	Expiry	Qty + Unit	Unit cost	In base unit
RMS / R1-S1	RM-SUGAR	SUG-2610	empty; made 01 Oct 2026, so 01 Oct 2027 from the shelf life	10 BAG	6,000	500 kg at 120
RMS / R1-S2	RM-MANGO	MP-0915	15 Sep 2027	8 DRUM	46,200	1,760 kg at 210
PKS / -	PK-BTL500	(empty)	(empty)	12 CARTON	1,600	2,400 pcs at 8

Sugar: the expiry was left empty and the manufacture date given; with a shelf life of 365 days the software filled in 01 Oct 2027. Mango pulp has no shelf life set, so its expiry was written. Bottles keep no batches, so batch and expiry stay empty.

3. Post and check

1. The store keeper entered the lines; the store manager checked them and clicked **Post**.
2. Stock on hand now shows: Sugar 500 kg (value 60,000), Mango pulp 1,760 kg (value 369,600), Bottles 2,400 pcs (value 19,200).
3. They printed all labels from the posted opening stock and stuck them on.

4. Labels, scanning and the materials of the juice

1. Bins: they printed **Bin labels** for RMS from the Stores page and stuck one on each shelf.
2. Sugar arrived as 10 bags: on the item page, **Package labels** with batch SUG-2610, 10 packages of 1 BAG, store RMS, bin R1-S1. Ten labels P1-000001 to P1-000010 came out, one per bag.
3. On **Scan**, scanning a bag showed: RM-SUGAR Sugar · batch SUG-2610 · 1 BAG, expiry 01 Oct 2027, in RMS / R1-S1.

4. On **Finished goods** they added **FG-MJ500 Mango juice 500 ml**: base PCS, keeps batches, has expiry, shelf life 180 days, sale price 45; then pack CARTON = 24 on its page.
5. On FG-MJ500's page, **Materials (recipe)**: one batch makes 1,000 PCS. They added the materials below; the recipe was in use at once.

Material	One batch uses	Wastage %	Type	For 5,000 bottles
RM-MANGO Mango pulp	120 KG	2	Raw material	120 × 5 × 1.02 = 612 kg
RM-SUGAR Sugar	40 KG	0	Raw material	40 × 5 = 200 kg
PK-BTL500 PET bottle 500 ml	1,000 PCS	1	Packaging	1,000 × 5 × 1.01 = 5,050 pcs

5. The first run

1. Production → Production orders → **Plan production**: FG-MJ500, 5,000, 05 Nov 2026 (stores RMS and FGW were chosen already). The order planned the last column above.
2. The production manager clicked **Release**; the store keeper clicked **Use planned materials**, checked the batches (first expiry first) and clicked **Post**.
3. After the run: **Post output**, good 4,950, rejected 50. Stock on hand showed 4,950 PCS of FG-MJ500 in FGW as a new batch, at the materials' cost ÷ 4,950.

Messages you may see, and what to do

The message says	Why	What to do
... keeps batches: give the batch number.	The item is set to keep batches.	Write the batch number on the line.
... does not keep batches; leave it empty.	A batch was written for an item without batches.	Clear the Batch no. field.
... has an expiry date: give it, or the manufacture date.	The item expires and neither date was given.	Write the expiry date, or the manufacture date (the expiry is worked out from the shelf life).
... has an expiry date: give it (it has no shelf life ...).	The item expires and has no shelf life to work it out from.	Write the expiry date, or set the item's shelf life first.
The expiry date is before the manufacture date.	Dates swapped or mistyped.	Correct the dates.
Made after the opening day?	Manufacture date is later than the opening day.	Correct the manufacture date or the opening day.
Bin ... is not in	The shelf belongs to another store.	Choose a bin of that store, or the right store.
... is counted in KG or its pack units.	The unit chosen is not the item's base unit or one of its packs.	Choose the base unit, or add that pack unit to the item first (Step 6).
... is counted in whole PCS.	A part of a piece was written (2.5 PCS).	Write a whole number.
... takes at most 3 digits after the point in KG.	Too many decimals.	Round the quantity.
Give a quantity above zero.	Quantity is 0 or empty.	Write the counted quantity. Skip items that were not there.
... is inactive. / The store ... is inactive.	The item or store was deactivated.	Activate it on its list page, or choose another.
Add the counted stock before posting.	Post was clicked on an empty draft.	Add or import the lines first.
Say why it is being reversed.	Reverse needs a reason.	Write the reason.
An item with an expiry date must also keep batches.	Item import: expiry without batches (the form ticks both by itself).	Set Keeps batches as well.
This category is for another item type.	Item form: the category is of a different item type.	Choose a category of the item's type, or change the item type.
... is above the maximum.	Item form: Min stock or Reorder point is bigger than Max stock.	Lower it, or raise Max stock.
The parent category is for another item type.	Category form: the parent has a different item type.	Choose a parent of the same type, or None.
That is the item's base unit already.	Pack unit: the base unit was chosen as a pack.	Choose a bigger unit (BAG, CARTON ...).
Stock has moved, so the average cost choice is fixed now.	Settings: stock already exists.	Nothing to do; the choice stays.
These were printed before: say why they are printed again.	Print: a reprint needs a reason.	Write why (torn, lost ...).

The message says	Why	What to do
Void labels are not printed: ...	Print: the label was voided.	Print a new label instead (from the item, bin or opening stock).
Say why the label is void.	Void: the reason is empty.	Write the reason.
Between 1 and 500 packages.	Package labels: too many or none.	Make them in two goes, or give at least 1.
... has stock movements, so it cannot be deleted.	Delete on an item that was used.	Deactivate it instead: its history stays correct.
... is a material of ...: remove it from that recipe first.	Delete on a raw material that is on a recipe.	Remove it from that product's Materials, or deactivate it.
Give this for the new material.	Add material, new one: a box was left empty.	Fill code, name, category and unit.
Say first how much one batch makes.	Recipe: a material was added before the batch size.	Write One batch makes and click Save.
Choose a raw material or a packaging item.	Recipe: another type was chosen.	Choose a raw material or packaging item.
... is on this recipe already.	Recipe: the material is on it once already.	Remove the old line and add it again with the right quantity.
A recipe in use needs at least one material ...	Recipe: the last material was removed.	Add the new material first, then remove the old one.
... has no materials yet: add them on its page first.	Production order: the product has no recipe.	Add its materials (Step 13).
No materials were used on this order ...	Post output before any material was used.	Use the materials first, and post them.
A draft material use is open on this order ...	A material use was left as a draft.	Open it from the order: Post it or Cancel it.
Materials were used: return them, then post the output ...	Cancel on an order that has used materials.	Return unused material, or post the output.

Checklist

Tick each line as you go.

- ■ Store & Inventory switched on for the company (platform owner).
- ■ Permissions given on Organisation → Access (two different people for enter and post).
- ■ Inventory settings checked and saved; average cost decided.
- ■ Units: Add standard units clicked; any missing units added.
- ■ Item categories: main folders, then sub-folders.
- ■ Stores: every room, each in its branch.
- ■ Bins: added (only if you track shelves).
- ■ Items: every item, with the right base unit, batch / expiry / QC ticks.
- ■ Pack units added on items bought or counted in packs.
- ■ Suppliers and customers added (or imported).
- ■ Count day done; every store counted.
- ■ Opening stock draft entered or imported; every line checked.
- ■ Opening stock posted by a second person.
- ■ Labels printed and stuck on.
- ■ Stock on hand matches the count sheets, store by store.
- ■ Bin labels printed and stuck on each shelf (if you use bins).
- ■ Package labels printed for stock that comes in bags, drums or cartons.
- ■ A few labels scanned on Inventory → Scan to check they read back right.
- ■ Every finished good has its materials on its page, and the card says **In use**.
- ■ A first production order planned, released, materials used and output posted; Stock on hand shows the new batch.

Words used in this guide

Word	Meaning
Base unit	The unit an item's stock is always kept in (KG for sugar, PCS for bottles).
Pack unit	A bigger unit for the same item, with a factor (1 BAG = 50 KG).
Batch	A group of stock made or delivered together, with its own number and expiry date.
Bin	A shelf, rack or place inside a store.
Draft	Being entered; nothing is in stock yet; can be changed.

Word	Meaning
Post	Make it final: the stock really changes. A posted document is never edited.
Reverse	Undo a posted document with a reason, by moving the stock back. Then post a correct one.
Average cost	The cost of one base unit, worked out from what the stock cost.
Value	On hand quantity × average cost.
Active / Inactive	Inactive rows are kept for history but cannot be chosen for new work.
Label	A printed barcode the software made. Its code finds exactly one item, batch, package or bin.
Package label	The label of one bag, drum or carton: item, batch and quantity in one scan.
Void	A label taken out of use with a reason; it never scans again.
Recipe (BOM)	The materials one batch of a finished good uses; on the product's page.
Wastage %	The normal wastage of a material, added on top when production is planned.
Production order	An order to make a quantity of a finished good with its recipe in use.