READ ME

- 1)Int_Trade_log_data.R
- 2)Table5.R
- 3)Table6.R
- 4) Table 7 & Table 4.R
- 5)Extension

- Int_Trade_log_data.R file contains log function at the beginning (its input can be seen in the screenshot) and then data construction process by using raw datasets:
 DTA_Mexico19912003-WTO-countries.dta, MFN_MEX.dta,
 DTA_pref_2004_Mexico_as_importerHS1992.dta, DTA_Mexico19912003-WTO-countries.dta provided by the authors.
 At the end of the codes, "DTA-tradeflows-tariffs-withNAFTA.dta" dataset is created.
 - 2) Table5.R file is to replicate Table5 by using raw datasets DTA-allrules-placebo.dta, DTA-allrules-DRdummy-placebo.dta provided by the authors and dataset DTA-tradeflows-tariffs-withNAFTA.dta that is created in Int_Trade_log_data.R file.
 - 3) Table6.R file is to replicate Table6 by using raw datasets DTA-allrules.dta, DTA-allrules-DRdummy.dta provided by the authors and dataset DTA-tradeflows-tariffs-withNAFTA.dta that is created in Int_Trade_log_data.R file.
- 4) Table 7& Table 4.R file is to replicate Table 5 by using dataset DTA-tradeflows-tariffs-with NAFTA.dta that is created in Int_Trade_log_data.R file.
- Extension file for additional robustness check tables. Here, distance data is imported (dist_cepii.dta) from http://www.cepii.fr/CEPII/en/bdd_modele/bdd_modele_item.asp?id=6 and country codes data from "https://public.opendatasoft.com/explore/dataset/countries-codes/export/" is imported. And they are combined with datasets created in previous files.