DDL QUERIES

Create/Drop Schema

```
DROP SCHEMA Tourism_Management_System CASCADE;
CREATE SCHEMA Tourism_Management_System;
SET search_path TO Tourism_Management_System;
```

Initialize sequence for Aadhar card of User and Guide

```
CREATE SEQUENCE aadhar_sequence
start 204010567970
increment 2;

ALTER SEQUENCE aadhar_sequence RESTART WITH 204010567970;

CREATE SEQUENCE g_aadhar_sequence
start 304010567972
increment 3;

ALTER SEQUENCE g_aadhar_sequence RESTART WITH 304010567972;
```

User Relation

Co-Passenger Relation

Booking Relation

Booking-CoPassenger Relation

Package Relation

```
65
   --PACKAGE-----
66
   CREATE TABLE PACKAGE(
   PACKAGEID int PRIMARY KEY GENERATED ALWAYS AS IDENTITY,
67
68
   TITLE VARCHAR(15) NOT NULL,
   DURATION int,
69
70
   NO_OF_PEOPLE int,
   IsActive BOOLEAN DEFAULT TRUE,
71
72
   AMOUNT float
73
  );
```

Booking Package Relation

```
--Booking Package-----

CREATE TABLE BOOKING_FOR_PACKAGE(

BID int PRIMARY KEY REFERENCES BOOKING(BID) ON UPDATE CASCADE ON DELETE RESTRICT,

PACKAGEID int NOT NULL REFERENCES PACKAGE(PACKAGEID) ON UPDATE CASCADE ON DELETE RESTRICT

(80);
```

Location Relation

```
78 --Location----
79 CREATE TABLE LOCATION(
80 PINCODE Numeric(6) PRIMARY KEY,
81 CITY VARCHAR(30),
82 "state" VARCHAR(30)
83 );
```

Tourist Spot Relation

```
--Tourist Spot-----

CREATE TABLE TOURIST_SPOTS(

SPOTID int PRIMARY KEY GENERATED ALWAYS AS IDENTITY,

"Name" VARCHAR(20) NOT NULL,

SEASON VARCHAR(10),

RATINGS FLOAT CHECK (RATINGS>=0 AND RATINGS<=5),

ADDRESS VARCHAR(100),

PINCODE Numeric(6) REFERENCES LOCATION(PINCODE) ON UPDATE CASCADE ON DELETE RESTRICT

);
```

Package-Tourist Spots Relation

```
94 --Package Tourist Spots------
95 CREATE TABLE Package_Includes_Spots(
96 PACKAGEID int NOT NULL REFERENCES PACKAGE(PACKAGEID),
97 SPOTID int NOT NULL REFERENCES TOURIST_SPOTS(SPOTID) ON UPDATE CASCADE ON DELETE
98 CASCADE,
99 PRIMARY KEY(PACKAGEID, SPOTID)
100 );
```

Guide Relation

```
106 --GUIDE-----

107 CREATE TABLE GUIDE(

108 GuideAadharNo BIGSERIAL PRIMARY KEY,

109 Fname VARCHAR(10) NOT NULL,

110 Lname VARCHAR(10) NOT NULL,

111 Email VARCHAR(20),

112 Phone Numeric(10) NOT NULL,

113 Gender CHAR(1) CHECK (GENDER IN('M','F','O')),

114 AGE int,

115 ADDRESS VARCHAR(100),

PINCODE Numeric(6) REFERENCES LOCATION(PINCODE) ON UPDATE CASCADE ON DELETE RESTRICT

117 );
```

Package-Guide Relation

Restaurants Relation

Restaurant-Cuisines Relation

Hotels Relation

Hotel-Services Relation

```
--Hotel_Services------

CREATE TABLE HOTEL_SERVICES(

HOTELID int NOT NULL REFERENCES HOTEL(HOTELID) ON DELETE CASCADE ON UPDATE CASCADE,

SERVICES VARCHAR(50) NOT NULL,

PRIMARY KEY(HOTELID, SERVICES)

);
```

Rooms Relation

Room-Facilities Relation

Package-Hotel Relation

```
--Package_Hotel

CREATE TABLE Package_Includes_Hotels(

PACKAGEID int NOT NULL REFERENCES PACKAGE(PACKAGEID) ON DELETE RESTRICT ON UPDATE CASCADE,

HOTELID int NOT NULL,

ROOM_NO int NOT NULL,

FOREIGN KEY (HOTELID, ROOM_NO) REFERENCES ROOM(HOTELID, ROOM_NO) ON DELETE CASCADE ON UPDATE CASCADE,

PRIMARY KEY(PACKAGEID, HOTELID, ROOM_NO)

191 );
```

Booking-Hotel Relation