

C02AT1 LEVEL-1 TEST

1. Student Grade

```
#include <stdio.h>
int main() {
    int marks;
    printf("Enter marks (0-100): ");
    scanf("%d", &marks);
    if (marks >= 90 && marks <= 100)
        printf("Grade: A");
    else if (marks >= 80)
        printf("Grade: B");
    else if (marks >= 70)
        printf("Grade: C");
    else if (marks >= 60)
        printf("Grade: D");
    else if (marks >= 0)
        printf("Grade: F");
    else
        printf("Invalid marks");
    return 0;
}
```

2. Print a Right-Angle Triangle

```
#include <stdio.h>
int main() {
    int i, j, n;
    printf("Enter number of rows: ");
    scanf("%d", &n);
    for (i = 1; i <= n; i++) {
        for (j = 1; j <= i; j++) {
            printf("* ");
        }
        printf("\n");
    }
    return 0;
}
```

3. Find the Largest of Three Numbers

```
#include <stdio.h>
int main() {
    int a, b, c;
    printf("Enter three numbers: ");
    scanf("%d %d %d", &a, &b, &c);
    if (a >= b && a >= c)
        printf("Largest number = %d", a);
    else if (b >= a && b >= c)
        printf("Largest number = %d", b);
    else
        printf("Largest number = %d", c);
    return 0;
}
```

4. Print All Prime Numbers Between Two Input Numbers Using Nested Loops

```
#include <stdio.h>
int main() {
    int start, end, i, j, isPrime;
    printf("Enter two numbers: ");
```

```
scanf("%d %d", &start, &end);
printf("Prime numbers between %d and %d are:\n", start, end);
for (i = start; i <= end; i++) {
    if (i < 2)
        continue;
    isPrime = 1;
    for (j = 2; j <= i / 2; j++) {
        if (i % j == 0) {
            isPrime = 0;
            break;
        }
    }
    if (isPrime)
        printf("%d ", i);
}
return 0;
}
```