

Linux Essentials Workshop-1

Clarusway



Subject: Linux Basic Shell Commands

Learning Goals

• Practice using the linux basic shell commands.

Introduction

We've covered a lot of Linux concepts, but now it's time to put the concepts in to practice. We'll start with basic shell commands.

Practice Using the Bash Shell in Lesson

You might notice a few new things in this lesson that you haven't encountered before. We'll walk you through them.

Code Along

Part 1 - Basic Commands 1/2

- 1. Open the terminal
- 2. To know which directory you are in, you can use the "pwd" command.
- 3. Go to desktop

- 4. Create a directory named "clarusway"
- 5. List all the files/folders with details
- 6. Create a file named test.txt
- 7. Write "hello" to test.txt
- 8. Add "My name is Robert" to test.txt
- 9. Print the content of test.txt
- 10. Create a file named test1.txt and write "hello, this is second text file" while creating.
- 11. Print the contents of test1.txt
- 12. Display the contents of the file test.txt and test1.txt at the same time.
- 13. Create text files with the name multiple1.txt through multiple10.txt in current directory.
- 14. Go to upper directory
- 15. Create a directory named "europe"
- 16. Create two files named lab.txt and lab1.txt at the same time
- 17. Write "This is the second directories first file" in lab.txt
- 18. cat lab.txt
- 19. Make a copy of lab.txt in the current directory as newlab.txt
- 20. List all the files in the current directory.
- 21. Print the contents of newlab.txt
- 22. List any file in current directory with the extension of ".txt"
- 23. List any file which begins with "n" and ends with ".txt"

Part 2 - Basic Commands 2/2

24.	Copy newlab.txt to the clarusway directory.
25.	Copy the files beginnig with "m*{610}" and ending with ".txt from clarusway directory to europe directory.
26.	Move the files beginnig with "m*{13}" and ending with ".txt from clarusway directory to europe directory.
27.	List all the files on Clarusway directory.
28.	Rename the newlab.txt file as linuxlab.txt.
29.	List the files with details on clarusway directory and see the renamed linuxlab.txt file.
30.	Print the permission details of linuxlab.txt.
31.	Change file permissions of the linuxlab.txt as everybody can read, write and execute.
32.	Change execute permissions of everybody to no execute permission on linuxlab.txt

33. Change the file permissions one level up on linuxlab.txt

34. Delete the linuxlab.txt file
35. Create "america" directory
36. Delete america directory
37. Delete clarusway directory
38. Go to the europe directory
39. List the contents of europe directory
40. Create a hidden linuxworkshop.txt file
41. Use Is command to list the contents of the europe directory
42. Make the linuxworkshop.txt visible
43. Exit from the terminal
Tips and Tricks for Using Linux Command Line

You can use the clear command to clear the terminal if it gets filled up with too many commands.
TAB can be used to fill up in terminal. For example, You just need to type "cd Doc" and then TAB and

the terminal fills the rest up and makes it "cd Documents".

• Ctrl+C can be used to stop any command in terminal safely. If it doesn't stop with that, then Ctrl+Z can be used to force stop it.

Clarusway