Ask your data. See the evidence.

A local terminal app for exploring CSV data through questions, follow-ups and inspectable SQL.

Start free

Use the bundled retail demo without an API key.


Bring a CSV

Import your own data, then use AI for broader questions.

Check the answer

Open the saved query results and SQL for each reply.

Python / Textual / SQLite / SQLGlot / OpenAI Agents SDK



Imported supermarket data: a formatted AI answer with its branch filter stated explicitly.

Know what you imported.

Review a file before making it the active dataset. The original CSV stays unchanged.

Preview before use

See the row count, inferred column types and empty-cell counts.


Keep identifiers intact

Leading-zero identifiers remain text. Dates remain text; blank cells become NULL.

Bounded input

UTF-8 CSV; up to 5 MB, 50,000 rows and 100 columns.

One active dataset per chat. A local snapshot is stored for later use.



tips.csv: 244 rows and seven columns. The native macOS chooser is not shown in this capture.

Every answer has its evidence.

A View results button belongs to the answer immediately above it, including follow-up answers.

Saved rows

Inspect the exact values returned by the query, alongside the dataset name.


Separate evidence

Results, SQL, Definitions and Columns are available in the detail view.

No empty controls

Clarification-only replies do not receive a results button.

Query results are bounded to at most 100 returned rows.



Six product-line totals for branch A. The viewer shows saved evidence rather than rerunning the query.

Inspect how it was calculated.

Move from a natural-language answer to the actual SQL used to calculate it.

Understand the scope

Read the selected columns, filter, grouping and aggregation.


Read-only execution

SQL validation and SQLite read-only access constrain queries. Time and output limits also apply.

Review interpretation

A query can run successfully and still misunderstand a question. The evidence makes that review possible.

Explicit /sql commands run locally in either Demo or AI mode.



The same branch-A answer: SUM(Total), grouped by Product line, with the executed filter visible.

Refine the same question.

AI mode can retain earlier filters as you narrow an analysis across several messages.

Dinner

Total tip 546.07 across 176 rows.


Then Sunday

Retaining Dinner: total tip 247.39 across 76 rows.

Then non-smokers

Retaining both filters: total tip 180.57 across 57 rows.

These are tested examples, not a guarantee for every possible follow-up.



Verified tips.csv sequence. Sunday is stored as Sun; no currency has been assumed for tip.

Clarify once. Reuse the meaning.

A clear confirmation of a proposed column meaning becomes a saved dataset definition.

Visible confirmation

The chat displays a Definition saved notice so the change is explicit.


Persistent context

The meaning survives new chats and restarts, and is reused for an exact re-upload.

Editable definitions

Review or change meanings in Settings. Definitions remain local to this installation.

Filters and qualified confirmations are not saved as general definitions.



Confirmed size meaning: party size 6 has the highest average tip, 5.225, based on four rows.

Keep your place while it thinks.

Submitting a question immediately shows it in the conversation, with a waiting indicator below.

Draft the next question

The input stays editable while the reply is being prepared.


Prevent double sends

Ask and Enter cannot submit a second question until the first finishes.

Keep the draft

A reply, error or cancelled export does not discard the next question or send it automatically.

Saved chats can be reopened; unsent drafts persist during chat switching in the same session.



Actual waiting-state UI captured with a controlled delay. No live API request was made for this image.

Take the results with you.

Export all saved query results in a chat to a destination you choose on your computer.

One CSV per query

Different result shapes and follow-ups remain separate. Clarification-only replies are skipped.


Keep the context

index.csv maps files to questions and datasets. details.json includes SQL and truncation information.

Confirm or cancel

Nothing is written before Save results. Cancel preserves the draft.

Exports use saved rows only. They do not rerun SQL or make another model call.



Three result CSVs plus an index and query details. This is the app confirmation after destination selection.

Demo first. Your AI account next.

A fresh installation opens in Demo mode. Broader natural-language analysis uses your own API account.

Bring your own key

The repository includes no API credential. AI calls use your account and credits.


Optional connection test

Enter your key and model, then Use AI. Test connection checks disposable data and is optional.

Restart without setup

Mode and model are remembered. Configure the key in a local .env to restore AI mode after restarting.

AI sends questions, limited context, schema, definitions, category values and query results to OpenAI.



Unconfigured AI settings. Keys entered here are kept in session memory; this capture contains no credential.

What has been checked

Completed development checks, with the remaining limits made explicit.

153

AUTOMATED TESTS PASSED

Fresh Python 3.12 environment; local logic, SDK mocks and headless UI.

31 / 31

OFFLINE CHECKS PASSED

12 retail cases and 19 tips checks, including independent CSV/Decimal references.

12 / 12

LIVE AI CASES PASSED

6 tips, 3 retail and 3 supermarket cases; answers and SQL reviewed.

What these results mean

The live suites used gpt-6-luna and covered totals, follow-up filters, saved definitions and refusing unsupported profit calculations. One rejected table-name attempt was repaired before its final answer. The user also confirmed that the native macOS file picker opens correctly.

These are small development regressions, not a broad accuracy benchmark. A valid SQL query is not proof of a correct business interpretation. Review the evidence for important conclusions.

Future improvements

Extend this completed milestone with Windows/Linux file dialogs, more held-out questions and messy-data fixtures, optional charts, and model comparisons for quality, latency and token usage.

Try it or review the source

See README.md for setup and evaluation commands; screenshots/ for all 12 full-resolution images; docs/architecture.md for implementation boundaries.

After creating a virtual environment:

```
python -m pip install -r requirements.txt
python app.py
```

Capture and data provenance

Screens come from the actual Textual renderer. AI examples replay verified live answers with their SQL rechecked locally; the loading state uses a controlled delay. The retail sample is from Daqing Chen (2015), UCI Online Retail, CC BY 4.0. Other examples use the supplied tips and supermarket CSV fixtures.

Retail source: doi.org/10.24432/C5BW33