
Create Node-RED Service

Team ID: PNT2022TMID41040



```
node-red
                                                                                                                                                                                                       X
 Run `npm audit` for details.
 C:\Users\User>node-red
 16 Nov 22:16:48 - [info]
 Welcome to Node-RED
  ------
 16 Nov 22:16:48 - [info] Node-RED version: v3.0.2
 16 Nov 22:16:48 - [info] Node.js version: v19.1.0
 16 Nov 22:16:48 - [info] Windows_NT 10.0.19043 x64 LE
16 Nov 22:16:48 - [info] Windows_NT 10.0.19043 x64 LE
16 Nov 22:16:49 - [info] Loading palette nodes
16 Nov 22:16:50 - [info] Dashboard version 3.2.0 started at /ui
16 Nov 22:16:50 - [info] Settings file : C:\Users\User\.node-red\settings.js
16 Nov 22:16:50 - [info] Context store : 'default' [module=memory]
16 Nov 22:16:50 - [info] User directory : \Users\User\.node-red
16 Nov 22:16:50 - [warn] Projects disabled : editorTheme.projects.enabled=false
16 Nov 22:16:50 - [info] Flows file : \Users\User\.node-red\flows.json
16 Nov 22:16:50 - [info] Server now running at http://127.0.0.1:1880/
16 Nov 22:16:50 - [warn]
 16 Nov 22:16:50 - [warn]
 Your flow credentials file is encrypted using a system-generated key.
 If the system-generated key is lost for any reason, your credentials
 file will not be recoverable, you will have to delete it and re-enter
 your credentials.
 You should set your own key using the 'credentialSecret' option in
```

