User manual for the signatureFit command line interface

signature.tools.lib version: 2.3.0
latest edit: 25/01/2023

Andrea Degasperi, University of Cambridge, UK
ad923@cam.ac.uk

1. Introduction

Mutational signature fit analysis attempts to identify the presence of a given set of mutational signatures in the somatic mutations of a cancer sample.

This document describes how to use the `signatureFit` command line script, which is a wrapper for the `signatureFit_pipeline` function in the signature.tools.lib R package, which in turn is an interface for the `Fit` and `FitMS` mutational signature fit analysis functions.

The `signatureFit_pipeline` function is a flexible interface for mutational signature fit analysis. Users can provide mutation calls as input or pre-built mutational catalogues, and then they can perform either an automated analysis, with very few options required such as the organ of origin of the sample, or use the options to perform a more tailored analysis.

2. Installation

The script `signatureFit` is included in the signature.tools.lib R package. Thus, in order to use it, one is required to install signature.tools.lib, which is available on GitHub:

https://github.com/Nik-Zainal-Group/signature.tools.lib

After the installation of signature.tools.lib, one can run the `signatureFit` script, which is located in the scripts folder in the github repository. For easy access, add a copy of, or a symbolic link to, the `signatureFit` script to a location in your command line PATH.

3. signatureFit options

The list of available options can be accessed by typing:

```
signatureFit --help
```

This is the current output:

```
This script runs the signature fit pipeline of the R package
signatures.tools.lib, using the Fit or FitMS functions.

Run this script as follows:

signatureFit [OPTIONS]

Available options:
  -o, --outdir=DIR          Name of the output directory. If omitted a name
                              will be given automatically.
  -b, --bootstrap           Request signature fit with bootstrap
  -c, --cataloguesfile=CFILE
```

```
                           CFILE is the name of a file containing mutational
                             catalogues. Each sample catalogue is in a column,
                             with sample names as column headers and channel
                             names as row names in the first column with no
                             header. Can be omitted if mutations are provided.
  -x, --snvvcf=SNVVCF        SNVVCF is a tab separated file containing two
                             columns. The first column contains the sample
                             names, while the second column contains the
                             corresponding SNV vcf file names.
  -X, --snvtab=SNVTAB        SNVTAB is a tab separated file containing two
                             columns. The first column contains the sample
                             names, while the second column contains the
                             corresponding SNV tab file names. Each SNV tab
                             file should have a header with the following
                             columns: chr, position, REF, ALT.
  -y, --dnvvcf=DNVVCF        DNVVCF is a tab separated file containing two
                             columns. The first column contains the sample
                             names, while the second column contains the
                             corresponding DNV vcf file names. VCF files can
                             contain both DNVs and SNVs and if two SNVs are
                             adjacent they will be merged into additional DNVs.
  -Y, --dnvtab=DNVTAB        DNVTAB is a tab separated file containing two
                             columns. The first column contains the sample
                             names, while the second column contains the
                             corresponding DNV tab file names. Each DNV tab
                             file should have a header with the following
                             columns: chr, position, REF, ALT. Tab files can
                             contain both DNVs and SNVs and if two SNVs are
                             adjacent they will be merged into additional DNVs.
  -z, --svbedpe=SVBEDPE      SVBEDPE is a tab separated file containing two
                             columns. The first column contains the sample
                             names, while the second column contains the
                             corresponding BEDPE file names. Each BEDPE file
                             is a tab separated file with header: chrom1,
                             start1, end1, chrom2, start2, end2, and sample. In
                             addition, another column with header svclass should
                             indicate the type of SV: translocation, inversion,
                             deletion, or tandem-duplication.
  -w, --signaturesfile=SFILE
                           SFILE is the name of a file containing mutational
                             signatures. Each signature is in a column, with
                             signature names as column hearders and channel
                             names as row names in the first column with no
                             header. Each column must sum to 1. Use only to
                             provide your own signatures. When fitmethod=FitMS,
                             these signatures are considered common signatures.
  -W, --raresignaturesfile=RSFILE
                           RSFILE is the name of a file containing mutational
                             signatures. Each signature is in a column, with
                             signature names as column hearders and channel
                             names as row names in the first column with no
                             header. Each column must sum to 1. Use only to
                             provide your own signatures. When fitmethod=FitMS,
                             these signatures are considered rare signatures.
  -s, --sigversion=SIGVERSION
                           Either COSMICv2, COSMICv3.2, RefSigv1 or RefSigv2.
                             If not specified SIGVERSION=RefSigv2.
  -O, --organ=ORGAN          When using RefSigv1 or RefSigv2 as SIGVERSION,
                             organ-specific signatures will be used.
                             If SIGVERSION is COSMICv2 or COSMICv3.2, then a
                             selection of signatures found in the given organ
                             will be used. Available organs depend on the selected
                             SIGVERSION. For RefSigv1 or RefSigv2: Biliary,
                             Bladder, Bone_SoftTissue, Breast, Cervix (v1 only),
                             CNS, Colorectal, Esophagus, Head_neck, Kidney,
                             Liver, Lung, Lymphoid, NET (v2 only),
                             Oral_Oropharyngeal (v2 only), Ovary, Pancreas,
                             Prostate, Skin, Stomach, Uterus.
  -l, --signames=SIGNAMES    If no ORGAN is specified, SIGNAMES can be used to
                             provide a comma separated list of signature names
```

```
                            to select from the COSMIC or reference signatures,
                            depending on the SIGVERSION requested. For example,
                            for COSMICv3.2 use: SBS1,SBS2,SBS3.
-e, --genomev=GENOMEV       Genome version to be used: hg19, hg38 or mm10.
                            If not specified GENOMEV=hg19.
-m, --fitmethod=FITMETHOD   Either Fit or FitMS. If not specified FITMETHOD=FitMS
-M, --optmethod=OPTMETHOD   Optimisation objective function, either KLD or NNLS.
                            If not specified OPTMETHOD=KLD.
-t, --filtertype=FTYPE      FTYPE is either fixedThreshold or giniScaledThreshold.
                            When using fixedThreshold, exposures will be removed
                            based on a fixed percentage with respect to the
                            total number of mutations (THRPERC will be
                            used). When using giniScaledThreshold each signature
                            will used a different threshold calculated as
                            (1-Gini(signature))*GINISCALING. If not specified
                            then FTYPE=fixedThreshold
-p, --thresholdperc=THRPERC
                            THRPERC is a threshold in percentage of total mutations
                            in a sample, only exposures larger than THRPERC are
                            considered. If not specified THRPERC=5.
-d, --giniscaling=GINISCALING
                            GINISCALING is a scaling factor for the threshold type
                            giniScaledThreshold, which is based on the Gini score
                            of a signature. If not specified GINISCALING=10.
-u, --thresholdpval=THRPVAL
                            THRPVAL is a p-value to determine whether an exposure
                            is above the THRPERC or the threshold calculated with
                            Gini scaling, when using bootstrap. In other words,
                            this is the empirical probability that the exposure
                            is lower than the threshold. If not specified then
                            THRPVAL=0.05.
-a, --fitmsmode=FMSMODE     FMSMODE is either constrainedFit, partialNMF,
                            errorReduction, or cossimIncrease. If not specified
                            FMSMODE=errorReduction.
-q, --commonsigtier=CSTIER
                            CSTIER is either T1, T2 or T3. For each organ, T1 indicates
                            to use the common organ-specific signatures, while T2
                            indicates to use he corresponding reference signatures.
                            In general, T1 should be more appropriate for organs
                            where there are no mixed organ-specific signatures, e.g.
                            SBS1+18 or SBS2+13, while T2 might be more suitable
                            for when such mixed signatures are present, so that
                            each signature can be fitted, e.g. fitting the two
                            signatures SBS1 and SBS18, instead of a single SBS1+18.
                            T3 is a combination of T1 and T2, where only the mixed
                            organ signatures are replaced with the corresponding
                            reference signatures. If not specified CSTIER=T1.
-T, --raresigtier=RSTIER    RSTIER is either T0, T1, T2, T3 or T4. For each organ,
                            T0 are rare signatures that were observed in the
                            requested organ, including low quality signatures
                            (QC amber and red signatures).
                            T1 are high quality (QC green) rare signatures that
                            were observed in the requested organ. T2-T4 signatures
                            extend the rare signatures set to what has been observed
                            also in other organs. T2 includes all QC green signatures
                            that were classified as rare at least twice (SBS only)
                            in Degasperi et al. 2022 Science. T3 includes all QC green
                            signatures (if not SBS, T3=T2). T4 includes all signatures
                            including QC amber and red.
                            In general we advise to use T2 signatures
                            If not specified RSTIER=T2.
-i, --residualnegprop=RNP   RNP is the maximum proportion of mutations (w.r.t.
                            total mutations in a sample) that can be in the
                            negative part of a residual when using the
                            constrained least squares fit when fitMS mode is
                            FMSMODE=constrainedFit. If not specified then
                            RNP=0.003.
-R, --minresidualmuts=MINRM
                            MINRM is the minimum number of mutations in a residual
                            when FMSMODE=constrainedFit or FMSMODE=partialNMF.
```

```
                              Deactivated by default (MINRM=NULL).
  -C, --mincossimraresigs=MINCSRS
                              MINCSRS is the minimum cosine similarity between a
                                residual and a rare signature for considering the
                                rare signature as a candidate in a sample when
                                FMSMODE=constrainedFit or FMSMODE=partialNMF.
                                If not specified, MINCSRS=0.8.
  -E, --minerrorredperc=MINERPERC
                              MINERPERC is the minimum percentage of error reduction
                                for a rare signature to be considered as candidate
                                in a sample when FMSMODE=errorReduction. The error
                                is computed as mean absolute deviation. If not
                                specified MINERPERC=15.
  -I, --mincossimincr=MINCSINCR
                              MINCSINCR is the minimum cosine similarity increase
                                for a rare signature to be considered as candidate
                                in a sample when FMSMODE=cossimIncrease. If not
                                specified MINCSINCR=0.02.
  -k, --maxraresigs=MAXRS     MAXRS is the maximum number of rare signatures that.
                                are allowed to be present in each sample. If not
                                specified MAXRS=1.
  -S, --rarecandidatesel=RARESEL
                              RARESEL is either MaxCosSim or MinError. This is a
                                FitMS parameter.Whenever there is more than one rare
                                signature candidate for a sample, then the best
                                candidate rare signature is automatically selected
                                using the RARESEL criteria. Error is computed as
                                the mean absolute deviation of channels.allowed to
                                be present in each sample. If not specified
                                RARESEL=MaxCosSim.
  -n, --nparallel=NPARALLEL Number of parallel CPUs to be used.
  -f, --nboot=NBOOT           Number of bootstrap to be used when bootstrap is
                                requested (-b), if not specified, NBOOT=200.
  -A, --writeannotations      Write the annotated mutations to file. This is off
                                by default, because annotated mutations are saved as
                                a flat text file containing mutations from all samples
                                and may occupy a lot of space if many samples and many
                                mutations are processed.
  -J, --writejson             Write the signature fit object to a JSON file,
                                which will save all fit results and options used.
  -r, --randomSeed=SEED       Specify a random seed to obtain always the same
                                identical results.
  -v, --verbose               Verbose option for additional output.
  -h, --help                  Show this explanation.
```

4. Using the signatureFit command line interface

4.1 Mutational catalogues

   A mutational catalogue is a vector that contains counts of specific classes (channels) of mutations, which depend on the type of mutations considered. For example, SNV mutations will use the 96-channel catalogue type, which contain substitution counts in their trinucleotide context (e.g., A[C>T]A).

   Using the signatureFit script, it is possible to provide a mutational catalogue directly, or, alternatively, provide a list of mutation files that will be automatically converted into catalogues. Only one list of mutation files of one single type of mutations can be provided, e.g., a list of vcf files containing SNVs can be provided using the --snvvcf option. If a catalogue is provided directly (option --cataloguesfile), the mutation type will be inferred by the row names, which are the catalogue channels.

It is also possible to provide both a catalogues file and a list of mutation files. Provided that the type of mutations is the same, the new catalogues built from the mutation files will be added to the catalogues provided.

4.2 Mutational signatures

The `signatureFit` script can use different strategies to estimate how many mutations in a catalogue are associated with a certain mutational signature. To do so, it requires an *a priori* set of mutational signatures to use.

With `signatureFit`, it is possible to provide files containing the mutational signatures to use, or use available options to select a set of signatures automatically. If mutational signatures are provided manually, this will have the priority, and the options used to select signatures automatically, such as `--organ`, `--sigversion` and `--signames`, will be ignored.

Depending on the fit method, one or two sets of signatures is required. If `--fitmethod=Fit`, then just one set of signatures will be used, which can be specified manually with `--signaturesfile`, while if `--fitmethod=FitMS`, then two sets of signatures are required, one set of common signatures (`--signaturesfile`) and one of rare signatures (`--raresignaturesfile`).

If no signatures have been provided manually, then `signatureFit` will check if the `--organ` option has been used, and select the appropriate signatures based on the `--sigversion` and `--fitmethod` options, as well as the inferred mutation type.

If no signatures have been provided manually and also no organ was specified, then `signatureFit` will select signatures based on the `--sigversion` and `--signames` parameters and the mutation type. For example, one could use `--sigversion=COSMICv3.2` and `--signames=SBS1,SBS2,SBS3` to fit only three COSMIC v3.2 signatures into a catalogue, provided it is an SNV catalogue.

When using `--sigversion=RefSigv1` or `--sigversion=RefSigv2`, `signatureFit` will check the `--organ` option to select organ-specific mutational signatures. If the organ is not specified, then `signatureFit` will use the reference signatures instead, which are obtained as average of multiple similar organ-specific signatures.

5. Examples

5.1 FitMS example

In this example we run a signature fit analysis with FitMS, using vcf single nucleotide variant (SNV) files as input, assuming that the vcf are obtained from breast cancer samples.

```
signatureFit --organ Breast -b -o outfolder -x snvvcf.tsv
```

Note that FitMS is the default fit method, so there is no need to specify `--fitmethod=FitMS`. FitMS will use the latest RefSigv2 signatures, which include the common and rare SBS signatures identified in the analysis of the Genomics England WGS cancer dataset. The flag -b requests a bootstrap analysis, -o indicates the output folder, and -x indicates the location of a tab separated file containing a list of sample names and corresponding vcf locations. The content of snvvcf.tsv could be as follows:

```
Sample1    sample1_snv.vcf
```

```
Sample2    sample2_snv.vcf
Sample3    sample3_snv.vcf
...
```

Finally, note that all the mutations in the input vcf files will be used, so they should already be filtered, e.g. containing only PASS variants.

5.2 Fitting COSMIC v3.2 signatures

In this example we show how to fit a specific set of SBS COSMIC signatures from the COSMIC v3.2 set.

```
signatureFit -b -o outfolder -x snvvcf.tsv -s COSMICv3.2 -m Fit -l
SBS1,SBS2,SBS3,SBS5,SBS8,SBS13,SBS17a,SBS17b,SBS18
```

In this case, we did not specify an organ, but rather used the -s option to request the use of COSMIC v3.2 signatures and the -l option to supply a list of signatures to use. We also specified to use the Fit algorithm with the option -m.

5.3 Fitting organ-specific rearrangement signatures

In this example, we fit organ-specific ovarian cancer rearrangement signatures, from the Degasperi et al 2020 Nature Cancer paper.

```
signatureFit --organ Ovary -b -o outfolder -s RefSigv1 -m Fit -z svbedpe.tsv
```

In this case, we provided a list of bedpe files using the option -z. The content of svbedpe could be as follows:

```
Sample1    sample1_sv.bedpe
Sample2    sample2_sv.bedpe
Sample3    sample3_sv.bedpe
...
```

Note that we specified the option -s RefSigv1, because the latest organ-specific rearrangement signatures belong to this signature version, although, this could have been omitted, implying the default option -s RefSigv2, and signatureFit would have switched to -s RefSigv1 automatically with a warning message, so that the latest organ-specific rearrangement signatures available could be selected.

When some of the organ-specific signatures are mixed, one might prefer to replace the mixed organ-specific signatures with the corresponding reference signatures. For example, replace Ovary_B (RefSig R6a+R6b) with the signatures RefSig R6a and RefSig R6b. This can be done automatically using the `signatureFit` parameter `commonsigtier`. Selecting common signature tier T3 will replace only the mixed signatures, while T2 will replace all the organ-specific signatures with the corresponding reference signatures. For example:

```
signatureFit --organ Ovary -b -o outfolder --commonsigtier T2 -z svbedpe.tsv
```

Notice that the above command will issue some warnings, informing the user that the default options for signature version and fitting method have been changed to RefSigv1 and Fit respectively.