Cucumber Report

| Start : Dec 22, 10:39:07.689 pm	End : Dec 22, 10:39:13.949 pm	Duration : 6.260 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Find the dealers and verify	*6.260 s*	*1*	*0*	*1*	*0*	*5*	*4*	*1*	*0*

#	Feature Name	Scenario Name
1	*Find the dealers and verify*	*Find the dealers and verify the dealers are in list*

#	Feature Name	T	P	F	S	Duration
1	Find the dealers and verify	1	0	1	0	6.260 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Find the dealers and verify	Find the dealers and verify the dealers are in list	5	4	1	0	6.257 s

Find the dealers and verify

FAILED	DURATION - 6.260 s	Scenarios		Steps	
/ 10:39:07.689 pm // 10:39:13.949 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 5 Pass - 4 Fail - 1 Skip - 0	5

Find the dealers and verify the dealers are in list

FAILED	DURATION - 6.257 s		Steps	
/ 10:39:07.692 pm // 10:39:13.949 pm /			Total - 5 Pass - 4 Fail - 1 Skip - 0	5
Find the dealers and verify				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.168 s
3	And I click 'Find a Dealer'	PASSED	2.213 s
4	Then I navigate to 'car-dealers' page	PASSED	0.000 s
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.006 s

dealersName

3 Point Motors Epping

4WD Specialist Group

5 Star Auto

A & M Car Sales Pty Ltd

A1 MOTORS COMPANY

ANDREA MOTOR SERVICE

Oxford Motors

io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 0 parameters at 'au.com.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table: | dealersName | | 3 Point Motors Epping | | 4WD Specialist Group | | 5 Star

#	Step / Hook Details	Status	Duration

	Auto | | A & M Car Sales Pty Ltd | | A1 MOTORS COMPANY | | ANDREA MOTOR SERVICE | | Oxford Motors | Step text: I should see the dealer names <dealersName> are display on page
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
	  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)
	  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)
	  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
	  at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)
	  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)
	  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
	  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)
	  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	  at org.testng.TestRunner.privateRun(TestRunner.java:848)
	  at org.testng.TestRunner.run(TestRunner.java:621)
	  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)
	  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)
	  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)
	  at org.testng.SuiteRunner.run(SuiteRunner.java:336)
	  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
	  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)
	  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)
	  at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)
	  at org.testng.TestNG.runSuites(TestNG.java:1114)
	  at org.testng.TestNG.run(TestNG.java:1082)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - au.com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.272 s
	Find the dealers and verify the dealers are in list		