

# **SPARC Robot Construction Specifications v1.3**

## **1. Overview and Purpose**

- 1.1. The SPARC Robot Construction Specifications was created to provide both builders and event organizers with an up to date and easy to implement ruleset.
- 1.2. The SPARC Standard Ruleset will call out areas where the rules are often altered by the events and will provide the most frequently used options for easy adaptation.
- 1.3. If the organizers choose to utilize the SPARC Robot Construction Specifications and modify the rules to adapt to their event they will note specific areas that differ from the standard SPARC rules in section 2.

## **2. Deviations From Robot Construction Specifications**

- 2.1. This section is provided as a location to provide a brief outline of where the rules for a specific event differ from the SPARC Robot Construction Specifications.
  - 2.1.1. This event is specifically for Ant weight class in the Plastics division. No other classes will be allowed to compete. The robot must fit within a 1 foot cube before the match starts. After match start, weapons or other moving parts may exceed this boundary. No excessively dangerous weapons including projectiles (teathered or not), heat, fire, and smoke armaments will be allowed. Multibots are not allowed. No internal combustion engines.
- 2.2. All changes from the baseline SPARC Robot Construction Specifications can be accessed on the ELC shop website. They shall be clearly highlighted to allow easy identification of deviations from the original document. A ~~striketrough~~ is used to mark off removed rules text

## **3. General**

- 3.1. All participants build and operate robots at their own risk. Combat robotics is inherently dangerous. There is no amount of regulation that can encompass all the dangers involved. Please take care to not hurt yourself or others when building, testing and competing.
- 3.2. If you have a robot or weapon design that does not fit within the categories set forth in these rules or is in some way ambiguous or borderline, please contact the event organizer. Safe innovation is always encouraged, but surprising the event staff with your brilliant exploitation of a loophole may cause your robot to be disqualified before it ever competes.
- 3.3. Each event has safety inspections. It is at their sole discretion that your robot is allowed to compete. As a builder you are obligated to disclose all operating principles and potential dangers to the inspection staff. Attendance at the Safety Inspection build night on November 16th is required for all teams. Safety inspections will be completed as part of team check-in on the day of the competition ONLY for those teams that have notified the event staff before Nov. 16<sup>th</sup> that they could not attend the safety inspection OR for

## SPARC Robot Construction Specifications v1.3

10 May 2019

Copyright © 2019 SPARC

those teams that have significantly modified their bot since their safety inspection.

- 3.4. Cardinal Safety Rules: Failure to comply with any of the following rules could result in expulsion or worse, injury and death.
- 3.4.1. Radios that do not operate using spread spectrum technology may not be turned on at or near events for any purpose without obtaining the appropriate frequency clip or explicit permission from the event.
  - 3.4.2. Proper activation and deactivation of robots is critical. Robots must only be activated in the arena, testing areas, or with expressed consent of the event and its safety officials.
  - 3.4.3. All robots must be able to be FULLY deactivated, which includes power to drive and weaponry, **in under 60 seconds by a manual disconnect.**
  - 3.4.4. All robots not in an arena or official testing area must be raised or blocked up in a manner so that their wheels or legs cannot cause movement if the robot were turned on. Runaway bots are VERY dangerous.
  - 3.4.5. Locking devices: Moving weapons that can cause damage or injury must have a **clearly visible** locking device in place **at all times** when not in the arena. Locking devices must be painted in neon orange or another high visibility color. Locking devices must be clearly capable of stopping, arresting, or otherwise preventing harmful motion of the weapon.
  - 3.4.6. Weapon locking pins **must be in place** when weapon power is applied during a robot's power-on procedure. This includes **all** powered weapons regardless of the power source or weight class.
  - 3.4.7. It is expected that all builders will follow basic safety practices during work on the robot at your pit station. Please be alert and aware of your pit neighbors and people passing by.

#### 4. Weight Classes.

This event only offers the listed weight classes in section 4.1 in a Plastic Class. There is a 100% weight bonus for non-wheeled robots (There is a 50% weight bonus for shufflers or other forms of locomotion which do not fall within the definition of non-wheeled robot - see 5.1.2 for a definition of a non-wheeled robot.) 4.1.

Rolling	Shufflers	Non-Wheeled
1lb / 454g	1.5 lb	2 lb

4.4. **Plastic Classes.** The spirit of these classes is to have an easy entry point for new builders and to encourage creative designs by limiting materials to plastics that are easy to work with, commonly used in 3D printers and don't have strength characteristics common in the standard classes.

- 4.4.1. PET, PETG, ABS, PLA, or PLA+ are the only materials that can be used for the chassis and weapons. No other types of plastics or materials allowed (ie. metal, carbon fiber, UHMW, etc). At their discretion, event organizers may allow additional plastics that meet the spirit of the rules.
- 4.4.2. Non-plastic parts such as motors, electronics, axles, fasteners and adhesives can be any material, but cannot be used in such a way to enhance the

## SPARC Robot Construction Specifications v1.3

10 May 2019

Copyright © 2019 SPARC

structural integrity, armor the robot, or enhance any weapon. Magnets to enhance traction or downforce are prohibited. Foam is allowed for wheels and padding of electronics.

4.4.3. Robots must fit within a 1 foot cube at the beginning of the match. They may deploy weapons or other accessories that exceed this limit during the match.

4.4.4. Robots may be disqualified at the Event Organizer's discretion if it is deemed to violate the spirit of the class. Contact the event organizer ahead of time if you are not sure your robot meets the above definition.

### 5. Mobility

5.1. All robots must have **easily visible and controlled mobility** in order to compete.

Methods of mobility include but are not limited to:

5.1.1. Rolling (wheels, tracks or the whole robot)

5.1.2. Non-wheeled: non-wheeled robots have **no** rolling elements in contact with the floor and **no** continuous rolling or cam operated motion in contact with the floor, either directly or via a linkage. Motion is "continuous" if continuous operation of the drive motor(s) produces continuous motion of the robot. Linear-actuated legs and novel non-wheeled drive systems may qualify for this bonus. If you are intending to enter a non-wheeled robot in any event contact the event as soon as possible to determine what if any weight bonus you will qualify for.

5.1.3. Shuffling (rotational cam operated legs)

5.1.4. Ground effect air cushions (hovercrafts). This type of mobility qualifies for a non-wheeled weight bonus.

5.1.5. Jumping and hopping is allowed at this event, contact the event organizer if you're intending on using this as a method of locomotion. (May qualify for a non-wheeled or shuffler weight bonus).

5.1.6. Flying (airfoil using, helium balloons, ornithopters, etc.) is not allowed at this event.

### 6. Robot control requirements:

6.1. Tele-operated robots must be radio controlled, or use an approved custom system as described in 6.4.3. Radio controlled robots must use approved ground frequencies, typically 27/49/50/53/75/900/2400 for the United States.

6.2. Tethered control is not allowed.

6.3. Pre 1991 non-narrow band radio systems are not allowed.

6.4. Radio system restrictions for this event with corresponding weight and or weapon restrictions:

6.4.1. Radio systems that stop all motion in the robot (drive and weapons), when the transmitter loses power or signal, are required for all robots with active weapons or any robot over 12lbs. This may be inherent in the robot's electrical system or be part of programmed fail-safes in the radio. Robots 1 lb and less in this competition will only be required to have drive fail-safes.

## SPARC Robot Construction Specifications v1.3

10 May 2019

Copyright © 2019 SPARC

- 6.4.2. All robot radio systems must have a way to change frequencies or coded channels to prevent radio conflicts. Having at least **two** frequencies or coded channels available is **required**. Lack of extra frequencies may result in a forfeit. Digital spread-spectrum radios that use frequency hopping or automatic channel selection qualify under this rule.
- 6.4.3. If you are using a home built control system, or a control system not covered here, you must first clear it with the event you plan to attend.
- 6.4.4. Toy radio systems are allowed at this event for robots with no active weapons.
- 6.4.5. RC systems on the AM band are allowed at this event for robots with no active weapons.
- 6.5. This event does not require a separate power switch for the radio, but it is encouraged.
- 6.6. This event does not provide reserved frequencies/channels for testing and safety. Only robots operating on digital spread-spectrum radios that use frequency hopping or automatic channel selection (eg. bluetooth) will be permitted to perform radio tests during the event. All other forms of remote control will only be allowed to be operated during their match or when given permission by an event organizer.
  - 6.6.1. Event organizers will approve radio tests for non-spread-spectrum systems only when no other non-spread-spectrum system is on. This includes bots that are currently in a match and bots that are being tested or repaired.
- 7. Autonomous/Semi-Autonomous Robots: Any robot that moves, seeks a target, or activates weapons without human control is considered autonomous.
  - 7.1. Autonomous robots must have a clearly visible light for each autonomous subsystem that indicates whether or not it is in autonomous mode, e.g. if your robot has two autonomous weapons it should have two "autonomous mode" lights (this is separate from any power or radio indicator lights used).
  - 7.2. Safe operation, arming, and disarming must be demonstrated in safety inspections.
- 8. Batteries and Power
  - 8.1. The only permitted batteries are ones that cannot spill or spray any of their contents when damaged or inverted. This means that standard automotive and motorcycle wet cell batteries are prohibited. Examples of batteries that are permitted: gel cells, Hawkers, NiCads, NiMh, dry cells, AGM, LiIon, LiFe, LiPoly, etc. If your design uses a new type of battery, or one you are not sure about please contact the event you're planning to attend.
  - 8.2. All onboard voltages above **48 Volts** require prior approval from this event. (It is understood that a charged battery's initial voltage state is above their nominal rated value)
  - 8.3. All electrical power to weapons and drive systems (systems that could cause potential human bodily injury) must have a manual disconnect that can be activated within **15 seconds** without endangering the person turning it off. (E.g. No body parts in the way of weapons or pinch points.) Shut down must include a **manually** operated mechanical method of disconnecting the main

## SPARC Robot Construction Specifications v1.3

10 May 2019

Copyright © 2019 SPARC

battery power, such as a switch (Hella, Whyachi, etc) or removable link. Relays may be used to control power, but there must also be a mechanical disconnect. Please note that complete shut down time is specified in section 3.4.3.

- 8.4. All efforts must be made to protect battery terminals from a direct short and causing a battery fire.
- 8.5. All Robots must have a light easily visible from the outside of the robot that shows its main power is activated.

### 9. Pneumatics

- 9.1. Pneumatic systems on board the robot must only employ non-flammable, nonreactive gases (CO<sub>2</sub>, Nitrogen and air are most common). It is not permissible to use fiber wound pressure vessels with liquefied gasses like CO<sub>2</sub> due to extreme temperature cycling.
- 9.2. You must have a safe and secure method of refilling your pneumatic system.
  - 9.2.1. SPARC recommends the use of standard paintball fill fittings available at many retail outlets and online. For specs see Part#12MPS from Foster, <http://www.couplers.com>.
- 9.3. **For This Event:**
  - 9.3.1. The maximum actuation pressure **must be 250 PSI or less** and all components must be used within the specifications provided by the manufacturer or supplier. If the specifications aren't available or reliable, then it will be up to the event organizer to decide if the component is being used in a sufficiently safe manner.

### 10. Hydraulics

- 10.1. Good engineering and best practices must be used in all hydraulic systems. **The pressure for 12 pound or less robots is limited to 250psi and there must be an easy way to determine this pressure.** Contact the event with any questions.

### 11. Internal Combustion Engines (ICE) and liquid fuels are not allowed at this event.

### 12. Rotational weapons or full body spinning robots are allowed at most events, however:

- 12.1. Spinning weapons that can contact the outer arena walls during normal operation must be pre-approved by the event. (Contact with an inner arena curb, or containment wall is allowed and does not require prior permission. The kickplate is about 5in tall.)
- 12.2. Spinning weapons must come to a full stop within **60 seconds** of the power being removed using a self-contained braking system.

### 13. Springs and flywheels

- 13.1. Springs used in robots in the 12 lbs class or smaller and those loaded simply by the weight of the robot(eg. suspension systems) are excepted from the rules in this section. However safe operation and good engineering are always required.

## **SPARC Robot Construction Specifications v1.3**

**10 May 2019**

Copyright © 2019 SPARC

14. Forbidden Weapons and Materials. The following weapons and materials are absolutely forbidden from use:
- 14.1. Weapons designed to cause invisible damage to the other robot. This includes but is not limited to:
    - 14.1.1. Electrical weapons
    - 14.1.2. RF jamming equipment, etc.
    - 14.1.3. RF noise generated by an IC engine. (Please use shielding around sparking components)
    - 14.1.4. EMF fields from permanent or electro-magnets that affect another robot's electronics.
    - 14.1.5. Entangling Weapons or defenses: these are weapons or defenses that can reasonably be expected to stop drive train and/or weapon motion by being wrapped around rotating parts. This includes nets, tapes, strings, and other entangling materials or devices.
    - 14.1.6. Weapons or defenses that that can reasonably be expected to stop combat completely of both (or more) robots.
  - 14.2. Weapons that require significant cleanup, or in some way damages the arena to require repair for further matches. This includes but is not limited to:
    - 14.2.1. Liquid weapons. Additionally a bot may not have liquid that can spill out when the robot is superficially damaged.
    - 14.2.2. Foams and liquefied gasses
    - 14.2.3. Powders, sand, ball bearings and other dry chaff weapons
  - 14.3. Un-tethered Projectiles (see tethered projectile description in Special Weapons section 15.1)
  - 14.4. Heat and fire are forbidden as weapons. This includes, but is not limited to the following:
    - 14.4.1. Heat or fire weapons not specifically allowed in the Special Weapons section (15.2)
    - 14.4.2. Flammable liquids or gases
    - 14.4.3. Explosives or flammable solids such as:
      - 14.4.3.1. DOT Class C Devices
      - 14.4.3.2. Gunpowder / Cartridge Primers
      - 14.4.3.3. Military Explosives, etc.
  - 14.5. Light and smoke based weapons that impair the viewing of robots by an Entrant, Judge, Official or Viewer. (You are allowed to physically engulf your opponent with your robot however.) This includes, but is not limited to the following:
    - 14.5.1. Smoke weapons not specifically allowed in the Special Weapons section (15.3)
    - 14.5.2. Lights such as external lasers above 'class I' and bright strobe lights which may blind the opponent.
  - 14.6. Hazardous or dangerous materials are forbidden from use anywhere on a robot where they may contact humans, or by way of the robot being damaged (within reason) contact humans. Contact the event you plan to attend if you have a question.

15. Special weapon descriptions allowed at this event:

**SPARC Robot Construction Specifications v1.3**  
**10 May 2019**

Copyright © 2019 SPARC

- 15.1. Tethered Projectiles are not allowed at this event.
- 15.2. Heat and Fire are not allowed at this event
- 15.3. Smoke Effects are not allowed at this event.