

**ПРАВИТЕЛЬСТВО РОССИЙСКОЙ ФЕДЕРАЦИИ  
НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ  
«ВЫСШАЯ ШКОЛА ЭКОНОМИКИ»**

**Факультет компьютерных наук Образовательная программа «Программная инженерия»  
(ВШЭ ФКН ПИ)**

УДК 004.852

Руководитель,  
Стажер-исследователь,  
приглашённый лектор  
\_\_\_\_\_ О. Н. Качан  
«\_\_\_\_\_» \_\_\_\_\_ 20\_\_\_\_г.

Выполнил:  
Студент группы БПИ204  
образовательной программы  
«Программная инженерия»  
Пеганов Никита Сергеевич  
\_\_\_\_\_ Н.С. Пеганов  
«\_\_\_\_\_» \_\_\_\_\_ 20\_\_\_\_г.

**ОТЧЕТ  
О НАУЧНО-ИССЛЕДОВАТЕЛЬСКОЙ РАБОТЕ**

**SYNCHRONIZATION OF NEUROMORPHIC NETWORKS OF THE SMALL WORLD IN KURAMOTO  
MODEL  
(заключительный)**

Москва 2022

# 1 Abstract

Neurons in our brains are connected by a network of connections called synapses. Synapses are the sites where neurons communicate with each other, and they are important for learning and memory.

Understanding how neurons and synapses function to make up the brain is essential to understanding how they work in the rest of the body. Understanding how the brain works will help us to understand how to treat problems like Alzheimer's disease and other neurological disorders.

If we consider the brain as a graph we will see that all neurons are divided into groups. These groups are connected with each other with a small number of synapses. But they are tightly connected within these groups. The type of communication of neurons within a group is called "small world graph".

We can define a small world network as a network in which there is not a strong connection between any two nodes, but there are many connections between each node and the rest of the network. In a small world system there are no paths of length greater than four that connect all the nodes of the system.

This is the reason why the graph of the close world model is chosen in this paper. In this case, the number of links between any two nodes is very small.

The object of research of this work is the synchronization of neurons. The goal is to understand the mechanisms that underlie the generation of synchronized activity in large populations of neurons, and to identify the functional roles of each mechanism. In particular, the goal is to develop a better understanding of the relationships between the properties of neuronal networks and their behavior under physiological conditions. This will be accomplished by studying the effects of changing the network's characteristics on its behavior.

## 2 Content

## Содержание

1	Abstract	2
2	Content	3
3	Basic terms, definitions and abbreviations	4
4	Introduction	5
5	The main part of the research report	6
6	Conclusion	11
7	Applications	13

### 3 Basic terms, definitions and abbreviations

**Graph** — a set of items connected by edges. A graph  $G$  can be defined as a pair  $(V, E)$ , where  $V$  is a set of vertices, and  $E$  is a set of edges between the vertices  $E \subseteq \{(u, v) | u, v \in V\}$ [1].

**Simplicial complex**  $K$  (sometimes called an abstract simplicial complex) consists of

1. a set of objects,  $V(K)$ , called vertices
2. a set,  $S(K)$ , of finite non-empty subsets of  $V(K)$ , called simplices.

such that the simplices satisfy the following conditions:

1. if  $\sigma \subset V(K)$  is a simplex and  $\tau \subset \sigma, \tau \neq \emptyset$ , then  $\tau$  is also a simplex;
2. every singleton  $v, v \in V(K)$ , is a simplex[4].

A graph is **globally synchronized** if in the long-run all oscillators are in phase, starting from all initial conditions except a set of measure zero[8].

**Synchronization** — the fact of happening at the same time, or the act of making things happen at the same time[2].

**Simplicial synchronization** — a fundamental dynamical state observed in a wide variety of complex systems and capturing among other phenomena important aspects of brain dynamics and circadian rhythms[3].

**Kuramoto model** is a stylized model that explains how coupled oscillators, that in absence of interactions would have different intrinsic frequencies, can start to follow a collective coherent motion when their coupling constant  $\sigma$ , measuring the strength of their interaction, is larger than a critical value  $\sigma_c$  also called synchronization threshold[3].

## 4 Introduction

### Task description

Analysis of the small-world graphs' syncing by Kuramoto model. That means checking how the neuron network will synchronize after deleting one of its neurons.

### Relevance

Neurons in our brain are placed as small-world graph. So, understanding of the ways of their synchronization will help us to get closer to understanding the work of the brain, as well as to find new methods of treating brain diseases. This theme is actual nowadays which shows a large number of recent works.

### Subject of research

The subject of the research is small-world graphs' synchronization. Small-world networks are characterized by their fast adaptation to external perturbations, yet are not able to respond quickly to internal changes. We use these properties in order to study the possibility of synchronization of a random small-world network.

### Research methods

The way of research is reading of scientific literature on a related topic and analysis of the information. Also there is an experiment that checks the hypothesis.

### Purposes and objectives of the work

The purpose of the research is checking the hypothesis of neurons synchronization in small-world graphs. The objectives of the work are:

1. to find the information on the selected topic in the works of other researchers
2. analyze and aggregate found information
3. select and describe used methods and algorithms
4. conduct an experiment to check the hypothesis
5. analyze the results of the experiment
6. draw conclusions

### Originality and reliability of the obtained results

During the analysis of sources, it was found out that there are works on related topics, but it is not sufficiently studied.

### Theoretical significance

The work has a theoretical significance as a research of a significant process for medicine — neuron syncing. The way to calculate the level of synchronization is universally used Kuramoto model. So, the work can be used in other researches.

### Practical value

Neuromorphic computing is not very practically used method because artificial methods of machine learning are better in most tasks. But the code (you can find it in Application 1) can be used in some brain simulation tasks.

## 5 The main part of the research report

### Review and analysis of sources

**"Geometry, Topology and Simplicial Synchronization"**[3] by Ana Paula Millán, Juan G. Restrepo, Joaquín J. Torres and Ginestra Bianconi is a review article fully covering the area under study. It defines "Simplicial synchronization" "Kuramoto model" "Graph Laplacian" and other important definitions.

In this article Ginestra Bianconi explores how the combinatorial and statistical properties of complex networks have effects on dynamics. Simplicial complexes affect on higher-order dynamics through simplicial geometry and topology. To research it two frameworks are used: Network Geometry with Flavor (NGF) and Graph Laplacian. Exactly, spectral dimension of NGF networks is used to measure the geometry influence on dynamics.

The level of synchronization in the system is measured by the Kuramoto order parameter,

$$Z_0 = R_0 e^{i\Theta} = \frac{1}{N} \sum_{j=1}^{N_{[0]}} e^{i\theta_j},$$

where  $R_0$  and  $\Theta$  are both real and where  $0 \leq R_0 \leq 1$  measures the overall coherence and  $\Theta = \Theta(t)$  is the phase of global oscillations. As the result of the research we have several formulas that can determine the level of synchronization of complexes with different geometry and topology.




Рис. 1: Frustrated synchronization on NGF characterized by spatio-temporal fluctuations of the order parameter[3].

**"Higher-order simplicial synchronization of coupled topological signals"**[5] by Reza Ghorbanchian, Juan G. Restrepo, Joaquín J. Torresy, and Ginestra Bianconi shows the possible phase transitions that can occur when topological signals de

ned on nodes and links interact. This research is based on the mathematical framework of higher-order topological synchronization. For some reasons, in this work authours focus in particular on the coupled synchronization of topological signals de

ned on nodes and links.

Interestingly, in this research more mathematical frameworks has been chosen: models NL and NLT, Geometry with Flavor (NGF) and Kuramoto model for measuring the level of synchronization in the system.

This work uncovers how topological signals associated to nodes and links can be coupled to one another giving rise to an explosive synchronization phenomenon involving both signals at the same time. Created model has been tested on real connectomes and on major examples of simplicial complexes (the con

guration model of simplicial complex and the Network Geometry with Flavor).




Рис. 2: The Higher-order topological synchronization models (Models NL and NLT) coupling nodes and links on simplicial complexes[6].

In work "**Explosive higher-order Kuramoto dynamics on simplicial complexes**" Ana P. Millán, Joaquín J. Torres, Ginestra Bianconi show, how complexes behave on higher-order interactions.

In this work the configuration model Configuration of simplicial complexes is used, which naturally generalizes the configuration model of networks. There are also exist Farber, Emergent, Hyperbolic and Petri-dynamical models.

So, authors show, that higher-order Kuramoto dynamics are defined on faces of dimension  $n - 1$  and  $n + 1$ , which follow a dynamics of coupled oscillators. This work opens innovative perspectives in characterizing the Kuramoto dynamics on higher dimensional simplices.




Рис. 3: The order parameters  $R$ ,  $R[1]$  and  $R[2]$  of the simple (blue circles) and explosive (red squares) higher-order ( $n = 1$ ). Kuramoto dynamics are plotted versus the coupling constant  $\sigma$ . [7].

### Selection of methods, algorithms, models for solving tasks

As mentioned above, the type of graph is small-world. This type of graphs was chosen because of the similarity with the structure of the human brain. The human brain is a very complex organ and it is difficult to find the exact

structure of its network. However, it has been shown that the neuronal networks of the brain possess the properties of small-world networks.

Neuromorphic computing is a form of computing that has recently received a lot of attention due to the fact that it is based on the natural brain. Neuromorphic computers are based on biological neurons and synapses. And this is the way to most fully simulate the human brain. The term “neuromorphic” refers to an artificial neural network that mimics the function of a biological neural network.

To assess the level of synchronization of neurons, the Kuramoto model was chosen. This model is a mathematical framework to describe the dynamics of a network of interacting oscillators. The Kuramoto model has been widely used in the study of brain dynamics. A Kuramoto oscillator is defined as a system of coupled phase oscillators, where each oscillator has a fixed frequency and the phase of each oscillator varies around the average phase of the entire population, so that the sum of all phases is zero.

Another way to evaluate the synchronization of neurons is to calculate their total activity. This is done by summing the number of spikes that each neuron produces during a given time interval. The mean number of spikes per neuron during the time window is then computed. An example of such a plot is shown in Figure 4.




FIG. 4: Graph of the total activity of neurons of the small world network.

### Description of selected or proposed methods, algorithms, models, techniques

For the convenience of development, the python language was chosen. The Python is a programming language that enables you to write programs in a simple way. It has a syntax that is easy to learn and that allows you to easily add new features. For example, the Python language allows you to do a lot of things with graphs, such as adding nodes and edges, creating and manipulating graphs.

The Networkx library is used to create the small-world graph. NetworkX is a Python package for the creation, manipulation, and study of the structure, dynamics, and functions of complex networks.

The brian2 library was used to stimulate the work of neurons. It is an experimental simulation environment that can be used for testing and debugging of neural network models and hardware implementations. This allows the development of a wide variety of neural model architectures for the generation of different kinds of signals.

Finally, the kuramoto library[9] is used to calculate the level of synchronization of neurons according to the Kuramoto model. This library allows you to calculate the synchronization level and also draw a plot of all the time series and oscillators in complex plane at different times.

### Description of the experiment



At first, random small-world graph has been generated. It's side is 6 and the count of vertexes is 36. These numbers have been selected in case of the best time of syncing. Synchronization also occurs on other sources, but these numbers were chosen for the presentation as the most suitable.




Рис. 5: Example small-world graph.

Thereafter, a neural network based on this model was compiled. The method of the neuron group generation is Euler method. The output of the model is the plot of spikes of the neurons and their counts.




Рис. 6: The graph of neurons syncing.

Also let's calculate the phase by Kuramoto model. In the Kuramoto oscillator, the phase of each node is defined as the angle between node's position vector and the average position of all nodes.

We can see that both characteristics show synchronization's success.




Рис. 7: The phase of every oscillator for all the time series.

Then we should delete one neuron to check new level of synchronization. For this propose, all it's synapses have been simply deleted.

```
def delete_neuron(number):
    for i in list(syn.i):
        if syn.i[i] == number:
            syn.w[i] = 0
```

Рис. 8: The code of neuron deletion.

Then start the net processing again and check it's syncing by both metrics.




Рис. 9: The plot of total neurons activity after deleting one of them.




Рис. 10: The plot of neurons activity after deleting one of them in Kuramoto model.

## 6 Conclusion

In this paper, an analysis of the literature was carried out. Simplicial complex, Kuramoto model and other important definitions were found. The application of these models in the theory of neuromorphic systems is also described.

The methods and algorithms used in the study are selected and described. The model of graph is small-world model due to its similarity with brain's structure. Neuromorphic computing is a way to simulate the neuronet working. And Kuramoto model is the method of synchronization's measurement.

The plot of neurons' activity has been built two times: before and after deleting one of the neurons. They show that synchronization time increases after deleting but the synchronization does not disappear. So, the hypothesis is confirmed: neuron deleting does not affect on network syncing.


## List of used sources

- [1] *Paul E. Black and Paul J. Tanenbaum* "graph in Dictionary of Algorithms and Data Structures [online], Paul E. Black, ed. 21 June 2021. (accessed 04.07.2022) Available from: <https://www.nist.gov/dads/HTML/graph.html>
- [2] *Cambridge University Press* Meaning of synchronization in English. // Website [dictionary.cambridge.org](https://dictionary.cambridge.org) (<https://dictionary.cambridge.org/dictionary/english/synchronization>). Viewed: 04.07.2022
- [3] *Ana Paula Millán, Juan G. Restrepo, Joaquín J. Torres and Ginestra Bianconi* Geometry, Topology and Simplicial Synchronization. P. 12
- [4] Simplicial complex. // Website [ncatlab.org](https://ncatlab.org) (<https://ncatlab.org/nlab/show/simplicial+complex>). Viewed: 09.07.2022
- [5] *Reza Ghorbanchian, Juan G. Restrepo, Joaquin J. Torresy, and Ginestra Bianconi* Higher-order simplicial synchronization of coupled topological signals. // Website Arxiv.org (<https://arxiv.org/abs/2011.00897>). Viewed: 11.07.2022
- [6] *Reza Ghorbanchian, Juan G. Restrepo, Joaquin J. Torresy, and Ginestra Bianconi* Higher-order simplicial synchronization of coupled topological signals. P. 6
- [7] *Ana P. Millan, Joaquin J. Torres, Ginestra Bianconi* Explosive higher-order Kuramoto dynamics on simplicial complexes. // Website Arxiv.org (<https://arxiv.org/abs/1912.04405>). Viewed: 11.07.2022
- [8] *Alex Townsend, Michael Stillman, Steven H. Strogatz* Dense networks that do not synchronize and sparse ones that do. // Website Arxiv.org (<https://arxiv.org/abs/1906.10627>). Viewed: 01.09.2022
- [9] *fabridamicelli* Python implementation of the Kuramoto model. // Website [Github.com](https://github.com) (<https://github.com/fabridamicelli/kuramoto>). Viewed: 04.09.2022

## 7 Applications

### Application 1

Link to the project repository with the source code and all used materials.

[https://github.com/NikPeg/synchronization-of-neuromorphic-networks-of-the-close-world-from-the-point-of-view-of-](https://github.com/NikPeg/synchronization-of-neuromorphic-networks-of-the-close-world-from-the-point-of-view-of-complexes)  
complexes