

**Sindre J.I Sivertsen & Sander Kilen**

# The title in the world!

master project, Fall 2021

Artificial Intelligence Group  
Department of Computer and Information Science  
Faculty of Information Technology, Mathematics and Electrical Engineering





## Abstract

This paper provides a template for writing AI project reports for either the AI specialisation project; masters "datateknikk" or masters "informatikk". The use of the template is recommended and is written in English as we encourage students to submit their project and masters theses in English. The template does not form a compulsory style that you are obliged to use. However, the format and contents are a result of a joint AI group initiative thus providing a common starting point for all AI students. For a given project tuning of the template may still be required. Such tuning might involve moving a chapter to a section or vice versa due to the nature of the project.

The abstract is your sales pitch which encourages people to read your work but unlike sales it should be realistic with respect to the contributions of the work. It should include:

- the field of research
- a brief motivation for the work
- what the research topic is and
- the research approach(es) applied.
- contributions

The abstract length should be roughly half a page of text — without lists, tables or figures.

## Preface

The preface includes the facts - what type of project, where it is conducted, who supervised and any acknowledgements you wish to give.

Sindre J.I Sivertsen & Sander Kilen  
Trondheim, November 2, 2021

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Background and Motivation . . . . .	1
1.2	Goals and Research Questions . . . . .	2
1.3	Research Method . . . . .	3
1.4	Contributions . . . . .	3
1.5	Thesis Structure . . . . .	3
<b>2</b>	<b>Background Theory and Motivation</b>	<b>5</b>
2.1	Background Theory . . . . .	5
2.1.1	Time Series . . . . .	5
2.1.2	Forecasting time series . . . . .	6
2.1.3	Loss functions . . . . .	8
2.1.4	Convolution . . . . .	8
2.1.5	Recurrent neural networks . . . . .	9
2.1.6	Long-Short Term Memory . . . . .	9
2.1.7	Autoencoder . . . . .	10
2.2	Structured Literature Review Protocol . . . . .	10
2.3	Motivation . . . . .	10
<b>3</b>	<b>Related work</b>	<b>11</b>
3.1	Predicting extreme values . . . . .	11
3.2	Convolutional autoencoders and LSTM . . . . .	11
<b>4</b>	<b>Architecture/Model</b>	<b>13</b>
<b>5</b>	<b>Experiments and Results</b>	<b>15</b>
5.1	Experimental Plan . . . . .	15
5.2	Experimental Setup . . . . .	15
5.3	Experimental Results . . . . .	16

<b>6</b>	<b>Evaluation and Conclusion</b>	<b>17</b>
6.1	Evaluation . . . . .	17
6.2	Discussion . . . . .	17
6.3	Contributions . . . . .	17
6.4	Future Work . . . . .	18
	<b>Bibliography</b>	<b>19</b>
	<b>Appendices</b>	<b>21</b>

# List of Figures





# List of Tables



# Chapter 1

## Introduction

All chapters should begin with an introduction before any sections begin. Further, each section begins with an introduction before subsections begin. Chapters with just one section or sections with just one sub-section, should be avoided. Think carefully about chapter and section titles as each title stand alone in the table of contents (without associated text) and should convey meaning for the contents of the chapter or section.

In all chapters and sections it is important to write clearly and concisely. Avoid repetitions and if needed, refer back to the original discussion or presentation. Each new section, subsection or paragraph should provide the reader with new information and be written in your own words. Avoid direct quotes. If you use direct quotes, unless the quote itself is very significant, you are conveying to the reader that you are unable to express this discussion or fact yourself. Such direct quotes also break the flow of the language (yours to someone else's).

### 1.1 Background and Motivation

Having a template to work from provides a starting point. However, for a given project, a slight variation in the template may be required due to the nature of the given project. Further, the order in which the various chapters and sections will be written will also vary from project to project but will seldom start at the abstract and sequentially follow the chapters of the report. One critical reason for this, is that you need to start writing as early as possible and you will begin to write up where you are currently focusing. However, do not leave the abstract until the end. The abstract is the first thing anyone reads of an article or thesis — after the title; and thus it is important that it is very well written. Abstracts are hard to write so create revisions throughout the course of your project as

your project progresses.

This introduction to background and motivation should state where this project is situated in the field and what the key driving forces motivating this research are. However, keep this section brief as it is still part of the introduction. The motivation will be further extended in chapter 2, presenting your complete state-of-the-art.

Note that this template uses italics to highlight where latin wording is inserted to represent text and the text of the template that we wish to draw your attention to. The italics themselves are not an indication that such sections should use italics.

## 1.2 Goals and Research Questions

A masters is a research project and thus there needs to be a question(s) that need answered. Such questions are often a very important part of the results that come out of the specialisation project. For those following the one year masters project, it is desirable to create such questions as early as possible as the formation of such questions provide both an important driving force for the masters project and provide clarity as to the goals sought. However, one will expect to refine the questions and thus the final path of the masters as work progresses. However any refinements should be conducted with care so as to avoid that the original aims, and previous work are not lost. It is always good to have one (or max 2) key questions and perhaps some sub questions.

**Goal** *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*

Your goal/objective should be described in a single sentence. In the text under you can expand on this sentence to clarify what is meant by the short goal description. The goal of your work is what you are trying to achieve. This can either be the goal of your actual project or can be a broader goal that you have taken steps towards achieving. Such steps should be expressed in the research questions. Note that the goal is seldom to build a system. A system is built to enable experiments to be conducted. The research question/goal would be the goal that the system is implemented to meet.

**Research question 1** *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*

Each research question provides a sub-goal and these should be precise and clearly stated enabling the reader to match your results to the original goals. They will also form the driving force for the experimental plan.

**Research question 2** *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam consequat pulvinar hendrerit. Praesent sit amet elementum ipsum. Praesent id suscipit est. Maecenas gravida pretium magna non*

## 1.3 Research Method

What methodology will you apply to address the goals: theoretic/analytic, model/abstraction or design/experiment? This section will describe the research methodology applied and the reason for this choice of research methodology.

## 1.4 Contributions

The main description of the contributions will come in chapter 6.3 after the results are presented. This section just provides a brief summary of the main contributions of the work. This section can also be left out, leaving all discussions in chapter 6.3.

The format of this section will generally follow the following format: *Donec non turpis nec neque egestas faucibus nec id neque. Etiam consectetur, odio vitae gravida tempus, diam velit sagittis turpis, a molestie ligula tellus at nunc. Nam convallis consequat vestibulum. Proin dolor neque, dapibus a pellentesque a, commodo a nibh.*

1. *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*
2. *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*
3. *Lorem ipsum dolor sit amet, consectetur adipiscing elit.*

## 1.5 Thesis Structure

This section provides the reader with an overview of what is coming in the next chapters. You want to say more than what is explicit in the chapter name, if possible, but still keep the description short and to the point.



## Chapter 2

# Background Theory and Motivation

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam consequat pulvinar hendrerit. Praesent sit amet elementum ipsum. Praesent id suscipit est. Maecenas gravida pretium magna non interdum. Donec augue felis, rhoncus quis laoreet sed, gravida nec nisi. Fusce iaculis fermentum elit in suscipit.*

## 2.1 Background Theory

### 2.1.1 Time Series

A time series is a sequence of data points that occur in successive order over some period of time.

Kenton [2020]

In a time series, time is often the independent variable. Examples of time series are weather data, stock markets, sound level samples. The time  $t$  usually ranges over a discrete index set and is often equally spaced.

#### Properties

A time series has several properties:

Legge inn illustrasjoner som forklarer bedre

**Stationarity** A time series is stationary if its statistical properties do not change over time. In other words, if it has a variance, mean, and covariance which is independent of time.

Rob J Hyndman [2014] defines stationarity more formally:

**Definition 1**  $X_t$  is a stationary time series  $x_1, \dots, x_n$ , if  $\forall_s \in \mathbb{R}$  : the distribution of  $(x_t, \dots, x_{t+s})$  is equal

**Seasonality** If the time series follows periodic fluctuations, like how electricity usage varies during 24 hours, then it has seasonality.

**Autocorrelation** If a time series has a strong autocorrelation then there is a big correlation between observations with a time lag between them.

**Trends** When a time series has a deterministic component that is proportionate to the time period it has a trend. In simpler terms, if a time series plot seems to center around an increasing or decreasing line it suggests the presence of a trend.

**Cycles** Cycles differ from seasonality because the period does not have to be fixed.

**Level** The level of a time series is equal to the mean. If a time series has a trend then the level is changing.

### 2.1.2 Forecasting time series

Let  $Y = \{y_1, y_2, \dots, y_n\}$  denote a time series. Forecasting is prediction the next time step  $y_{n+h}$  where  $h$  is the forecasting horizon.

There are two main categories within time series forecasting. **univariate** and **multivariate**. An *univariate* time series consists of one input variable and one output variable. These methods use the time series past to predict its future. In a multivariate time series, there are many time dependent variables used as explanatory variables that all help predict one output variable.

Many time series methods focus on predicting just one step ahead ( $y_n + 1$ ). When forecasting many steps into the future this becomes a *Multi-step forecasting* problem. One simple to predict many steps ahead is to recursively predict one step ahead, and use past predicted steps in the calculation.

Given a stationary time series, a naive approach to time series modeling is predicting that the next observation will be the mean of all past observations. A better approach is to define a smaller window, and apply the moving average across the whole series. Longer window size equals a smoother graph.

A different well-known technique is **exponential smoothing**. It uses the same approach, but assigns a different decreasing weight is assigned to each observation.

$$y = \alpha x_t + (1 - \alpha)y_{y-1}, t > 0 \quad (2.1)$$



Equation 2.1 shows exponential smoothing, where  $\alpha$  smoothing factor that takes values between 0 and 1. It determines how fast the weight decreases with time.

## ARMA

Auto-Regressive Moving Average **ARMA** is a statistical model for time series prediction. It is one of the most commonly used methods for univariate time series forecasting [SOURCE] *ARMA*  $ARMA(p, q)$  is defined for stationary data and consists of two components  $AR(p)$  and  $MA(q)$ .

The  $AR(p)$  model is built on the assumption that the value of a given time series  $y_n$  can be estimated using a linear combination of the  $p$  past observations, an error term  $\epsilon_n$  and a constant term  $c$  as seen in Equation 2.2 Box et al. [2016].

$$y_n = c + \sum_{i=1}^p \phi_i y_{n-i} + \epsilon_n \quad (2.2)$$

where  $\phi_i, \forall i \in \{1, \dots, p\}$  denote the model parameters, and  $p$  is the order of the model.

The second part  $MA(q)$  uses the past errors in a similar fashion Equation 2.3.

$$y_n = \mu + \sum_{i=1}^p \theta_i \epsilon_{n-i} + \epsilon_n \quad (2.3)$$

Here  $\mu$  represents the mean of observations.  $q$  is the order of the model.  $\theta_i, \forall i \in \{1, \dots, q\}$  represents the parameters of the model.

Combining the past observations Equation 2.2 and past error terms Equation 2.3 we get the  $ARMA(p, q)$  model in Equation 2.4.

$$y_n = c + \sum_{i=1}^p \phi_i y_{n-i} + \mu + \sum_{i=1}^p \theta_i \epsilon_{n-i} + \epsilon_n \quad (2.4)$$

## SARIMA

SARIMA is an extension to ARMA model that supports the direct modeling of a seasonal component and incorporates a parameter  $d$  to transform a non-stationary time series into a stationary one.

SARIMA is a combination of simpler models to make a complex model that can model time series. The main idea is to apply different transformations to a nonstationary seasonal time series, in order to remove seasonality and any non-stationary behaviors. Utlaut [2008, p. 327-385]. The first part of SARIMA is the autoregression model  $AR(p)$  where  $p$  is the maximum lag.

TODO: Det er jo feil! Men virker som det er veldig mye å met inn på. Veldig liten plass. Vi har dÅrlig plass så vi har rÅd til Å et par ord ekstra l du vil ;)

The second part is the moving average model  $MA(q)$  where  $q$  is the maximum lag.

The third part is the order of integration  $I(d)$  where  $d$  is the number of differences required to make the series stationary.

The final component is seasonality  $S(P, D, Q, s)$ , where  $s$  is the length of the season.  $s$  is dependent on  $P$  and  $Q$  which are equal to  $q$  and  $q$  but for the seasonal component.  $D$  is the number of differences required to remove seasonality from the series.

The combination of all these parts is the SARIMA model  $SARIMA(p, d, q)(P, D, Q, s)$

### Limitations of statistical methods

If a time series is stationary, then using its statistical properties is shown to be an effective and computationally cheap method Makridakis et al. [2018].

Skrive om limitations til statistiske metoder \* Univariate \* stationary time series \* Dealing with extreme values  
<https://towardsdatascience.com/limitations-of-arma-dealing-with-outliers-30cc0c6ddf33>

Pro ML: size matters Cerqueira et al. [2019]

### 2.1.3 Loss functions

Guen and Thome [2019] ...

### 2.1.4 Convolution

A *Convolutional Neural Network* (CNN) is a neural network architecture built using convolutional layers in order to extract information. Unlike fully connected neural networks, convolutional layers interpret data using perceptive fields. These perceptive fields evaluate only sections of the input at a time until the whole input is processed. The convolutional layers attempt to extract features from the input data. The first layer extracts low-level features, while the next layer extracts higher-level features, and so on.

image for visuals!

[Géron, 2017, p. 443-446]

Multiple kernels, or filters, are used to extract data from the input. The result of applying these filters is known as the feature map, the extracted data features.

The use of this feature map means that CNNs are good with data that has a spatial relationship. For example, there is a relationship of order between the words in a sentence. And there is an ordered relationship in the time steps of a time series.

Convolutional layers have several applications within image classification, image recognition, natural language processing, and time series analysis.

### 2.1.5 Recurrent neural networks

A *Recurrent Neural Network* (RNN) is an artificial neural network architecture that can work with data sequences of arbitrary length. Unlike feed-forward networks, RNNs consider the input data in conjunction with state information from a previous timestep. To accomplish this the network uses feedback connections. The feedback connections serve state information from the previous time step to the intended node. This connection works as a short-term memory for the recurrent layers, saving information from the previous time step memory cells.

In the basic RNN, these memory cells retain minimal information, saving data only from the previous instance. As the RNN memory cell is defined by the newest data introduced to the cell, previous information is encoded only in its effect on that data. Due to this, information is not stored for long in these memory cells, only retaining short-term memory data. This results in the RNN often suffering from the vanishing gradient problem, as well as the exploding gradient problem.

The RNNs ability to retain information from previous inputs means it is especially good at finding temporal relationship in data. For example, in a time series, where the next step is dependent on previous steps

In order to improve the performance of the RNN, new models have been created to address some of its shortcomings. One such model is the Long-Short Term Memory model (LSTM).

[Géron, 2017, p. 469-472]

Hva er vanishing gradient problem? Hvorfor trenger en kilde her?

What is a RNN used for? - Prediction, NLP, etc.

### 2.1.6 Long-Short Term Memory

*Long-Short Term Memory* (LSTM) is a type of recurrent neural network addressing some of its shortcomings. The LSTM introduces a new memory cell, adding Long-term memory to the network.

The LSTM memory cells are comprised of two vectors, one for long-term and one for short-term memory, as well as an input gate, output gate and a forget gate. The forget gate allows for the memory cell to remove unneeded parts of the memory in order to replace it with new data from the input gate. The long term memory therefore retains some of its information, while replacing other parts.

The long-term memory of the LSTM enables it to solve the RNN problem of vanishing gradients. The long-term memory enables the LSTM to store data at arbitrary intervals, as well as detect long term dependencies in the data.

[Géron, 2017, p. 492-493]

What are the uses of the LSTM?

Add LSTM cell architecture from the book

### 2.1.7 Autoencoder

Autoencoders are neural networks used to learn efficient representations of data. Through unsupervised learning, autoencoders do not need labeled data to function. Autoencoders accomplish this by lowering the dimensional complexity of the data, enabling it to store data representations more efficiently. Due to this ability, autoencoders are well suited for dimensional reduction of data. Autoencoders learn to represent data in a *coding*. This *coding* has a much lower dimensionality than the original data. [Géron, 2017, p. 506-508]

Autoencoders are composed of 2 parts; the encoder and the decoder. The encoder maps the input data representation to the *coding*, while the decoder maps the coding values back through data reconstruction. The encoder takes the input data and reduces the feature mapping to store the reduced data representation in the coding layer. The data is then sent from the coding layer to the decoder, where the decoder attempts to reverse the mapped data back to the original input data. By doing this, the encoder efficiently maps the most important data features in the coding layer, using far lower dimensionality than the original data. The decoder becomes efficient at reconstructing the input data using only the dimensionally reduced data in the coding layer. [Géron, 2017, p. 506-508]

image? Just create  
in in GIMP

Through the feature mapping, the encoder becomes an efficient feature detector and extractor. Due to the reduced dimensionality of the coding, the encoder becomes sufficient at reducing the noise within the data, extracting the most important features. As a feature extractor, autoencoders are well suited for use in pretraining neural networks, extracting the most important features. At the same time, autoencoders are able to become fairly successful generative models. As the decoder is proficient at reconstructing input data from the coding layer representation, meaning it can also generate new data. The reconstructive abilities of the decoder enable the generative model to create new data, similar to the training data used when creating the model. [Géron, 2017, p. 506-508]

## 2.2 Structured Literature Review Protocol

Here you need to include your structured review protocol including search engine, search words, research questions (for search, not the masters research questions), inclusion criteria and evaluation Criteria.

## 2.3 Motivation

## Chapter 3

# Related work

3.1 Predicting extreme values

3.2 Convolutional autoencoders and LSTM



## Chapter 4

# Architecture/Model

Here you will present the architecture or model that you have chosen and that is (or will be) implemented in your work. Note that putting algorithms in your report is not desirable but in certain cases these might be placed in the appendix. Code further be avoided in the report itself but may be delivered in the fashion requested by the supervisor or, in the case of masters delivery, submitted as additional documents.





## Chapter 5

# Experiments and Results

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam consequat pulvinar hendrerit. Praesent sit amet elementum ipsum. Praesent id suscipit est. Maecenas gravida pretium magna non interdum. Donec augue felis, rhoncus quis laoreet sed, gravida nec nisi. Fusce iaculis fermentum elit in suscipit. Donec rutrum tincidunt tellus, ac tempor diam posuere quis.*

### 5.1 Experimental Plan

Trying and failing is a major part of research. However, to have a chance of success you need a plan driving the experimental research, just as you need a plan for your literature search. Further, plans are made to be revised and this revision ensures that any further decisions made are in line with the work already completed.

The plan should include what experiments or series of experiments are planned and what question the individual or set of experiments aim to answer. Such questions should be connected to your research questions so that in the evaluation of your results you can discuss the results wrt to the research questions.

### 5.2 Experimental Setup

The experimental setup should include all data - parameters etc, that would allow a person to repeat your experiments.

### 5.3 Experimental Results

Results should be clearly displayed and should provide a suitable representation of your results for the points you wish to make. Graphs should be labeled in a legible font and if more than one result is displayed on the same graph then these should be clearly marked. Please choose carefully rather than presenting every results. Too much information is hard to read and often hides the key information you wish to present. Make use of statistical methods when presenting results, where possible to strengthen the results. Further, the format of the presentation of results should be chosen based on what issues in the results you wish to highlight. You may wish to present a subset in the experimental section and provide additional results in the appendix.

## Chapter 6

# Evaluation and Conclusion

*Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam consequat pulvinar hendrerit. Praesent sit amet elementum ipsum. Praesent id suscipit est. Maecenas gravida pretium magna non interdum. Donec augue felis, rhoncus quis laoreet sed, gravida nec nisi. Fusce iaculis fermentum elit in suscipit.*

### 6.1 Evaluation

When evaluating your results, avoid drawing grand conclusions, beyond that which your results can infact support. Further, although you may have designed your experiments to answer certain questions, the results may raise other questions in the eyes of the reader. It is important that you study the graphs/tables to look for unusual features/entries and discuss these aswell as discussing the main findings in the results.

### 6.2 Discussion

In the discussion it is important to include a discussion of not just the merits of the work conducted but also the limitations.

### 6.3 Contributions

What are the main contributions made to the field and how significant are these contribution.

## 6.4 Future Work

Consider where you would like to extend this work. These extensions might either be continuing the ongoing direction or taking a side direction that became obvious during the work. Further, possible solutions to limitations in the work conducted, highlighted in 6.2 may be presented.

# Bibliography

- Box, G., Jenkins, G., Reinsel, G., and Ljung, G. (2016). *Fifth Edition Time Series Analysis Forecasting and Control*. John Wiley & Sons.
- Cerqueira, V., Torgo, L., and Soares, C. (2019). Machine Learning vs Statistical Methods for Time Series Forecasting: Size Matters.
- Géron, A. (2017). *Hands-On Machine Learning with Scikit-Learn and Tensor-Flow*. O'Reilly Media, 1 edition.
- Guen, V. L. and Thome, N. (2019). Shape and Time Distortion Loss for Training Deep Time Series Forecasting Models. *Advances in Neural Information Processing Systems*, 32.
- Kenton, W. (2020). Time Series Definition.
- Makridakis, S., Spiliotis, E., and Assimakopoulos, V. (2018). Statistical and Machine Learning forecasting methods: Concerns and ways forward. *PLOS ONE*, 13(3):e0194889.
- Rob J Hyndman (2014). *Forecasting: Forecasting: Principles & Practice*. Number September.
- Utlaut, T. L. (2008). *Introduction to Time Series Analysis and Forecasting*, volume 40. Wiley-Interscience.



# Appendices