Netflix Landing.

Foundations, components and recommendations for the logged-out acquisition page, reverse-engineered from production CSS.

DOCUMENT
UI Style Guide

VERSION
1.0 · 26 Oct 2026

AUTHOR
Principal UX/UI Design

CLASSIFICATION
Unofficial · Study only

ABOUT THIS DOCUMENT

Purpose, scope & how to read it

This guide documents the visual language of Netflix's logged-out landing page as it ships today, and turns it into reusable foundations, component specs and tokens.

FIELD	DETAIL
Audience	Product designers and front-end engineers building dark, content-led acquisition surfaces.
In scope	Public landing page `netflix.com/ge`: header, hero, sign-up form, trending row, feature cards, FAQ, footer.
Out of scope	Signed-in browse experience, player, TV and mobile apps, marketing artwork.
Source of truth	Computed styles of 375 visible elements at a 1024 px viewport, captured 26 Oct 2026.
Status	Unofficial study. Netflix, the Netflix logo and Netflix Sans are property of Netflix, Inc.

Evidence labels

Every value in this guide carries one of three labels, so readers can tell what was observed from what is a design recommendation.

MEASURED
Read directly from computed CSS on the live page.

INFERRED
Present on the page with matching counts, but its exact owner element was not confirmed.

PROPOSED
Design recommendation that fills a gap, such as interaction states that were not captured.

Contents

01 Executive summary
The system at a glance, health scorecard, key findings

02 Design principles
Five principles inferred from the production UI

03 Foundations
Color, typography, layout & spacing, shape, elevation, motion

04 Components
Buttons, text field, language select, cards, FAQ accordion

05 Accessibility
Contrast audit and recommendations

06 Design tokens
Three-tier token architecture, ready to implement

07 Audit & roadmap
Inconsistencies, prioritized recommendations, methodology

01 · EXECUTIVE SUMMARY

A disciplined, near-monochrome system with one job: get the sign-up.

The landing page runs on a deliberately small vocabulary: one typeface, three weights, one accent color, four radii and almost no shadows. Imagery carries the emotion; the interface stays quiet and points to a single red action.

1 ACCENT COLOR	1 TYPEFACE	8 FONT SIZES	3 WEIGHTS
9 SURFACE COLORS	4 RADII IN USE	1 BOX SHADOW	6 CORE BREAKPOINTS

System health

Visual consistency	4.3
Color discipline	4.6
Typographic clarity	4.0
Text contrast	4.5
Token maturity	2.0

Reviewer assessment on a 1–5 scale, based on the evidence in this document.

Key findings

Hierarchy comes from light, not color

Text emphasis uses white at 100 / 70 / 50% opacity instead of separate grey values.

Red is reserved for conversion

`#E50914` appears only on the two primary actions: Sign In and Get Started.

Contrast is strong across the board

All 10 audited text pairs pass WCAG AA. The tightest is white on red at 4.79:1.

Tokens are implicit

CSS-in-JS with hashed classes and no custom properties. Nine surface greys suggest drift that tokens would prevent.

02 · DESIGN PRINCIPLES

Five principles behind the page

Principles are inferred from patterns that repeat across the page. Use them to decide cases this guide does not cover.

01

Content is the hero

The interface recedes to a black canvas so artwork and titles do the persuading. Chrome stays thin, neutral and out of the way.

EVIDENCE

Pure black page; surfaces only step up to `#3F3F3F`; the 126×176 poster cards are the largest repeated element.

02

One accent, one action

Color is a signal, not decoration. Red means “this moves you forward”, so it is never spent on anything else.

EVIDENCE

`#E50914` on 3 elements, all primary buttons. No other hue apart from the feature-card gradient.

03

Hierarchy through light

Importance is expressed by how bright something is: text opacity for copy, surface lightness for containers.

EVIDENCE

Text at 100 / 70 / 50% white; surfaces `#232323` → `#2D2D2D` → `#353535`; a single box-shadow on the page.

04

Calm, deliberate motion

Motion confirms actions and guides focus. It is short, eased and never decorative, and it respects reduced-motion settings.

EVIDENCE

200–300 ms transitions, two easing curves, `prefers-reduced-motion` queries present.

05

Built for every screen

Layout is mobile-first and scales up to living-room TVs, with hover effects only where a pointer exists.

EVIDENCE

`min-width` breakpoints from 600 to 2560 px; `(hover: hover)` queries.

03

Foundations

The smallest decisions in the system. Every component in chapter 04 is assembled from these.

3.1 Color

3.2 Typography

3.3 Layout & spacing

3.4 Shape & elevation

3.5 Motion

3.1 · COLOR

Color


A black canvas, a ramp of neutral surfaces and a single brand red. Text uses opacity of white, so it works on any surface in the ramp.

Brand Red
#E50914 · rgb 229 9 20
Primary action

Canvas
#000000
Page background

Feature Gradient
149° · #192247 → #210E17
Feature cards

Neutral surface ramp MEASURED



× = number of visible elements using the value. Four greys are used once, which is a consolidation opportunity (see chapter 07).


Color roles

ROLE	VALUE	USAGE	EVIDENCE
Action / primary	#E50914	Primary buttons only. Never for text, icons or decoration.	MEASURED
Action / primary-hover	#C11119	Hover and pressed state of primary buttons.	PROPOSED
Surface / canvas	#000000	Page background.	MEASURED
Surface / overlay	#161616 · 70%	Form controls placed over imagery.	INFERRED
Surface / raised-1	#232323	Poster cards and their placeholders.	MEASURED
Surface / raised-2	#2D2D2D	FAQ rows and expandable content.	MEASURED
Border / control	#808080 · 70%	Outline of inputs and selects.	INFERRED
Text / primary	#FFFFFF	Headings, labels, button text. 50 elements.	MEASURED
Text / secondary	#FFFFFF · 70%	Body copy, footer links, placeholder labels. 24 elements.	MEASURED
Text / tertiary	#FFFFFF · 50%	Legal and reCAPTCHA notice. 1 element.	MEASURED

3.1 · COLOR


Using color

Rules that keep the palette doing its job. Red keeps its meaning only if it stays rare.




Do: one red action per view

Pair the primary button with secondary actions in white text so there is a single obvious next step.




Don't: spend red on secondary actions

Several red elements compete with each other, and none of them reads as the main action.



Do: express hierarchy with opacity

Use 100% white for titles and 70% for supporting text. It adapts automatically to every surface in the ramp.



Don't: introduce new fixed greys for text

Hand-picked greys drift between surfaces and can drop below 4.5:1, as this example does.

3.2 · TYPOGRAPHY

Typography

One proprietary family, three weights, a compact scale. Medium (500) carries interface labels; Bold (700) is reserved for the hero and rank numerals.

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 € $ % & ?

Shown in the fallback stack. Netflix Sans is licensed exclusively to Netflix.

PROPERTY	VALUE
Family	`"Netflix Sans", "Helvetica Neue", "Segoe UI", Roboto, Ubuntu, sans-serif`
Weights	400 Regular · 500 Medium · 700 Bold
Usage	400 on 64 elements · 500 on 10 · 700 on 11
Tracking	`normal` throughout
Line height	Mostly `normal`; explicit 1.5 on body links and form text

Type scale MEASURED AT 1024 PX

Rank Trending numerals	10	80 / 80 · 700 outlined, shown at 50%
Display Hero headline	**Unlimited movies**	40 / 50 · 700 shown at 70%
Heading L Section titles	Trending Now	24 / normal · 500
Heading L — regular FAQ questions	What is Netflix?	24 / normal · 400
Heading M Card titles	Enjoy on your TV	20 / normal · 500
Label L Large button	Get Started	18 / 18 · 500
Body Copy, inputs	Ready to watch? Enter your email.	16 / 24 · 400
Label S Small button	Sign In	14 / 14 · 500
Body S Footer links	Help Center	14 / 21 · 400
Caption Legal	This page is protected by Google reCAPTCHA.	13 / 19.5 · 400

Only the display headline changes noticeably between breakpoints. Set explicit line heights for all roles when implementing (see chapter 07).

3.3 · LAYOUT & SPACING

Layout & spacing

Spacing follows a 4-pt base with an 8-pt rhythm for most gaps. Generous section padding gives the page its cinematic pace.

Spacing scale

TOKEN	VALUE	VISUAL	OBSERVED USE
`space-0.5`	2 px		Gap inside field wrappers
`space-1`	4 px		Small-button vertical padding
`space-2`	8 px		FAQ row gap, hero title margin, input bottom padding
`space-3`	12 px		Large-button vertical padding, card title offset
`space-4`	16 px		Control horizontal padding, form top padding
`space-6`	24 px		Card and FAQ padding, large-button horizontal padding
`space-8`	32 px		Page gutter
`space-24`	96 px		Feature card bottom padding (shown at 50%)

Containers

CONTAINER	RULE	EVIDENCE
Page	`max-width: 1920px` · gutter 32 px · bottom padding 32 px	MEASURED
Hero text column	`max-width: 508px`, centered over artwork, 100 px below the header	MEASURED
Feature grid	2 columns at this viewport; card padding 24 · 24 · 96	MEASURED
FAQ list	Full container width; rows 8 px apart	MEASURED

Breakpoints

base	sm	md	lg	xl	2xl	3xl
< 600	600	960	1280	1600	1920	2560
Phones	Large phones	Tablets · this capture	Laptops	Desktops	Full HD	QHD / TV

Mobile-first `min-width` queries. Several legacy `max-width` queries also exist (e.g. 425, 550, 896 px), likely from older modules.

3.4 · SHAPE & ELEVATION

Shape & elevation

Radius grows with the size of the object. Depth is created by lighter surfaces; shadows are practically absent.

2 px

radius-xs

Text links · 17 uses

4 px

radius-sm

Buttons, inputs · 7 uses

8 px

radius-md

Poster cards · 43 uses

16 px

radius-lg

Feature cards · 4 uses

L0

Canvas

#000000

L1

Raised

#232323

L2

Raised +

#2D2D2D

glow

Outline glow

0 0 5px #808080 · 1 use

3.5 · MOTION

Motion

Entrances decelerate, exits accelerate. Everything finishes within 300 ms.



ease-emphasized-out · 250 ms

`cubic-bezier(0.32, 0.94, 0.6, 1)`

Things appearing or growing: card scale, floating label rising.



ease-accelerate · 250 ms

`cubic-bezier(0.4, 0, 0.68, 0.06)`

Color changes on buttons, label returning to rest.

TRANSITION	DURATION	CURVE	ELEMENTS
Poster card transform	200 ms	`ease-in-out`	10
Card / control transform	250 ms	emphasized-out	7
Background & radius	250 ms	accelerate	7
Button background & border	250 ms	accelerate	3
Floating label (top, size, line-height)	250 ms	both, by direction	4

04

Components

Each component is documented with anatomy, measured specs, states and usage guidance. Visuals are faithful replicas, not screenshots.

4.1 Button

4.2 Text field

4.3 Language select

4.4 Ranked poster card

4.5 Feature card

4.6 FAQ accordion

4.1 · COMPONENTS

Button

The only colored element on the page. One size per context: small in the header, large in the sign-up form.

Anatomy

Large · as used in the sign-up form




1. Container: `#E50914`, radius 4 px, height 56 px
2. Label: 18 / 18 · 500, white
3. Trailing chevron: indicates forward navigation
4. Padding: 12 px vertical, 24 px horizontal

SIZE	TYPE	PADDING	HEIGHT
Small	14 / 14 · 500	4 · 16	32 px
Large	18 / 18 · 500	12 · 24	56 px

States

DEFAULT MEASURED OTHERS PROPOSED



Default · Hover · #C11119 · Focus · 2 px white ring · Disabled

Usage

Guidance

Use when

The action starts or continues sign-up or sign-in. Keep the label to two words and start with a verb.

Avoid when

The action is secondary, destructive or informational. Use a text link in 70% white instead.

4.2 · COMPONENTS

Text field

A floating-label field designed to sit on top of artwork. The label doubles as the placeholder and moves up once the field has a value.

Anatomy

Email field in the hero




1. Container: 56 px high, overlay surface, 1 px control border, radius 4 px — INFERRED
2. Floating label: 16 / 24 at rest, rises when filled, 70% white
3. Value: 16 / 24, white; padding 24 · 16 · 8 leaves room for the label

PROPERTY	VALUE
Label motion	250 ms; up with emphasized-out, back with accelerate
Pairing	Sits inline with the large button, same 56 px height

States

REST & FILLED MEASURED FOCUS & ERROR PROPOSED



Rest · Focus · 2 px white · Filled · Error · #EB3942

Error messages should appear below the field with an icon, never as color alone (WCAG 1.4.1).

4.3 · COMPONENTS

Language select



PROPERTY	VALUE
Native element	`<select>` with visually hidden `<label>`
Size	32 px high · padding 6 · 36 · 6 · 34 (icon + caret)
Type	16 / 20 · 400, white
Surface	Same as text field INFERRED


4.4 – 4.5 · COMPONENTS

Cards

Two card types with clearly different jobs: poster cards sell specific titles; feature cards explain the product.

Ranked poster card

Trending row · horizontal scroller




1. Rank numeral: 80 / 80 · 700, black fill with white outline, overlaps the card edge
2. Poster: 126 × 176 px (≈ 5:7), `#232323` placeholder radius 8 px,

PROPERTY	VALUE
Interaction	Whole card is a `<button>`; scales on hover, 200 ms ease-in-out
Accessible name	Title text plus rank
Count	Top 10

Feature card

"More reasons to join"



PROPERTY	VALUE
Surface	Linear gradient 149°, `#192247` → `#210E17`
Radius	16 px
Padding	24 · 24 · 96 (bottom reserved for an illustration)
Title	20 · 500, white
Body	16 · 400, 70% white
Grid	2 columns at md


4.6 · COMPONENTS

FAQ accordion

Large, high-contrast rows that are easy to scan and tap. Semantically a heading containing a button: the accessible accordion pattern.

Anatomy & states

Collapsed and expanded



PROPERTY	VALUE	
Row surface	`#2D2D2D`, full width	MEASURED
Padding	24 px	MEASURED
Question	24 · 400, white	MEASURED
Row gap	8 px	MEASURED
Markup	`<h3><button>` in `<li>`	MEASURED
Expanded state	`aria-expanded`, icon rotates + to ×	PROPOSED

Usage

Guidance

Do

Phrase questions the way users ask them. Keep answers to a short paragraph and allow only one row open at a time on small screens.

Don't

Hide pricing or cancellation terms only inside collapsed rows. Critical information should also appear in plain view.

05 · ACCESSIBILITY

Accessibility review

Text contrast is a strength of this system. Ratios are computed from measured colors, with translucent text blended onto its surface first.

FOREGROUND	SURFACE	SAMPLE	RATIO	AA TEXT	AAA TEXT
#FFFFFF	Canvas #000000	Aa Sample	21.00:1	Pass	Pass
#FFFFFF · 70%	Canvas #000000	Aa Sample	10.02:1	Pass	Pass
#FFFFFF · 50%	Canvas #000000	Aa Sample	5.32:1	Pass	Fail
#FFFFFF	Primary button #E50914	Aa Sample	4.79:1	Pass	Fail
#FFFFFF	Raised-1 #232323	Aa Sample	15.72:1	Pass	Pass
#FFFFFF	Raised-2 (FAQ) #2D2D2D	Aa Sample	13.77:1	Pass	Pass
#FFFFFF · 70%	Raised-2 (FAQ) #2D2D2D	Aa Sample	7.57:1	Pass	Pass
#FFFFFF · 70%	Feature card start #192247	Aa Sample	8.23:1	Pass	Pass
#FFFFFF · 70%	Feature card end #210E17	Aa Sample	9.31:1	Pass	Pass
#808080 · 70%	Canvas #000000		3.04:1	Pass (3:1)	—

AA requires 4.5:1 for body text and 3:1 for large text and UI component boundaries. AAA requires 7:1. The last row checks the control border against the canvas (3:1 non-text rule).

Recommendations

PRIORITY	TOPIC	RECOMMENDATION
HIGH	Focus visibility	Focus styles were not captured. Specify a 2 px white ring with 2 px offset for every interactive element, visible on red and on artwork.
HIGH	Form errors	Pair the error border with a text message and icon, linked with `aria-describedby`.
MEDIUM	White on red	4.79:1 passes AA with little headroom. Do not lighten the red or put text smaller than 14 px on it.
MEDIUM	Control borders	The translucent border sits right at the 3:1 non-text minimum on black and drops below it over bright artwork. Raise opacity or add a backdrop.
LOW	Tertiary text	50% white (5.32:1) is acceptable for legal copy; avoid it for anything users must act on.

06 · DESIGN TOKENS

Token architecture

Production ships no CSS custom properties. This proposal formalizes the observed values into three tiers so design and code can share one source of truth.

TIER 1

Primitives

Raw values with no meaning: `red-500`, `grey-850`, `size-16`.

TIER 2

Semantic

Intent: `action-primary`, `surface-raised-1`, `text-secondary`.

TIER 3

Component

Scoped overrides: `button-primary-bg`, `field-border`.

```
/* ── Tier 1 · Primitives ──────────────────────────── */
:root {
  --red-500: #e50914;   --red-600: #c11119;
  --grey-1000: #000000; --grey-900: #161616; --grey-850: #232323;
  --grey-800: #2d2d2d;  --grey-750: #353535; --grey-500: #808080;
  --white: #ffffff;     --navy-900: #192247; --plum-950: #210e17;

/* ── Tier 2 · Semantic ────────────────────────────── */
  --color-action-primary: var(--red-500);
  --color-action-primary-hover: var(--red-600);
  --color-surface-canvas: var(--grey-1000);
  --color-surface-overlay: rgb(22 22 22 / 0.7);
  --color-surface-raised-1: var(--grey-850);
  --color-surface-raised-2: var(--grey-800);
  --color-border-control: rgb(128 128 128 / 0.7);
  --color-text-primary: var(--white);
  --color-text-secondary: rgb(255 255 255 / 0.7);
  --color-text-tertiary: rgb(255 255 255 / 0.5);
  --gradient-feature: linear-gradient(149deg, var(--navy-900) 0%, var(--plum-950) 96.86%);

  --font-family-base: "Netflix Sans", "Helvetica Neue", "Segoe UI", Roboto, Ubuntu, sans-serif;
  --type-display: 700 40px/50px var(--font-family-base);
  --type-heading-l: 500 24px/1.25 var(--font-family-base);
  --type-heading-m: 500 20px/1.25 var(--font-family-base);
  --type-body: 400 16px/24px var(--font-family-base);
  --type-body-s: 400 14px/21px var(--font-family-base);
  --type-caption: 400 13px/19.5px var(--font-family-base);

  --space-1: 4px; --space-2: 8px; --space-3: 12px; --space-4: 16px;
  --space-6: 24px; --space-8: 32px; --space-24: 96px;
  --radius-xs: 2px; --radius-sm: 4px; --radius-md: 8px; --radius-lg: 16px;
  --ease-emphasized-out: cubic-bezier(0.32, 0.94, 0.6, 1);
  --ease-accelerate: cubic-bezier(0.4, 0, 0.68, 0.06);
  --duration-short: 200ms; --duration-medium: 250ms; --duration-long: 300ms;

/* ── Tier 3 · Component ───────────────────────────── */
  --button-primary-bg: var(--color-action-primary);
  --button-primary-bg-hover: var(--color-action-primary-hover);
  --button-radius: var(--radius-sm);
  --field-bg: var(--color-surface-overlay);
  --field-border: var(--color-border-control);
  --card-poster-radius: var(--radius-md);
  --card-feature-radius: var(--radius-lg);
}
```

Line heights marked 1.25 are proposed. Production uses `normal` for these roles.

07 · AUDIT & ROADMAP

Findings and recommendations

The system is coherent, and most issues are about formalizing it rather than redesigning it. Effort assumes an existing component library.

PRIORITY	FINDING	RECOMMENDATION	EFFORT
HIGH	No design tokens in production CSS	Adopt the three-tier tokens in chapter 06 and generate CSS-in-JS themes from them.	M
HIGH	Interaction states undocumented	Specify hover, focus, pressed and disabled for every interactive component; focus first.	S
MEDIUM	9 surface greys, 4 used once	Consolidate to canvas, overlay and raised-1 to raised-3. Map stray values to the nearest step.	S
MEDIUM	`line-height: normal` on most text	Set explicit line heights per role. `normal` varies by font and platform and shifts layout.	S
MEDIUM	Mixed breakpoint strategies	Retire legacy `max-width` queries (425, 550, 896 px) in favor of the 6 mobile-first breakpoints.	M
LOW	One-off outline glow shadow	Either promote it to a documented focus/hover token or remove it.	XS
LOW	Two easing curves are unnamed	Name them by intent (enter / exit) and use them for every transition.	XS

Methodology

Capture	Logged-out page, Georgia region, 1024 px viewport; full page scrolled once to load lazy sections.
Extraction	`getComputedStyle()` on all visible elements. Text metrics counted only on elements that directly contain text, as DevTools CSS Overview does.
Contrast	WCAG 2.x relative luminance, computed in this document.
Limits	Values reflect the md breakpoint only. Hover, focus and pressed states were not triggered. The signed-in UI was not reviewed.
Assets	No logos, posters or artwork are reproduced. Component visuals are replicas set in a fallback font.
Rights	Unofficial study. Netflix and Netflix Sans are property of Netflix, Inc.