Figure 1: Man and his occupations




Figure 2: Unclassified




Figure 3: Woman and her occupations




Figure 4: Anthropomorphic Deities




Figure 5: parts of the human body parts




Figure 6: Mammals





Figure 7: Parts of Mammals






Figure 8: Birds






Figure 9: Parts of Birds



Figure 10: Amphibious Animals, Reptiles etc.




Figure 11: Fish and parts of fish




Figure 12: Invertrbrates and lesser animals




Figure 13: Trees and plants







Figure 14: Sky, earth, water






Figure 15: Buildings, parts of buildings






Figure 16: Ships and parts of ships




Figure 17: Domestic and funerary furniture




Figure 18: Temple furniture and sacred emblems





Figure 19: Crowns, dress, staves.






Figure 22: Rope, fiber, baskets, bags

9999 9999 6666 6666 999 99 999 999 ၂၀၂၀ 0x13362 0x133630x13369 0x1336A 0x1336B 78697 78698 78699 $0x13364 \\ 78692$ 0x13365 0x13366 78693 78694 V1c V1d 0x13367 78695 V1e 0x1336878690 V1 78691 78696 V1a V1b V1f V1g V1h 100







Figure 23: Vessels of stone and earthenware









This file just tests the various commands available for manipulating hieroglyphics. We tried to generalize the commands, so they can be re-used for other type of hieroglyphics.






.;C:/Users/kj/AppData/Roaming/MiKTeX/2.9/fonts/opentype//;C:/Users/kj/AppData/Local/MiKTeX/2

0 -655.36

We first load the table and convert the info to a Lua table. We use a font provide with an article by Paul called TestLibertine.otf.



map table $use_typo_metrics\ number$ italicangle number ${\bf modification time\ number}$ onlybitmaps number table_version string isserif number glyphcnt number familyname string cidinfo table ascent number encodingchanged number strokedfont number serifcheck number $weight_width_slope_only number$ fullname string issans number gpos table $extrema_bound number$ upos number uni_interp string $os2_version$ number glyphs table fontname string lookups table descent number

glyphmax number

design_range_top number

anchor classes table

 ${\tt design_range_bottom\ number}$

strokewidth number

creationtime number

xuid string

origname string

gsub table

ttf_tables table

names table

uwidth number

 $sfd_version number$

fontstyle id number

design_size number

weight string

pfminfo table

 $head_optimized_for_cleartype$ number

hasymetrics number

units per em number

version string

copyright string

 $anchor_classes\ table$

ascent number

cidinfo table

copyright string

creationtime number

descent number

 ${\tt design_range_bottom\ number}$

 ${\tt design_range_top\ number}$

 ${\it design_size\ number}$

 ${\it encoding changed\ number}$

 $extrema_bound\ number$

familyname string

fontname string

 $fontstyle_id\ number$

fullname string

glyphcnt number

glyphmax number

glyphs table

gpos table

gsub table

hasymetrics number

head_optimized_for_cleartype number

issans number

isserif number

italicangle number lookups table map table modification time number names table onlybitmaps number origname string os2 version number pfminfo table serifcheck number sfd version number strokedfont number strokewidth number table version string $ttf_tables\ table$ uni_interp string $units_per_em number$ upos number $use_typo_metrics\ number$ uwidth number version string weight string weight_width_slope_only number xuid string map UnicodeBmp table backmax UnicodeBmp table enc_name UnicodeBmp table encmax UnicodeBmp table enc UnicodeBmp table enccount UnicodeBmp table backmap UnicodeBmp table char_max string 0 has 1byte string 0 enc_name string UnicodeBmp has_2byte string 1 only_1byte string 0 builtin string 1 high_page string 0 char cnt string 65536 hidden string 1 low_page string 0is_unicodebmp string 1 Units per em 2048 version 5.92 glyph count 518 design size 0

```
0 Copyright 1993 Glyph Systems, Limited Partnership. Typeface Portions (C)
The Monotype Corporation All Rights Reserved.
34
uwidth 100
91\ 68\ 1273\ 1485
boundingbox numbersign 91!!!
bounding box[1] = 91
bounding box[2] = 68
bounding box[3] = 1273
bounding box[4] = 1485
base zz
class numbersign 91!!!
bounding box[1] = 91
bounding box[2] = 68
bounding box[3] = 1273
bounding box[4] = 1485
\mathbf{Z}\mathbf{Z}
unicode numbersign 91!!!
bounding box[1] = 91
bounding box[2] = 68
bounding box[3] = 1273
bounding box[4] = 1485
width numbersign 91!!!
bounding box[1] = 91
bounding box[2] = 68
bounding box[3] = 1273
bounding box[4] = 1485
numbersign zz
name numbersign 91!!!
bounding box[1] = 91
bounding box[2] = 68
bounding box[3] = 1273
bounding box[4] = 1485
.boundingbox = {
..1 = 76
..2 = 100
..3 = 1206
..4 = 1437
...}
.class = base
.unicode = 67
.width = 1259
.name = C
```