



NYU

TANDON SCHOOL  
OF ENGINEERING

*Nikhil  
Bhise(nb4053)*

## **Nutrition for Defence Personnel**

**Link to LLM:** [Link](#)

### **CATEGORY:**

Specialized Nutrition Solutions for Defence Personnel (Army, Navy, Airforce)

### **ACTORS:**

**Defence Personnel (Soldiers, Sailors, Airforce):** The soldiers on the ground, at sea, and in the air. Their performance, endurance, and survival depend directly on what they eat.

**Military Doctors & Nutritionists:** Constantly working to prevent fatigue, injuries, and long-term health issues through better diets and recovery plans.

**Defence Research Organizations (DRDO, USARIEM):** Exploring how to adapt food science and technology to extreme environments.

**Food Technology Companies:** Innovators developing frozen-dried meals, fortified snacks, and performance focused rations tailored for military use.

**Governments & Defence Ministries:** Responsible for procurement, budgeting, and ensuring armed forces are mission-ready.

## **SITUATION:**

### **Defence personnel face environments unlike any civilian workforce:**

Cold-weather and high-altitude bases such as Alaska or mountainous deployments expose soldiers to oxygen scarcity, vitamin D deficiency, and bone density loss. US Army data shows vitamin D deficiency is the most common micronutrient problem, at 40% cases per 100,000 service members annually.

Desert deployments in the Middle East cause dehydration, heat stress, and electrolyte depletion. Studies find soldiers consume 20–25% fewer carbohydrates than recommended for sustained endurance, weakening energy availability.

Submarines & naval vessels lack fresh produce and sunlight for months, leading to early vitamin C, vitamin D and iron deficiencies within 4 to 6 weeks of deployment, which impair immunity and oxygen transport.

Airforce pilots face fatigue, hydration loss, and reduced alertness during long missions, where nutrition directly impacts cognitive performance.

Historically, rations such as MRE (Meals Ready-to-Eat) prioritized calories and shelf life over micronutrient quality. While effective for survival, they remain insufficient for sustained performance.

Research from the US Army Research Institute of Environmental Medicine shows that poor nutrition can reduce operational effectiveness by 30 to 40%, even when calorie needs are met.

This creates a pressing need for specific nutrition systems that address performance gaps, strengthen immunity, and improve recovery.

## **THE COMPLICATION:**

Traditional rations, while calorie-rich, create several challenges:

**Micronutrient Deficiency:** Lack of essential vitamins and minerals like vitamin D, calcium, omega-3 etc weakens immunity and recovery.

**Performance Decline:** Fatigue, reduced stamina, and poor alertness directly affect mission success.

### **Environment-Specific Gaps:**

- High altitude : calcium & vitamin D deficiency.
- Submarine : vitamin & mineral deficiencies from lack of fresh produce.
- Desert : electrolyte imbalance and dehydration.
- Aviation : fatigue, hydration loss, cognitive decline.

**Logistical Barriers:** Supplying fresh, nutrient-rich foods to remote posts is expensive, heavy, and time-sensitive.

**Long-Term Health Costs:** Poor nutrition increases risks of osteoporosis, cardiovascular disease, and gastrointestinal issues in veterans, creating long-term healthcare burdens.

## **TARGET OUTCOME:**

The goal is to build a defence nutrition system that:

- Adapts to different environments like mountains, deserts, oceans, skies.
- Keeps personnel strong, alert, and resilient.
- Speeds up recovery after fatigue or injury.
- Reduces long-term health problems in veterans.

The target is to put every soldier, sailor, and pilot to feel like their food is working as hard as they are.

## **POTENTIAL SOLUTIONS**

### **Environment Specific Ration Packs with Smart Fortification**

Soldiers deployed in different environments require nutrition that matches their specific needs. For example, personnel stationed at high altitudes may need ration packs fortified with additional calcium and vitamin D to support bone health, while those in desert regions require packs enriched with electrolytes to prevent dehydration. This approach moves away from one size fits all meals and ensures that nutrition directly supports both survival and peak performance.

### **Frozen-Dried and Lab Grown Nutrition Sources**

Naval crews and soldiers on long-term missions often lack access to fresh produce. Frozen-dried fruits, vegetables, and dairy substitutes can help supply essential nutrients without the risk of spoilage. Looking ahead, lab-grown protein powders and even cultured meat could serve as lightweight, highly nutritious, and easily transportable alternatives, reducing the burden of traditional food logistics.

### **Personalized Energy Gels and Drinks**

Soldiers can benefit from portable gels and drink mixes that are customized to their mission requirements. High-carbohydrate gels can provide sustained energy during long patrols, protein-rich mixes can aid in muscle recovery, and caffeine-electrolyte blends can help pilots maintain focus during extended flights. These products offer quick, convenient, and targeted nutritional support.

### **Wearable Nutrition Tracker**

Many soldiers may not recognize early signs of dehydration or fatigue until performance begins to decline. Wearable devices, such as patches or wristbands, can continuously monitor hydration levels, glucose, and fatigue indicators. When connected with tracker based systems, these devices can provide real-time alerts and recommendations, effectively serving as a personal nutrition guide in the field.

### **Nutrient Targeted Supplements**

Advanced supplements can be designed to release nutrients gradually over 24 to 48 hours, reducing the need for multiple pills throughout the day. When combined with probiotics aimed at improving gut health, these supplements can strengthen immunity, lower stress, and enhance recovery, even under the most demanding operational conditions.

## **REASON TO BELIEVE:**

### **1. High Rates of Iron and Vitamin D Deficiency in Female Recruits [Link](#)**

- Iron deficiency in female military recruits more than doubled during basic training, from 25% at the start to 55% after five months.
- Consequences include fatigue and decreased performance, directly impacting readiness and effectiveness.

### **2. Rising Food Insecurity Among Service Members [Link](#)**

- About 25.8% of Army, Navy, Marine Corps, Air Force, and Coast Guard personnel reported food insecurity in 2018.
- Indicates that over a quarter of service members face uncertain access to nutritious food, impacting health, readiness, and mission performance.

### **3. Extensive Use of Dietary Supplements [Link](#)**

- About 70% of US military personnel regularly use dietary supplements, 50% specifically take multivitamin/mineral products.
- Indicates that standard military diets may be insufficient in providing optimal nutrition.