# VISVESVARAYA TECHNOLOGICAL UNIVERSITY

**“JnanaSangama”, Belgaum -590014, Karnataka.**

**LAB REPORT**
**on**

# Artificial Intelligence (23CS5PCAIN)

***Submitted by***

**Niket Dugar (1BM22CS180)**

***in partial fulfillment for the award of the degree of***
**BACHELOR OF ENGINEERING**
***in***
**COMPUTER SCIENCE AND ENGINEERING**

**Prof. Swathi Sridharan**
**Assistant Professor**
**Department of Computer Science and Engineering**

**B.M.S. COLLEGE OF ENGINEERING**
**(Autonomous Institution under VTU)**
**BENGALURU-560019**
**Sep-2024 to Jan-2025**

**B.M.S. College of Engineering,**

**Bull Temple Road, Bangalore 560019**

(Affiliated To Visvesvaraya Technological University, Belgaum)

**Department of Computer Science and Engineering**

## CERTIFICATE

This is to certify that the Lab work entitled "Artificial Intelligence (23CS5PCAIN)" carried outby Niket Dugar **(1BM22CS180),** who is bonafide student of **B.M.S. College of Engineering.** It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum. The Lab report has been approved as it satisfies the academic requirements in respect of an Artificial Intelligence (23CS5PCAIN) work prescribed for the said degree.

| | |
|---|---|
| Prof. Swathi Sridharan<br>Assistant Professor<br>Department of CSE, BMSCE | Dr. Kavitha Sooda<br>Professor & HOD<br>Department of CSE, BMSCE |

`

# Index



GitHub Link: *https://github.com/Niketjr/AI*

`

**Program 1**

Implement Tic –Tac –Toe Game

Implement vacuum cleaner agent

**Tic-Tac-Toe**

**Algorithm:**

PAGE NO :
DATE :

Tic Tac Toe

Algorithm :- Logic :-

* Consider the Tic Tac Toe game to be a square matrix 3x3.
* There is involvement of user and the machine and the chess board.
* The Input is given to the user and the machine gives us the output.
* We Then Mark the user with as in assign a number to the user '1' and then assign a number to the machine ie '0'
* Based on the Input given by the user, the machine plays the best possible move ie the output given by the machine

The ~~Machine has~~ The whole process is basically a decision tree with the moves being equivalent to / or compared to the nodes.

It also has a root node at the top of a decision tree

We check for different criteria that is if the board is full or not, if there are even spaces or odd spaces

Define the starting player by randomly choosing by marking their symbol either 0 or X, other player fills in unoccupied space.

If any player holds their symbol vertically / horizontally or diagonally player is the winner

check for draw

If no one is able to mark it like in above step it is declared as draw

There are eight winning possibilities.

**Code:**

```
def check_win(board, r, c):
    if board[r - 1][c - 1] == 'X':
        ch = "O"
    else:
        ch = "X"
    if ch not in board[r - 1] and '-' not in board[r - 1]:
        return True
    elif ch not in (board[0][c - 1], board[1][c - 1], board[2][c - 1]) and '-' not in (board[0][c - 1],
board[1][c - 1], board[2][c - 1]):
        return True
    elif ch not in (board[0][0], board[1][1], board[2][2]) and '-' not in (board[0][0], board[1][1],
board[2][2]):
        return True
    elif ch not in (board[0][2], board[1][1], board[2][0]) and '-' not in (board[0][2], board[1][1],
board[2][0]):
        return True
    return False

def displayb(board):
  print(board[0])
  print(board[1])
  print(board[2])

board=[['-','-','-'],['-','-','-'],['-','-','-']]
displayb(board)
xo=1
flag=0
while '-' in board[0] or '-' in board[1] or '-' in board[2]:

  if xo==1:
    print("enter position to place X:")
    x=int(input())
    y=int(input())
    if(x>3 or y>3):
      print("invalid position")
      continue
    if(board[x-1][y-1]=='-'):
      board[x-1][y-1]='X'
      xo=0
      displayb(board)
    else:
      print("invalid position")
    continue
    if(check_win(board,x,y)):
```

```
        print("X wins")
        flag=1
        break
  else :
    print("enter position to place O:")
    x=int(input())
    y=int(input())
    if(x>3 or y>3):
      print("invalid position")
      continue
    if(board[x-1][y-1]=='-'):
      board[x-1][y-1]='O'
      xo=1
      displayb(board)
    else:
      print("invalid position")
    continue
    if(check_win(board,x,y)):
        print("0 wins")
        flag=1
        break
if flag==0:
  print("Draw")
print("Game Over")
```



```
['-', '-', '-']
['-', '-', '-']
['-', '-', '-']
enter position to place X:
1
1
['X', '-', '-']
['-', '-', '-']
['-', '-', '-']
enter position to place O:
1
2
['X', 'O', '-']
['-', '-', '-']
['-', '-', '-']
enter position to place X:
2
1
['X', 'O', '-']
['X', '-', '-']
['-', '-', '-']
enter position to place O:
2
2
['X', 'O', '-']
['X', 'O', '-']
['-', '-', '-']
enter position to place X:
3
1
['X', 'O', '-']
['X', 'O', '-']
['X', '-', '-']
X wins
Game Over
```

`

```
['-', '-', '-']
['-', '-', '-']
['-', '-', '-']
enter position to place X:
1
1
['X', '-', '-']
['-', '-', '-']
['-', '-', '-']
enter position to place O:
2
2
['X', '-', '-']
['-', 'O', '-']
['-', '-', '-']
enter position to place X:
3
3
['X', '-', '-']
['-', 'O', '-']
['-', '-', 'X']
enter position to place O:
1
2
['X', 'O', '-']
['-', 'O', '-']
['-', '-', 'X']
enter position to place X:
3
2
['X', 'O', '-']
['-', 'O', '-']
['-', 'X', 'X']
enter position to place O:
3
1
['X', 'O', '-']
['-', 'O', '-']
['O', 'X', 'X']
```

```
enter position to place X:
2
1
['X', 'O', '-']
['X', 'O', '-']
['O', 'X', 'X']
enter position to place O:
2
3
['X', 'O', '-']
['X', 'O', 'O']
['O', 'X', 'X']
enter position to place X:
1
3
['X', 'O', 'X']
['X', 'O', 'O']
['O', 'X', 'X']
Draw
Game Over
```

Vacuum Cleaner

Algorithm:

## Vaccum Cleaner Agent

Step 1 :- Initialize an environment for the Vaccum Cleaner, create a directory where each key represent a location

Step 2 :- Initialize the Agent with the initial position

Step 3 Agent perceives the environment by checking its current position.

Step 4: if the current location is dirty then it vaccums the place else if it is clean it suspends the action

Step 5 : The agent (replaces) step 3 and step 4 until the cleaning criteria is met.

Step 6: Agents performance is evaluated based on the number of locations cleaned

Step 7: There will be two rooms one goes up and other goes down, there can even be four

| | 1 | 2 | 3 |
|---|---|---|---|
| 1 | x | x | x |
| 2 | | 0 | |
| 3 | | 0 | |

Human wins

Human gained 1 point

`

**Code:**

```
count = 0
def rec(state, loc):
    global count
    if state['A'] == 0 and state['B'] == 0:
        print("Turning vacuum off")
        return

    if state[loc] == 1:
        state[loc] = 0
        count += 1
        print(f"Cleaned {loc}.")
        next_loc = 'B' if loc == 'A' else 'A'
        state[loc] = int(input(f"Is {loc} clean now? (0 if clean, 1 if dirty): "))
        if(state[next_loc]!=1):
          state[next_loc]=int(input(f"Is {next_loc} dirty? (0 if clean, 1 if dirty): "))
    if(state[loc]==1):
```

```
      rec(state,loc)
    else:
      next_loc = 'B' if loc == 'A' else 'A'
      dire="left" if loc=="B" else "right"
      print(loc,"is clean")
      print(f"Moving vacuum {dire}")
      if state[next_loc] == 1:
          rec(state, next_loc)

state = {}
state['A'] = int(input("Enter state of A (0 for clean, 1 for dirty): "))
state['B'] = int(input("Enter state of B (0 for clean, 1 for dirty): "))
loc = input("Enter location (A or B): ")
rec(state, loc)
print("Cost:",count)
print(state)
```

```
Enter state of A (0 for clean, 1 for dirty): 0
Enter state of B (0 for clean, 1 for dirty): 1
Enter location (A or B): A
A is clean
Moving vacuum right
Cleaned B.
Is B clean now? (0 if clean, 1 if dirty): 0
Is A dirty? (0 if clean, 1 if dirty): 0
B is clean
Moving vacuum left
Cost: 1
{'A': 0, 'B': 0}
```

```
Enter state of A (0 for clean, 1 for dirty): 0
Enter state of B (0 for clean, 1 for dirty): 0
Enter location (A or B): A
Turning vacuum off
Cost: 0
{'A': 0, 'B': 0}
```

```
Enter state of A (0 for clean, 1 for dirty): 1
Enter state of B (0 for clean, 1 for dirty): 0
Enter location (A or B): A
Cleaned A.
Is A clean now? (0 if clean, 1 if dirty): 0
Is B dirty? (0 if clean, 1 if dirty): 0
A is clean
Moving vacuum right
Cost: 1
{'A': 0, 'B': 0}
```

```
Enter state of A (0 for clean, 1 for dirty): 1
Enter state of B (0 for clean, 1 for dirty): 1
Enter location (A or B): A
Cleaned A.
Is A clean now? (0 if clean, 1 if dirty): 0
A is clean
Moving vacuum right
Cleaned B.
Is B clean now? (0 if clean, 1 if dirty): 0
Is A dirty? (0 if clean, 1 if dirty): 0
B is clean
Moving vacuum left
Cost: 2
{'A': 0, 'B': 0}
```

`

**Program 2**

Implement 8 puzzle problems using Depth First Search (DFS)
Implement Iterative deepening search algorithm

**8 puzzle using DFS**

Algorithm:



PAGE NO :
DATE :

## Lab 2:- Iterative deepening Search

IDS (start):

1. Set an initial depth limit of 0.

2. Continuously repeat the search process by calling a depth-limited search with the current depth limit.

3. If the depth-limited search finds the goal, return the solution.

4. If not, increament the depth limit and repeat.

DFS :-

1. Initialize a stack with the start state and an empty path.

2. Create a set to track visited state.

3. While the stack is not Empty:

- Pop the top Element, getting the current state and the path leading to it.

- If the current state is the goal, return the path including the current state.

- If the state hasn't been visited:
  Mark it as visited



- For each new possible move (up, down, left, right), generate a new state.
- If the new state is valid and unvisited, push it onto the stack with the updated path.

4) If the stack is empty and no solution is found, return none.

The Difference between DFS and IDS is that IDS explores new states more cautiously with a limited set of moves, whereas DFS can explore all the states till they are marked visited.

Output:-

ids [1, 0, 2]
[3, 4, 5]
[6, 7, 8]

[0, 1, 2]
[3, 4, 5]
[6, 7, 8]

**Code:**

```
def dfs(initial_board, zero_pos):
    stack = [(initial_board, zero_pos, [])]
    visited = set()

    while stack:
        current_board, zero_pos, moves = stack.pop()

        if is_goal(current_board):
            return moves, len(moves) # Return moves and their count

        visited.add(tuple(current_board))

        for neighbor_board, neighbor_pos in get_neighbors(current_board, zero_pos):
            if tuple(neighbor_board) not in visited:
                stack.append((neighbor_board, neighbor_pos, moves + [neighbor_board]))
```

```
    return None, 0 # No solution found, return count as 0

# Initial state of the puzzle
initial_board = [1, 2, 3, 0, 4, 6, 7, 5, 8]
zero_position = (1, 0) # Position of the empty tile (0)

# Solve the puzzle using DFS
solution, move_count = dfs(initial_board, zero_position)

if solution:
    print("Solution found with moves ({} moves):".format(move_count))
    for move in solution:
        print_board(move)
        print() # Print an empty line between moves
else:
    print("No solution found.")
```

```
[0, 1, 3]
[7, 2, 4]
[8, 6, 5]

[1, 0, 3]
[7, 2, 4]
[8, 6, 5]

[1, 2, 3]
[7, 0, 4]
[8, 6, 5]

[1, 2, 3]
[7, 4, 0]
[8, 6, 5]

[1, 2, 3]
[7, 4, 5]
[8, 6, 0]

[1, 2, 3]
[7, 4, 5]
[8, 0, 6]

[1, 2, 3]
[7, 4, 5]
[0, 8, 6]

[1, 2, 3]
[0, 4, 5]
[7, 8, 6]

[1, 2, 3]
[4, 0, 5]
[7, 8, 6]

[1, 2, 3]
[4, 5, 0]
[7, 8, 6]

[1, 2, 3]
[4, 5, 6]
[7, 8, 0]
```

`

**Implement Iterative deepening search algorithm**

Algorithm:

PAGE NO :
DATE :

Misplaced Tiles Heuristic :-

1. misplaced_tiles counts tiles that are out of place compared to goal, ignore the blank (0).

2. Generate neighbors : get neighbors creates new states by moving blank tile in four directions.

3. Path printing : print_path displays the sequence of state from start to goal

4. A Search Algorithm : astar-misplaced uses A* with misplaced tiles heuristic, maintaining list for states unexplored and prioritizing them

5. Solution Checking : It returns the number of steps if a solution is found, or -1 if not.

Manhattan Distance :-

1. manhattan_distance sums the horizontal and vertical distances needed to move each tile to its goal, ignoring the blank (0).

2. Generating Neighbors : get_neighbors creates new states by sliding the blank tile in four directions, if the move is within bounds.

3. Path Printing : print_path shows the sequence of states from start to goal.

`

**Code:**

```
from collections import deque

class PuzzleState:
    def __init_(self, board, zero_pos, moves=0, previous=None):
        self.board = board
        self.zero_pos = zero_pos # Position of the zero tile
        self.moves = moves          # Number of moves taken to reach this state
        self.previous = previous    # For tracking the path

    def is_goal(self, goal_state):
        return self.board == goal_state

    def get_possible_moves(self):
        moves = []
        x, y = self.zero_pos
        directions = [(-1, 0), (1, 0), (0, -1), (0, 1)] # Up, Down, Left, Right
        for dx, dy in directions:
            new_x, new_y = x + dx, y + dy
            if 0 <= new_x < 3 and 0 <= new_y < 3:
                new_board = [row[:] for row in self.board]
```

`

```
                # Swap the zero tile with the adjacent tile
                new_board[x][y], new_board[new_x][new_y] = new_board[new_x][new_y],
new_board[x][y]
                moves.append((new_board, (new_x, new_y)))
        return moves

def ids(initial_state, goal_state, max_depth):
    for depth in range(max_depth):
        visited = set()
        result = dls(initial_state, goal_state, depth, visited)
        if result:
            return result
    return None

def dls(state, goal_state, depth, visited):
    if state.is_goal(goal_state):
        return state
    if depth == 0:
        return None

    visited.add(tuple(map(tuple, state.board))) # Mark this state as visited
    for new_board, new_zero_pos in state.get_possible_moves():
        new_state = PuzzleState(new_board, new_zero_pos, state.moves + 1, state)
        if tuple(map(tuple, new_board)) not in visited:
            result = dls(new_state, goal_state, depth - 1, visited)
            if result:
                return result
    visited.remove(tuple(map(tuple, state.board))) # Unmark this state
    return None

def print_solution(solution):
    path = []
    while solution:
        path.append(solution.board)
        solution = solution.previous
    for board in reversed(path):
        for row in board:
            print(row)
        print()

# Define the initial state and goal state
initial_state = PuzzleState(
    board=[[1, 2, 3],
           [4, 0, 5],
           [7, 8, 6]],
    zero_pos=(1, 1)
)
```

```
goal_state = [
    [1, 2, 3],
    [4, 5, 6],
    [7, 8, 0]
]

# Perform Iterative Deepening Search
max_depth = 20  # You can adjust this value
solution = ids(initial_state, goal_state, max_depth)

if  solution:
    print("Solution found:")
    print_solution(solution)
else:
    print("No solution found.")
```

```
Solution found:
[1, 2, 3]
[4, 0, 5]
[7, 8, 6]

[1, 2, 3]
[4, 5, 0]
[7, 8, 6]

[1, 2, 3]
[4, 5, 6]
[7, 8, 0]
```

`

**Program 3**

Implement A* search algorithm

Algorithm:



`


R
D
M = 1+1 = 2
M = 5+1
R
goal state

`

**Code:**

Misplaced Tiles

```
def mistil(state, goal):
    count = 0
    for i in range(3):
        for j in range(3):
            if state[i][j] != goal[i][j]:
                count += 1
    return count

def findmin(open_list, goal):
    minv = float('inf')
    best_state = None
    for state in open_list:
        h = mistil(state['state'], goal)
        f = state['g'] + h
        if f < minv:
            minv = f
            best_state = state
    open_list.remove(best_state)
    return best_state

def operation(state):
    next_states = []
    blank_pos = find_blank_position(state['state'])
    for move in ['up', 'down', 'left', 'right']:
        new_state = apply_move(state['state'], blank_pos, move)
        if new_state:
            next_states.append({
                'state': new_state,
                'parent': state,
                'move': move,
                'g': state['g'] + 1
            })
    return next_states

def find_blank_position(state):
    for i in range(3):
        for j in range(3):
            if state[i][j] == 0:
                return i, j
    return None

def apply_move(state, blank_pos, move):
    i, j = blank_pos
    new_state = [row[:] for row in state]
    if move == 'up' and i > 0:
```

```
        new_state[i][j], new_state[i - 1][j] = new_state[i - 1][j], new_state[i][j]
    elif move == 'down' and i < 2:
        new_state[i][j], new_state[i + 1][j] = new_state[i + 1][j], new_state[i][j]
    elif move == 'left' and j > 0:
        new_state[i][j], new_state[i][j - 1] = new_state[i][j - 1], new_state[i][j]
    elif move == 'right' and j < 2:
        new_state[i][j], new_state[i][j + 1] = new_state[i][j + 1], new_state[i][j]
    else:
        return None
    return new_state

def print_state(state):
    for row in state:
        print(' '.join(map(str, row)))

initial_state = [[2,8,3], [1,6,4], [7,0,5]]
goal_state = [[1,2,3], [8,0,4], [7,6,5]]
open_list = [{'state': initial_state, 'parent': None, 'move': None, 'g': 0}]
visited_states = []

while open_list:
    best_state = findmin(open_list, goal_state)
    print("Current state:")
    print_state(best_state['state'])
    h = mistil(best_state['state'], goal_state)
    f = best_state['g'] + h
    print(f"g(n): {best_state['g']}, h(n): {h}, f(n): {f}")
    if best_state['move'] is not None:
        print(f"Move: {best_state['move']}")
    print()
    if mistil(best_state['state'], goal_state) == 0:
        goal_state_reached = best_state
        break
    visited_states.append(best_state['state'])
    next_states = operation(best_state)
    for state in next_states:
        if state['state'] not in visited_states:
            open_list.append(state)

moves = []
while goal_state_reached['move'] is not None:
    moves.append(goal_state_reached['move'])
    goal_state_reached = goal_state_reached['parent']
moves.reverse()

print("\nMoves to reach the goal state:", moves)
print("\nGoal state reached:")
```

`

print_state(goal_state)

```
Current state:
2 8 3
1 6 4
7 0 5
g(n): 0, h(n): 5, f(n): 5

Current state:
2 8 3
1 0 4
7 6 5
g(n): 1, h(n): 3, f(n): 4
Move: up

Current state:
2 0 3
1 8 4
7 6 5
g(n): 2, h(n): 4, f(n): 6
Move: up

Current state:
2 8 3
0 1 4
7 6 5
g(n): 2, h(n): 4, f(n): 6
Move: left

Current state:
0 2 3
1 8 4
7 6 5
g(n): 3, h(n): 3, f(n): 6
Move: left

Current state:
1 2 3
0 8 4
7 6 5
g(n): 4, h(n): 2, f(n): 6
Move: down
```

```
Current state:
1 2 3
8 0 4
7 6 5
g(n): 5, h(n): 0, f(n): 5
Move: right


Moves to reach the goal state: ['up', 'up', 'left', 'down', 'right']

Goal state reached:
1 2 3
8 0 4
7 6 5
```

`

**Manhattan Distance**

```
def manhattan_distance(state, goal):
    distance = 0
    for i in range(3):
        for j in range(3):
            tile = state[i][j]
            if tile != 0: # Ignore the blank space (0)
                # Find the position of the tile in the goal state
                for r in range(3):
                    for c in range(3):
                        if goal[r][c] == tile:
                            target_row, target_col = r, c
                            break
                # Add the Manhattan distance (absolute difference in rows and columns)
                distance += abs(target_row - i) + abs(target_col - j)
    return distance

def findmin(open_list, goal):
    minv = float('inf')
    best_state = None
    for state in open_list:
        h = manhattan_distance(state['state'], goal) # Use Manhattan distance here
        f = state['g'] + h
        if f < minv:
            minv = f
            best_state = state
    open_list.remove(best_state)
    return best_state

def operation(state):
    next_states = []
    blank_pos = find_blank_position(state['state'])
    for move in ['up', 'down', 'left', 'right']:
        new_state = apply_move(state['state'], blank_pos, move)
        if new_state:
            next_states.append({
                'state': new_state,
                'parent': state,
                'move': move,
                'g': state['g'] + 1
            })
    return next_states

def find_blank_position(state):
    for i in range(3):
        for j in range(3):
            if state[i][j] == 0:
```

`

```
            return i, j
    return None

def apply_move(state, blank_pos, move):
    i, j = blank_pos
    new_state = [row[:] for row in state]
    if move == 'up' and i > 0:
        new_state[i][j], new_state[i - 1][j] = new_state[i - 1][j], new_state[i][j]
    elif move == 'down' and i < 2:
        new_state[i][j], new_state[i + 1][j] = new_state[i + 1][j], new_state[i][j]
    elif move == 'left' and j > 0:
        new_state[i][j], new_state[i][j - 1] = new_state[i][j - 1], new_state[i][j]
    elif move == 'right' and j < 2:
        new_state[i][j], new_state[i][j + 1] = new_state[i][j + 1], new_state[i][j]
    else:
        return None
    return new_state

def print_state(state):
    for row in state:
        print(' '.join(map(str, row)))

# Initial state and goal state
initial_state = [[2,8,3], [1,6,4], [7,0,5]]
goal_state = [[1,2,3], [8,0,4], [7,6,5]]

# Open list and visited states
open_list = [{'state': initial_state, 'parent': None, 'move': None, 'g': 0}]
visited_states = []

while open_list:
    best_state = findmin(open_list, goal_state)

    print("Current state:")
    print_state(best_state['state'])

    h = manhattan_distance(best_state['state'], goal_state) # Using Manhattan distance here
    f = best_state['g'] + h
    print(f"g(n): {best_state['g']}, h(n): {h}, f(n): {f}")

    if best_state['move'] is not None:
        print(f"Move: {best_state['move']}")
    print()
    if h == 0: # Goal is reached if h == 0
        goal_state_reached = best_state
        break
```

```
    visited_states.append(best_state['state'])
    next_states = operation(best_state)

    for state in next_states:
        if state['state'] not in visited_states:
            open_list.append(state)

# Reconstruct the path of moves
moves = []
while goal_state_reached['move'] is not None:
    moves.append(goal_state_reached['move'])
    goal_state_reached = goal_state_reached['parent']
moves.reverse()

print("\nMoves to reach the goal state:", moves)
print("\nGoal state reached:")
print_state(goal_state)
```

```
Current state:
2 8 3
1 6 4
7 0 5
g(n): 0, h(n): 5, f(n): 5

Current state:
2 8 3
1 0 4
7 6 5
g(n): 1, h(n): 4, f(n): 5
Move: up

Current state:
2 0 3
1 8 4
7 6 5
g(n): 2, h(n): 3, f(n): 5
Move: up

Current state:
0 2 3
1 8 4
7 6 5
g(n): 3, h(n): 2, f(n): 5
Move: left

Current state:
1 2 3
0 8 4
7 6 5
g(n): 4, h(n): 1, f(n): 5
Move: down
```

`

```
Current state:
1 2 3
8 0 4
7 6 5
g(n): 5, h(n): 0, f(n): 5
Move: right


Moves to reach the goal state: ['up', 'up', 'left', 'down', 'right']

Goal state reached:
1 2 3
8 0 4
7 6 5
```

`

**Program 4**

Implement Hill Climbing search algorithm to solve N-Queens problem

Algorithm:





Algorithm :-

1. We Set the Board here for n*4, give the initial order of every Queen

2. We Calculate the cost by calculating number of queens attacking each Queens
   first we calculate cost of initial state

3. We Calculate cost by generating all neighbours and evaluating of each neighbor

| $x_1$ | $x_2$ | $x_3$ | $x_4$ | | |
|---|---|---|---|---|---|
| 2 | 4 | 3 | 1 | initial | Initial |
| 4 | 2 | 3 | 1 | $(x_1 x_4)(x_2 x_3)$ | 2 |
| 3 | 4 | 2 | 1 | $(x_1 x_2)(x_3 x_4)$ | 2 |
| 1 | 4 | 3 | 2 | $(x_3 x_1)(x_2 x_3)(x_2 x_4)(x_3 x_4)$ | 4 |
| 2 | 3 | 4 | 1 | $(x_1 x_2)(x_1 x_3)(x_2 x_4)(x_2 x_3)$ | 4 |
| 2 | 1 | 3 | 4 | $(x_1 x_2)(x_3 x_4)$ | 2 |
| 2 | 4 | 1 | 3 | – | 0 |
| | | | | | 14 |

4231 3421 1432 2341 2134 2413

`

**Code:**

```
import random

def calculate_conflicts(board):
    conflicts = 0
    n = len(board)
    for i in range(n):
        for j in range(i + 1, n):
            if board[i] == board[j] or abs(board[i] - board[j]) == abs(i - j):
                conflicts += 1
```

`

```
    return conflicts

def hill_climbing(n):
    cost=0
    while True:
        # Initialize a random board
        current_board = list(range(n))
        random.shuffle(current_board)
        current_conflicts = calculate_conflicts(current_board)

        while True:
            # Generate neighbors by moving each queen to a different position
            found_better = False
            for i in range(n):
                for j in range(n):
                    if j != current_board[i]:  # Only consider different positions
                        neighbor_board = list(current_board)
                        neighbor_board[i] = j
                        neighbor_conflicts = calculate_conflicts(neighbor_board)
                        if neighbor_conflicts < current_conflicts:
                            print_board(current_board)
                            print(current_conflicts)
                            print_board(neighbor_board)
                            print(neighbor_conflicts)
                            current_board = neighbor_board
                            current_conflicts = neighbor_conflicts
                            cost+=1
                            found_better = True
                            break
                if found_better:
                    break

            # If no better neighbor found, stop searching
            if not found_better:
                break

        # If a solution is found (zero conflicts), return the board
        if current_conflicts == 0:
            return current_board, current_conflicts, cost

def print_board(board):
    n = len(board)
    for i in range(n):
        row = ['.'] * n
        row[board[i]] = 'Q' # Place a queen
        print(' '.join(row))
    print()
```

```
print("===============")
# Example Usage
n = 4
solution, conflicts, cost = hill_climbing(n)
print("Final Board Configuration:")
print_board(solution)
print("Number of Cost:", cost)
```

```
===============
Q . . .
. . . Q
. . Q .
. Q . .

4
Q . . .
Q . . .
. . Q .
. Q . .

3
Q . . .
Q . . .
. . Q .
. Q . .

3
. . Q .
Q . . .
. . Q .
. Q . .

2
. . Q .
Q . . .
. . Q .
. Q . .

2
. . . Q
Q . . .
. . Q .
. Q . .

1
Final Board Configuration:
. Q . .
. . . Q
Q . . .
. . Q .
```

`

**Program 5**
Simulated Annealing to Solve 8-Queens problem
Algorithm:

Simulated Annealing for n queens

1. Generate initial solution :- Randomly place queens

2. Calculate Initial Cost :- Count pairs of attacking queens

3. While Temperature > Stop Temperature :

- Generate a neighboring solution.
- Calculate its cost.
- Decide to accept or reject the new solution based on cost difference and Temperature
- Reduce Temperature

4. Return Final Solution : When the loop ends, the current solution is the best found.

Algorithm: Simulated Annealing

```
Current ← Initial state
T ← A large positive Integer
while T > 0
  next ← random state to current
  ΔE = current.state − next.state
  if ΔE > 0 then
      current ← next
  else
      current ← next   with p = e^(ΔE/T)
  end if
  decrease Temperature
  end loop
  return current
```

**Code:**

```
import numpy as np
from scipy.optimize import dual_annealing

def queens_max(position):
    # This function calculates the number of pairs of queens that are not attacking each other
    position = np.round(position).astype(int) # Round and convert to integers for queen positions
    n = len(position)
    queen_not_attacking = 0

    for i in range(n - 1):
        no_attack_on_j = 0
        for j in range(i + 1, n):
            # Check if queens are on the same row or on the same diagonal
            if position[i] != position[j] and abs(position[i] - position[j]) != (j - i):
                no_attack_on_j += 1
        if no_attack_on_j == n - 1 - i:
            queen_not_attacking += 1
    if queen_not_attacking == n - 1:
        queen_not_attacking += 1
    return -queen_not_attacking # Negative because we want to maximize this value

# Bounds for each queen's position (0 to 7 for an 8x8 chessboard)
bounds = [(0, 8) for _ in range(8)]

# Use dual_annealing for simulated annealing optimization
result = dual_annealing(queens_max, bounds)

# Display the results
best_position = np.round(result.x).astype(int)
best_objective = -result.fun # Flip sign to get the number of non-attacking queens

print('The best position found is:', best_position)
print('The number of queens that are not attacking each other is:', best_objective)
```

```
The best position found is: [0 8 5 2 6 3 7 4]
The number of queens that are not attacking each other is: 8
```

`

**Program 6**

Create a knowledge base using propositional logic and show that the given query entails the knowledge base or not.

Algorithm:



Week 6 - KB using Propositional Logic

KB : $Q \to P$, $P \to \neg Q$, $Q \vee R$

Write Truth Table enumeration approach to check

| $\neg Q$ | P | Q | R | $Q \to P$ | $P \to \neg Q$ | $Q \vee R$ |
|---|---|---|---|---|---|---|
| 1 | 0 | 0 | 0 | 1 | 1 | 0 |
| 1 | 0 | 0 | 1 | 1 | 1 | 1 |
| 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| 0 | 0 | 1 | 1 | 0 | 1 | 1 |
| 1 | 1 | 0 | 0 | 1 | 1 | 0 |
| 1 | 1 | 0 | 1 | 1 | 1 | 1 |
| 0 | 1 | 1 | 0 | 1 | 0 | 1 |
| 0 | 1 | 1 | 1 | 1 | 0 | 1 |

i) Does KB entail R ? First & Third it does, second it does not

ii) Does KB entail $R \to P$ ?

iii) Does KB entail $Q \to R$ ?

$KB \models R$
$KB \not\models R \to P$
$KB \models Q \to R$

| P | Q | R | $R \to P$ | $Q \to R$ | KB |
|---|---|---|---|---|---|
| 0 | 0 | 0 | 1 | 1 | 0 |
| 0 | 0 | 1 | 0 | 1 | 1 |
| 0 | 1 | 0 | 1 | 0 | 0 |
| 0 | 1 | 1 | 0 | 1 | 0 |
| 1 | 0 | 0 | 1 | 1 | 0 |
| 1 | 0 | 1 | 1 | 1 | 1 |
| 1 | 1 | 0 | 1 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 0 |

`

**Code:**

```
#Create a knowledge base using propositional logic and show that the given query entails the
knowledge base or not.
import itertools

# Function to evaluate an expression
def evaluate_expression(a, b, c, expression):
    # Use eval() to evaluate the logical expression
    return eval(expression)

# Function to generate the truth table and evaluate a logical expression
def truth_table_and_evaluation(kb, query):
    # All possible combinations of truth values for a, b, and c
    truth_values = [True, False]
    combinations = list(itertools.product(truth_values, repeat=3))

    # Reverse the combinations to start from the bottom (False -> True)
    combinations.reverse()

    # Header for the full truth table
    print(f"{'a':<5}  {'b':<5} {'c':<5} {'KB':<20}{'Query':<20}")

    # Evaluate the expressions for each combination
```

```
    for combination in combinations:
        a, b, c = combination

        # Evaluate the knowledge base (KB) and query expressions
        kb_result = evaluate_expression(a, b, c, kb)
        query_result = evaluate_expression(a, b, c, query)

        # Replace True/False with string "True"/"False"
        kb_result_str = "True" if kb_result else "False"
        query_result_str = "True" if query_result else "False"

        # Convert boolean values of a, b, c to "True"/"False"
        a_str = "True" if a else "False"
        b_str = "True" if b else "False"
        c_str = "True" if c else "False"

        # Print the results for the knowledge base and the query
        print(f"{a_str:<5} {b_str:<5} {c_str:<5} {kb_result_str:<20} {query_result_str:<20}")

    # Additional output for combinations where both KB and query are true
    print("\nCombinations where both KB and Query are True:")
    print(f"{'a':<5} {'b':<5} {'c':<5} {'KB':<20}{'Query':<20}")

    # Print only the rows where both KB and Query are True
    for combination in combinations:
        a, b, c = combination

        # Evaluate the knowledge base (KB) and query expressions
        kb_result = evaluate_expression(a, b, c, kb)
        query_result = evaluate_expression(a, b, c, query)

        # If both KB and query are True, print the combination
        if kb_result and query_result:
            a_str = "True" if a else "False"
            b_str = "True" if b else "False"
            c_str = "True" if c else "False"
            kb_result_str = "True" if kb_result else "False"
            query_result_str = "True" if query_result else "False"
            print(f"{a_str:<5} {b_str:<5} {c_str:<5} {kb_result_str:<20} {query_result_str:<20}")

# Define the logical expressions as strings
kb = "(a or c) and (b or not c)" # Knowledge Base
query = "a or b" # Query to evaluate

# Generate the truth table and evaluate the knowledge base and query
truth_table_and_evaluation(kb, query)
```

`

```
a       b      c      KB                    Query
False False False False                    False
False False True  False                    False
False True  False False                    True
False True  True  True                     True
True  False False True                     True
True  False True  False                    True
True  True  False True                     True
True  True  True  True                     True

Combinations where both KB and Query are True:
a       b      c      KB                    Query
False True  True  True                     True
True  False False True                     True
True  True  False True                     True
True  True  True  True                     True
```

**Program 7**

Implement unification in first order logic

Algorithm:



PAGE NO :
DATE :

Week 7 – Unification Algorithm

Algorithm :-

(1) if expr1 == expr2, return current substitution
Handle variables
(2) if expr 1 is a variable, try to unify with expr2 using:
(3) Occurs Check: Ensure there are no circular dependencies ($x = f(x)$).
(4) Update substitutions if valid. if expr 2 is a variable, repeat the same with expr 2.
(5) if both expr 1 and expr 2 are compound check if structure match
Recursively unify them
(6) if they don't match then return unification error
For Compound arguments, unify elements recursively.
(7) If all terms unify successfully
return final substitution

`

**Code:**

```
import re

def occurs_check(var, x):
    """Checks if var occurs in x (to prevent circular substitutions)."""
    if var == x:
        return True
    elif isinstance(x, list): # If x is a compound expression (like a function or predicate)
        return any(occurs_check(var, xi) for xi in x)
    return False

def unify_var(var, x, subst):
    """Handles unification of a variable with another term."""
```

```
    if var in subst: # If var is already substituted
        return unify(subst[var], x, subst)
    elif isinstance(x, (list, tuple)) and tuple(x) in subst: # Handle compound expressions
        return unify(var, subst[tuple(x)], subst)
    elif occurs_check(var, x):  # Check for circular references
        return "FAILURE"
    else:
        # Add the substitution to the set (convert list to tuple for hashability)
        subst[var] = tuple(x) if isinstance(x, list) else x
        return subst

def unify(x, y, subst=None):
    """
    Unifies two expressions x and y and returns the substitution set if they can be unified.
    Returns 'FAILURE' if unification is not possible.
    """
    if subst is None:
        subst = {} # Initialize an empty substitution set

    # Step 1: Handle cases where x or y is a variable or constant
    if x == y: # If x and y are identical
        return subst
    elif isinstance(x, str) and x.islower(): # If x is a variable
        return unify_var(x, y, subst)
    elif isinstance(y, str) and y.islower():  # If y is a variable
        return unify_var(y, x, subst)
    elif isinstance(x, list) and isinstance(y, list):  # If x and y are compound expressions (lists)
        if len(x) != len(y):  # Step 3: Different number of arguments
            return "FAILURE"

        # Step 2: Check if the predicate symbols (the first element) match
        if x[0] != y[0]:  # If the predicates/functions are different
            return "FAILURE"

        # Step 5: Recursively unify each argument
        for xi, yi in zip(x[1:], y[1:]): # Skip the predicate (first element)
            subst = unify(xi, yi, subst)
            if subst == "FAILURE":
                return "FAILURE"
        return subst
    else:  # If x and y are different constants or non-unifiable structures
        return "FAILURE"

def unify_and_check(expr1, expr2):
    """
    Attempts to unify two expressions and returns a tuple:
    (is_unified: bool, substitutions: dict or None)
```

`

```
    """
    result = unify(expr1, expr2)
    if result == "FAILURE":
        return False, None
    return True, result

def display_result(expr1, expr2, is_unified, subst):
    print("Expression 1:", expr1)
    print("Expression 2:", expr2)
    if not is_unified:
        print("Result: Unification Failed")
    else:
        print("Result: Unification Successful")
        print("Substitutions:", {k: list(v) if isinstance(v, tuple) else v for k, v in subst.items()})

def parse_input(input_str):
    """Parses a string input into a structure that can be processed by the unification algorithm."""
    # Remove spaces and handle parentheses
    input_str = input_str.replace(" ", "")

    # Handle compound terms (like p(x, f(y)) -> ['p', 'x', ['f', 'y']])
    def parse_term(term):
        # Handle the compound term
        if '(' in term:
            match = re.match(r'([a-zA-Z0-9_]+)(.*)', term)
            if match:
                predicate = match.group(1)
                arguments_str = match.group(2)
                arguments = [parse_term(arg.strip()) for arg in arguments_str.split(',')]
                return [predicate] + arguments
        return term

    return parse_term(input_str)

# Main function to interact with the user
def main():
    while True:
        # Get the first and second terms from the user
        expr1_input = input("Enter the first expression (e.g., p(x, f(y))): ")
        expr2_input = input("Enter the second expression (e.g., p(a, f(z))): ")

        # Parse the input strings into the appropriate structures
        expr1 = parse_input(expr1_input)
        expr2 = parse_input(expr2_input)

        # Perform unification
        is_unified, result = unify_and_check(expr1, expr2)
```

```
        # Display the results
        display_result(expr1, expr2, is_unified, result)

        # Ask the user if they want to run another test
        another_test = input("Do you want to test another pair of expressions? (yes/no): ").strip().lower()
        if another_test != 'yes':
            break

if __name__== "_main_":
    main()
```

```
Enter the first expression (e.g., p(x, f(y))): p(b,x,f(g(z)))
Enter the second expression (e.g., p(a, f(z))): p(z,f(y),f(y))
Expression 1: ['p', '(b', 'x', ['f', '(g(z)))']]
Expression 2: ['p', '(z', ['f', '(y)'], ['f', '(y))']]
Result: Unification Successful
Substitutions: {'(b': '(z', 'x': ['f', '(y)'], '(g(z)))': '(y))'}
Do you want to test another pair of expressions? (yes/no): yes
Enter the first expression (e.g., p(x, f(y))): p(x,h(y))
Enter the second expression (e.g., p(a, f(z))): p(a,f(z))
Expression 1: ['p', '(x', ['h', '(y))']]
Expression 2: ['p', '(a', ['f', '(z))']]
Result: Unification Failed
Do you want to test another pair of expressions? (yes/no): yes
Enter the first expression (e.g., p(x, f(y))): p(f(a),g(y))
Enter the second expression (e.g., p(a, f(z))): p(x,x)
Expression 1: ['p', '(f(a)', ['g', '(y))']]
Expression 2: ['p', '(x', 'x)']
Result: Unification Successful
Substitutions: {'(f(a)': '(x', 'x)': ['g', '(y))']}
Do you want to test another pair of expressions? (yes/no): no
```

`

**Program 8**

Create a knowledge base consisting of first order logic statements and prove the given query using forward reasoning.

Algorithm:



PAGE NO :
DATE :

Week 8 :- Forward Reasoning using FOL

1. American(p) ∧ Weapon(q) ∧ Sells(p, q, r) ∧ Hostile(r) ⇒ Criminal(p)

2. ∃x Owns(A, x) ∧ Missile(x)

3. ∀x Missile(x) ∧ Owns(A, x) ⇒ Sells(Robert, x, A)

4. Missile(x) ⇒ Weapon(x)
5. American(Robert)
6. Enemy(A, America)
7. ∀x Enemy(x, America) → Hostile(x)

TP :- Criminal(Robert)

2. ∃x Owns(A, T₁) ∧ Missile(T₁)
↓ θ = {T₁/x}
Owns(A, T₁)
Missile(T₁)



{American(p) ∧ Weapon(q) ∧ Sells(p, q, r) ∧ Hostile(r) ⇒ Criminal(p)}

:

`

**Code:**

```
# Define the knowledge base (KB) as a set of facts
KB = set()

# Premises based on the provided FOL problem
KB.add('American(Robert)')
KB.add('Enemy(America, A)')
KB.add('Missile(T1)')
KB.add('Owns(A, T1)')

# Define inference rules
def modus_ponens(fact1, fact2, conclusion):
   """ Apply modus ponens inference rule: if fact1 and fact2 are true, then conclude conclusion """
   if fact1 in KB and fact2 in KB:
      KB.add(conclusion)
      print(f"Inferred: {conclusion}")

def forward_chaining():
   """ Perform forward chaining to infer new facts until no more inferences can be made """
   # 1. Apply: Missile(x) → Weapon(x)
   if      'Missile(T1)'      in      KB:
      KB.add('Weapon(T1)')
      print(f"Inferred: Weapon(T1)")

   # 2. Apply: Sells(Robert, T1, A) from Owns(A, T1) and Weapon(T1)
   if 'Owns(A, T1)' in KB and 'Weapon(T1)' in KB:
      KB.add('Sells(Robert,       T1,       A)')
      print(f"Inferred: Sells(Robert, T1, A)")

   # 3. Apply: Hostile(A) from Enemy(A, America)
   if 'Enemy(America, A)' in KB:
      KB.add('Hostile(A)')
      print(f"Inferred: Hostile(A)")

   # 4. Now, check if the goal is reached (i.e., if 'Criminal(Robert)' can be inferred)
   if 'American(Robert)' in KB and 'Weapon(T1)' in KB and 'Sells(Robert, T1, A)' in KB and
'Hostile(A)' in KB:
      KB.add('Criminal(Robert)')
      print("Inferred: Criminal(Robert)")

   # Check if we've reached our goal
   if 'Criminal(Robert)' in KB:
      print("Robert is a criminal!")
   else:
      print("No more inferences can be made.")

# Run forward chaining to attempt to derive the conclusion
```

forward_chaining()

```
Inferred: Weapon(T1)
Inferred: Sells(Robert, T1, A)
Inferred: Hostile(A)
Inferred: Criminal(Robert)
Robert is a criminal!
```

`

**Program 9**

Create a knowledge base consisting of first order logic statements and prove the given query using Resolution

Algorithm:



PAGE NO :
DATE : 16|12|24

Week-9 :- Draw the Resolution

Mother (leela, oshin)
Alive (leela)
$\forall x \forall y$ Mother(x,y) $\rightarrow$ Parent (x,y) . $\neg$ Mother (x,y) $\vee$ Parent (x,y)
$\forall x \forall y$ (Parent (x,y) $\wedge$ Alive (x)) $\rightarrow$ older (x,y)

$\neg$(Parent (x,y) $\wedge$ Alive(x)) $\vee$ older

Ip :- Older (leela, Oshin)

~~Mother (leela, oshin)~~ ~ Mother

$\neg$Parent (x,y) $\vee$ $\neg$Alive (x) $\vee$ older (x,y) [ $\because \alpha \rightarrow \beta \Rightarrow \neg\alpha \vee \beta$ ]

Mother (leela, oshin) $\neg$ Mother (x,y) $\vee$ Parent (x,y)

$\theta$ { x/ leela, y /oshin }

Parent (leela, Oshin) $\neg$Parent (x,y) $\vee$ $\neg$Alive (x) $\vee$ older

$\neg$ Alive (leela) $\vee$ older (leela, oshin) Alive (leela)

older (leela, oshin) $\neg$ older (leela, oshin)

16-12-24

Week 9

{ }

`

**Code:**

```
# Define the knowledge base (KB)
KB = {
    "food(Apple)": True,
    "food(vegetables)": True,
    "eats(Anil, Peanuts)": True,
    "alive(Anil)": True,
    "likes(John, X)": "food(X)", # Rule: John likes all food
    "food(X)": "eats(Y, X) and not killed(Y)",  # Rule: Anything eaten and not killed is food
    "eats(Harry, X)": "eats(Anil, X)",  # Rule: Harry eats what Anil eats
    "alive(X)": "not killed(X)", # Rule: Alive implies not killed
    "not killed(X)": "alive(X)", # Rule: Not killed implies alive
}

# Function to evaluate if a predicate is true based on the KB
def resolve(predicate):
    # If it's a direct fact in KB
    if predicate in KB and isinstance(KB[predicate], bool):
        return KB[predicate]

    # If it's a derived rule
    if predicate in KB:
        rule = KB[predicate]
        if " and " in rule: # Handle conjunction
            sub_preds = rule.split(" and ")
            return all(resolve(sub.strip()) for sub in sub_preds)
        elif " or " in rule: # Handle disjunction
            sub_preds = rule.split(" or ")
            return any(resolve(sub.strip()) for sub in sub_preds)
        elif "not " in rule: # Handle negation
            sub_pred = rule[4:] # Remove "not "
            return not resolve(sub_pred.strip())
        else: # Handle single predicate
            return resolve(rule.strip())

    # If the predicate is a specific query (e.g., likes(John, Peanuts))
    if "(" in predicate:
        func, args = predicate.split("(")
        args = args.strip(")").split(", ")
        if func == "food" and args[0] == "Peanuts":
            return resolve("eats(Anil, Peanuts)") and not resolve("killed(Anil)")
        if func == "likes" and args[0] == "John" and args[1] == "Peanuts":
            return resolve("food(Peanuts)")

    # Default to False if no rule or fact applies
    return False
```

`

```
# Query to prove: John likes Peanuts
query = "likes(John, Peanuts)"
result = resolve(query)

# Print the result
print(f"Does John like peanuts? {'Yes' if result else 'No'}")
```

```
Does John like peanuts? Yes
```

**Program 10**

Implement Alpha-Beta Pruning.

Algorithm:



`

**Code:**

```
# Alpha-Beta Pruning Implementation
def alpha_beta_pruning(node, alpha, beta, maximizing_player):
    # Base case: If it's a leaf node, return its value (simulating evaluation of the node)
    if type(node) is int:
        return node

    # If not a leaf node, explore the children
    if maximizing_player:
        max_eval = -float('inf')
        for child in node: # Iterate over children of the maximizer node
            eval = alpha_beta_pruning(child, alpha, beta, False)
            max_eval = max(max_eval, eval)
            alpha = max(alpha, eval) # Maximize alpha
            if beta <= alpha: # Prune the branch
                break
        return max_eval
    else:
        min_eval = float('inf')
        for child in node: # Iterate over children of the minimizer node
```

```
            eval = alpha_beta_pruning(child, alpha, beta, True)
            min_eval = min(min_eval, eval)
            beta = min(beta, eval) # Minimize beta
            if beta <= alpha: # Prune the branch
                break
        return min_eval

# Function to build the tree from a list of numbers
def build_tree(numbers):
    # We need to build a tree with alternating levels of maximizers and minimizers
    # Start from the leaf nodes and work up
    current_level = [[n] for n in numbers]

    while len(current_level) > 1:
        next_level = []
        for i in range(0, len(current_level), 2):
            if i + 1 < len(current_level):
                next_level.append(current_level[i] + current_level[i + 1]) # Combine two nodes
            else:
                next_level.append(current_level[i]) # Odd number of elements, just carry forward
        current_level = next_level

    return current_level[0] # Return the root node, which is a maximizer

# Main function to run alpha-beta pruning
def main():
    # Input: User provides a list of numbers
    numbers = list(map(int, input("Enter numbers for the game tree (space-separated): ").split()))

    # Build the tree with the given numbers
    tree = build_tree(numbers)

    # Parameters: Tree, initial alpha, beta, and the root node is a maximizing player
    alpha = -float('inf')
    beta = float('inf')
    maximizing_player = True  # The root node is a maximizing player

    # Perform alpha-beta pruning and get the final result
    result = alpha_beta_pruning(tree, alpha, beta, maximizing_player)

    print("Final Result of Alpha-Beta Pruning:", result)

if __name___== "_main_":
    main()
```

```
Enter numbers for the game tree (space-separated): 10 9 14 18 5 4 50 3
Final Result of Alpha-Beta Pruning: 50
```