

GIT ASSIGNMET 1

1)

The image shows two screenshots from a web browser. The top screenshot is the GitHub dashboard, and the bottom screenshot is an AWS CloudShell terminal window.

GitHub Dashboard:

- Header:** GitHub logo, search bar, and navigation icons.
- Left Sidebar:**
 - Create your first project:** Ready to start building? Create a repository for a new idea or bring over an existing repository to keep contributing to it. Buttons: [Create repository](#), [Import repository](#).
 - Recent activity:** When you take actions across GitHub, we'll provide links to that activity here.
- Main Content Area:**
 - Home:** Updates to your homepage feed. We've combined the power of the Following feed with the For you feed so there's one place to discover content on GitHub. There's improved filtering so you can customize your feed exactly how you like it, and a shiny new visual design. [Learn more](#).
 - Start writing code:**
 - Start a new repository:** A repository contains all of your project's files, revision history, and collaborator discussion. Input field: `Nikhharshu / name your new repository...`. Options: ☐ Public (Anyone on the Internet can see this repository), ☒ Private (You choose who can see and commit to this repository). Button: [Create a new repository](#).
 - Introduce yourself with a profile README:** Share information about yourself by creating a profile README, which appears at the top of your profile page. Input field: `Nikhharshu / README.md`. Button: [Create](#). Preview content:

```
1 - Hi, I'm @nikharshu
2 - I'm interested in ...
3 - I'm currently learning ...
4 - I'm looking to collaborate on ...
5 - How to reach me ...
6
```
 - Latest changes:** 3 days ago: Temporary private forks can now be deleted from repository advisories. 3 days ago: Enhanced Accessibility for Links in Text Blocks Public Beta.

AWS CloudShell Terminal:

```
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/  
aws  
Services  
Search [Alt+S]  
CloudWatch RDS EC2 S3 Amazon Redshift IAM  
ubuntu@ip-172-31-88-188:~$ git --version  
git version 2.34.1  
ubuntu@ip-172-31-88-188:~$
```

Terminal Output:

```
i-09821efe7e1e668ef (git lab)  
PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188
```

Footer: © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

My Courses | x | Start Course | x | Start Course | x | Instances | E... | EC2 Instance | x | Inbox (18) - I... | x | Git Branching | x | New reposi... | x | Git B-1 2023 | x | + | - | x | x |

github.com/new

A repository contains all project files, including the revision history. Already have a project repository elsewhere?
[Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner *

Repository name *

Nikharshu

/ gitassignment

gitassignment is available.

Great repository names are short and memorable. Need inspiration? How about [studious-telegram](#) ?

Description (optional)

Public

Anyone on the internet can see this repository. You choose who can commit.

Private

You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

You are creating a public repository in your personal account.

My Courses | x | Start Course | x | Start Course | x | Instances | E... | EC2 Instance | x | Inbox (18) - I... | x | Git Branching | x | New reposi... | x | Git B-1 2023 | x | + | - | x | x |

github.com/new

Description (optional)

Public

Anyone on the internet can see this repository. You choose who can commit.

Private

You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

You are creating a public repository in your personal account.

Creating repository...

© 2023 GitHub, Inc.

[Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#) [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

```
My Courses | x | Start Course | x | Start Course | x | Instances | EC2 | x | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
ubuntu@ip-172-31-88-188:~$ git --version
git version 2.34.1
ubuntu@ip-172-31-88-188:~$ mkdir gitassignmet01
ubuntu@ip-172-31-88-188:~$ cd gitassignmet01/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/gitassignmet01/.git/
ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

```
CloudShell | Feedback | © 2023, Amazon Web Services India Private Limited or its affiliates. | Privacy | Terms | Cookie preferences |
My Courses | x | Start Course | x | Start Course | x | Instances | EC2 | x | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
ubuntu@ip-172-31-88-188:~$ git --version
git version 2.34.1
ubuntu@ip-172-31-88-188:~$ mkdir gitassignmet01
ubuntu@ip-172-31-88-188:~$ cd gitassignmet01/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/gitassignmet01/.git/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ touch Code.txt Log.txt Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ ls
Code.txt  Log.txt  Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

```
My Courses | x | Start Course | x | Start Course | x | Instances | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu/g | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
ubuntu@ip-172-31-88-188:~$ cd gitassignmet01/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/gitassignmet01/.git/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ touch Code.txt Log.txt Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ ls
Code.txt  Log.txt  Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Code.txt
        Log.txt
        Output.txt

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-88-188:~/gitassignmet01$

i-09821efe7e1e668ef (git lab)
PublicIPs: 44.203.150.90  PrivateIPs: 172.31.88.188
```

```
CloudShell | Feedback | © 2023, Amazon Web Services India Private Limited or its affiliates. | Privacy | Terms | Cookie preferences |
My Courses | x | Start Course | x | Start Course | x | Instances | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu/g | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/gitassignmet01/.git/
ubuntu@ip-172-31-88-188:~/gitassignmet01$ touch Code.txt Log.txt Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ ls
Code.txt  Log.txt  Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Code.txt
        Log.txt
        Output.txt

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Code.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Log.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$

i-09821efe7e1e668ef (git lab)
PublicIPs: 44.203.150.90  PrivateIPs: 172.31.88.188
```

```
My Courses | x | Start Course | x | Start Course | x | Instances | EC | x | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu/g | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
ubuntu@ip-172-31-88-188:~/gitassignmet01$ ls
Code.txt  Log.txt  Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Code.txt
        Log.txt
        Output.txt

nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Code.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Log.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   Code.txt
        new file:   Log.txt
        new file:   Output.txt

ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

CloudShell Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

```
My Courses | x | Start Course | x | Start Course | x | Instances | EC | x | EC2 Instance | x | Inbox (18) | x | Git Branching | x | Nikharshu/g | x | Git B-1 2023 | x | + | - | x | x |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/?
AWS | Services | Search | [Alt+S] | N. Virginia | harsh |
CloudWatch | RDS | EC2 | S3 | Amazon Redshift | IAM |
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git add Output.txt
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   Code.txt
        new file:   Log.txt
        new file:   Output.txt

ubuntu@ip-172-31-88-188:~/gitassignmet01$ git rm --cached Log.txt
rm 'Log.txt'
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   Code.txt
        new file:   Output.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Log.txt

ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

CloudShell Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

My Courses | x

Start Course | x

Start Course | x

Instances | EC2 | x

EC2 Instance Co... | x

Inbox (18) - har... | x

Nikhharshu/gita... | x

Git B-1 2023 - G... | x

+ |

-

0

x

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu®ion=us-east-1&sshPort=22#/?

us-east-1

Services

Search

[Alt+S]

CloudWatch

RDS

EC2

S3

Amazon Redshift

IAM

(use "git add <file>..." to include in what will be committed)

Log.txt

ubuntu@ip-172-31-88-188:~/gitassignment01\$ git commit -m "Adding Application Files"

(master root-commit) 5824809 Adding Application Files

Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>

Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)

create mode 100644 Code.txt

create mode 100644 Output.txt

ubuntu@ip-172-31-88-188:~/gitassignment01\$ git status

On branch master

Untracked files:

(use "git add <file>..." to include in what will be committed)

Log.txt

nothing added to commit but untracked files present (use "git add" to track)

ubuntu@ip-172-31-88-188:~/gitassignment01\$

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

CloudShell

Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

My Courses | H/A | x

Start Course | In | x

Start Course | In | x

Instances | EC2 | x

EC2 Instance Co... | x

Inbox (18) - har... | x

Nikhharshu/gita... | x

Git B-1 2023 - G... | x

+ |

-

0

x

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu®ion=us-east-1&sshPort=22#/?

us-east-1

Services

Search

[Alt+S]

CloudWatch

RDS

EC2

S3

Amazon Redshift

IAM

ubuntu@ip-172-31-88-188:~/gitassignment01\$ git remote add gitassignment https://github.com/Nikhharshu/gitassignment.git

ubuntu@ip-172-31-88-188:~/gitassignment01\$

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

CloudShell

Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

```
My Courses | HA... x | Start Course | In... x | Start Course | In... x | Instances | EC2 | x | EC2 Instance Co... x | Inbox (18) - har... x | Nikharshu/gitas... x | Git B-1 2023 - G... x | +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu8region=us-east-1&sshPort=22#/
evid harshad7908@gma... WhatsApp My Courses | HARS... IP AWS 22Nov - Go... Git B-1 2023 - Goo... devopstrain23/myc... Docker B-1 2023 -... KB - B1-2023 - Goo... Jenkins B1- 2023 -... All Bookmarks
AWS Services Search [Alt+S] CloudWatch RDS EC2 S3 Amazon Redshift IAM
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote add gitassignment https://github.com/Nikharshu/gitassignment.git
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote -v
gitassignment https://github.com/Nikharshu/gitassignment.git (fetch)
gitassignment https://github.com/Nikharshu/gitassignment.git (push)
ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

```
CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences
My Courses | HA... x | Start Course | In... x | Start Course | In... x | Instances | EC2 | x | EC2 Instance Co... x | Inbox (18) - har... x | Nikharshu/gitas... x | Git B-1 2023 - G... x | +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu8region=us-east-1&sshPort=22#/
evid harshad7908@gma... WhatsApp My Courses | HARS... IP AWS 22Nov - Go... Git B-1 2023 - Goo... devopstrain23/myc... Docker B-1 2023 -... KB - B1-2023 - Goo... Jenkins B1- 2023 -... All Bookmarks
AWS Services Search [Alt+S] CloudWatch RDS EC2 S3 Amazon Redshift IAM
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd project/
-bash: cd: project/: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote -v
gitassignment https://github.com/Nikharshu/gitassignment.git (fetch)
gitassignment https://github.com/Nikharshu/gitassignment.git (push)
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote
gitassignment
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd project
-bash: cd: project: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01
-bash: cd: gitassignmet01: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01/
-bash: cd: gitassignmet01/: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git push gitassignment
Username for 'https://github.com':
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

```
My Courses | H/... x Start Course | In... x Start Course | In... x Instances | EC2 | x EC2 Instance Co... x Inbox (18) - har... x Nikharshu/gitass... x Git B-1 2023 - G... x +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/
AWS Services Search [Alt+S]
CloudWatch RDS EC2 S3 Amazon Redshift IAM
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd project/
-bash: cd: project: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote -v
gitassignment https://github.com/Nikharshu/gitassignment.git (fetch)
gitassignment https://github.com/Nikharshu/gitassignment.git (push)
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote
gitassignment
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd project
-bash: cd: project: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01
-bash: cd: gitassignmet01: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01/
-bash: cd: gitassignmet01/: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git push gitassignment
Username for 'https://github.com': Nikharshu
Password for 'https://Nikharshu@github.com':
remote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls for information on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/Nikharshu/gitassignment.git/'
ubuntu@ip-172-31-88-188:~/gitassignmet01$
```


i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188

```
CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences
My Courses | H/... x Start Course | In... x Start Course | In... x Instances | EC2 | x EC2 Instance Co... x Inbox (18) - har... x Personal Access... x Git B-1 2023 - G... x +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&region=us-east-1&sshPort=22#/
AWS Services Search [Alt+S]
CloudWatch RDS EC2 S3 Amazon Redshift IAM
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote -v
gitassignment https://github.com/Nikharshu/gitassignment.git (fetch)
gitassignment https://github.com/Nikharshu/gitassignment.git (push)
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git remote
gitassignment
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd project
-bash: cd: project: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01
-bash: cd: gitassignmet01: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ cd gitassignmet01/
-bash: cd: gitassignmet01/: No such file or directory
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git push gitassignment
Username for 'https://github.com': Nikharshu
Password for 'https://Nikharshu@github.com':
remote: Support for password authentication was removed on August 13, 2021.
remote: Please see https://docs.github.com/en/get-started/getting-started-with-git/about-remote-repositories#cloning-with-https-urls for information on currently recommended modes of authentication.
fatal: Authentication failed for 'https://github.com/Nikharshu/gitassignment.git/'
ubuntu@ip-172-31-88-188:~/gitassignmet01$ git push gitassignment
Username for 'https://github.com': Nikharshu
Password for 'https://Nikharshu@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 242 bytes | 242.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Nikharshu/gitassignment.git
 * [new branch]      master -> master
ubuntu@ip-172-31-88-188:~/gitassignmet01$
```

i-09821efe7e1e668ef (git lab)

PublicIPs: 44.203.150.90 PrivateIPs: 172.31.88.188



2)

```
sudo apt update -y  
sudo apt install git -y  
git --version
```

```
mkdir  
cd
```

```
git init
```

```
touch
```

```
git status
```

```
git add "filename"
```

```
git commit -m "description of the changes made in that commit"
```

```
git show
```

```
git remote add repo_name github_repo_url  
git remote -v
```

```
git push repo_name  
Username - github username  
Password - Token id
```

