GIT ASSIGNMENT 04






hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /home/ubuntu/assignmnet04/.git/
ubuntu@ip-172-31-88-188:~/assignmnet04$ touch master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "1"
[master (root-commit) 36d4f20] 1
 Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


[master (root-commit) 36d4f20] 1
 Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch public1
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch private
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
  private
  public1
  public2
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


Start Course
Start Course
Start Course
Connect to in
Intellipaat On
EC2 Instance
Sent Mail - ha
Git B-1 2023
Nikharshu/ass
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&sshPort=22#/
evid
harshad7908@gma...
WhatsApp
My Courses | HARS...
IP AWS 22Nov - Go...
Git B-1 2023 - Goo...
devopstrain23/myc...
Docker B-1 2023 -...
K8 - B1-2023 - Goo...
Jenkins B1- 2023 -...
All Bookmarks
aws
Services
Search
[Alt+S]
N. Virginia
harsh
CloudWatch
RDS
EC2
S3
Amazon Redshift
IAM
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch public1
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch private
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
private
public1
public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public1
Switched to branch 'public1'
ubuntu@ip-172-31-88-188:~/assignmnet04$ touch public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell
Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Start Course
Start Course
Start Course
Connect to in
Intellipaat On
EC2 Instance
Sent Mail - ha
Git B-1 2023
Nikharshu/ass
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&sshPort=22#/
evid
harshad7908@gma...
WhatsApp
My Courses | HARS...
IP AWS 22Nov - Go...
Git B-1 2023 - Goo...
devopstrain23/myc...
Docker B-1 2023 -...
K8 - B1-2023 - Goo...
Jenkins B1- 2023 -...
All Bookmarks
aws
Services
Search
[Alt+S]
N. Virginia
harsh
CloudWatch
RDS
EC2
S3
Amazon Redshift
IAM
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
* master
private
public1
public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public1
Switched to branch 'public1'
ubuntu@ip-172-31-88-188:~/assignmnet04$ touch public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "public1 commit"
[public1 aa5411e] public1 commit
Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell
Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


ubuntu@ip-172-31-88-188:~/assignmnet04$ touch public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "public1 commit"
[public1 aa5411e] public1 commit
 Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
master
private
* public1
public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


ubuntu@ip-172-31-88-188:~/assignmnet04$ git branch
master
private
* public1
public2
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public2
Switched to branch 'public2'
ubuntu@ip-172-31-88-188:~/assignmnet04$ touch public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "public2 commit "
[public2 97d52ba] public2 commit
 Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge public1 public2
Fast-forwarding to: public1
Trying simple merge with public2
Merge made by the 'octopus' strategy.
public1.txt | 0
public2.txt | 0
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
create mode 100644 public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


public2.txt | 0
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
create mode 100644 public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout private
Switched to branch 'private'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "edited in private"
[private a6e03e1] edited in private
Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


Start Course
Start Course
Start Course
Connect to in
Intellipaat On
EC2 Instance
Sent Mail - ha
Git B-1 2023
Nikharshu/ar
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&sshPort=22#/
evid
harshad7908@gma...
WhatsApp
My Courses | HARS...
IP AWS 22Nov - Go...
Git B-1 2023 - Goo...
devopstrain23/myc...
Docker B-1 2023 -...
K8 - B1-2023 - Goo...
Jenkins B1- 2023 -...
All Bookmarks
aws
Services
Search
[Alt+S]
N. Virginia
harsh
CloudWatch
RDS
EC2
S3
Amazon Redshift
IAM
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout private
Switched to branch 'private'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "edited in private"
[private a6e03e1] edited in private
Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell
Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


Start Course
Start Course
Start Course
Connect to in
Intellipaat On
EC2 Instance
Sent Mail - ha
Git B-1 2023
Nikharshu/ar
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-09821efe7e1e668ef&osUser=ubuntu&sshPort=22#/
evid
harshad7908@gma...
WhatsApp
My Courses | HARS...
IP AWS 22Nov - Go...
Git B-1 2023 - Goo...
devopstrain23/myc...
Docker B-1 2023 -...
K8 - B1-2023 - Goo...
Jenkins B1- 2023 -...
All Bookmarks
aws
Services
Search
[Alt+S]
N. Virginia
harsh
CloudWatch
RDS
EC2
S3
Amazon Redshift
IAM
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git add .
ubuntu@ip-172-31-88-188:~/assignmnet04$ git commit -m "edited in private"
[private a6e03e1] edited in private
Committer: Ubuntu <ubuntu@ip-172-31-88-188.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public1
Switched to branch 'public1'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell
Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates.
Privacy
Terms
Cookie preferences


GNU nano 6.2 /home/ubuntu/assignmnet04/.git/MERGE_MSG
Merge branch 'private' into public2
Please enter a commit message to explain why this merge is necessary,
especially if it merges an updated upstream into a topic branch.
#
Lines starting with '#' will be ignored, and an empty message aborts
the commit.
[Read 6 lines]
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public1
Switched to branch 'public1'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public2
Switched to branch 'public2'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


git commit --amend --reset-author
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public1
Switched to branch 'public1'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout public2
Switched to branch 'public2'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences


Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-88-188:~/assignmnet04$ ls
master.txt public1.txt public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge private
Merge made by the 'ort' strategy.
master.txt | 1 +
1 file changed, 1 insertion(+)
ubuntu@ip-172-31-88-188:~/assignmnet04$ nano master.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout
ubuntu@ip-172-31-88-188:~/assignmnet04$ git checkout private
Switched to branch 'private'
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge public1 public2 master
Fast-forwarding to: public1
Trying simple merge with public2
Trying simple merge with master
Merge made by the 'octopus' strategy.
public1.txt | 0
public2.txt | 0
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
create mode 100644 public2.txt
ubuntu@ip-172-31-88-188:~/assignmnet04$ git merge public1
Already up to date.
ubuntu@ip-172-31-88-188:~/assignmnet04$
i-09821efe7e1e668ef (git lab)
PublicIPs: 3.92.181.194 PrivateIPs: 172.31.88.188
CloudShell Feedback
© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences