

JENKIN ASSIGNMENT 1

```
System load: 0.8955078125      Processes:           102
Usage of /:  20.6% of 7.57GB    Users logged in:     0
Memory usage: 24%              IPv4 address for eth0: 172.31.28.32
Swap usage:  0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-28-32:~$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhdb to provide /usr/bin/jhdb (jhdb) in auto mode
Setting up openjdk-11-jdk-amd64 (11.0.20.11-0ubuntu1~22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-28-32:~$ which java
/usr/bin/java
ubuntu@ip-172-31-28-32:~$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

The screenshot shows a web browser window with multiple tabs open, including "Inbox (16) - harshad...", "EC2 Instance Connect | AWS", "My Courses | HARSH...", "Start Course | Intellipaat Online S...", "Jenkins B1-2023 - G...", and "devopstrain23/my...". The active tab displays the AWS console page for the EC2 instance "i-0c8ce97afd18f4c14". The terminal output shows the following commands and their results:

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstata to provide /usr/bin/jstata (jstata) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmic to provide /usr/bin/jmic (jmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-Ubuntu122.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-28-32:~$ which java
/usr/bin/java
ubuntu@ip-172-31-28-32:~$ java -version
openjdk version "11.0.20.1" 2023-08-24
OpenJDK Runtime Environment (build 11.0.20.1+1-post-Ubuntu-0ubuntu122.04)
OpenJDK 64-Bit Server VM (build 11.0.20.1+1-post-Ubuntu-0ubuntu122.04, mixed mode, sharing)
ubuntu@ip-172-31-28-32:~$
```

```
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu jammy/main amd64 net-tools amd64 1.60+git20181103.0eebece-lubuntu5 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.414.2 [88.9 MB]
Fetched 89.1 MB in 7s (12.8 MB/s)
Selecting previously unselected package net-tools.
(Reading database ... 66700 files and directories currently installed.)
Preparing to unpack .../net-tools 1.60+git20181103.0eebece-lubuntu5_amd64.deb ...
Unpacking net-tools (1.60+git20181103.0eebece-lubuntu5) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins 2.414.2_all.deb ...
Unpacking jenkins (2.414.2) ...
Setting up net-tools (1.60+git20181103.0eebece-lubuntu5) ...
Setting up jenkins (2.414.2) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /lib/systemd/system/jenkins.service.
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-28-32:~$ which jenkins
/usr/bin/jenkins
ubuntu@ip-172-31-28-32:~$
```



i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

```
at org.eclipse.jetty.server.ServerConnector.openAcceptChannel(ServerConnector.java:339)
Caused: java.io.IOException: Failed to bind to 0.0.0.0/0.0.0.0:8080
at org.eclipse.jetty.server.ServerConnector.openAcceptChannel(ServerConnector.java:344)
at org.eclipse.jetty.server.ServerConnector.open(ServerConnector.java:304)
at org.eclipse.jetty.server.Server.lambda$doStart$0(Server.java:402)
at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:195)
at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:177)
at java.base/java.util.stream.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:948)
at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)
at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:497)
at org.eclipse.jetty.server.Server.doStart(Server.java:398)
at org.eclipse.jetty.util.component.AbstractLifecycle.start(AbstractLifecycle.java:93)
at winstone.Launcher.<init>(Launcher.java:205)
Caused: java.io.IOException: Failed to start Jetty
at winstone.Launcher.<init>(Launcher.java:209)
at winstone.Launcher.main(Launcher.java:496)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at executable.Main.main(Main.java:347)
ubuntu@ip-172-31-28-32:~$ jenkins --version
2.414.2
ubuntu@ip-172-31-28-32:~$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32



Inbox (18) x IntelliPaat O x EC2 Instance x Setup Wizard x Connect to x My Courses x Start Course x Jenkins B1-2 x Linux x +

Not secure | 3.88.187.179:8080

eid | harshad7908@gmail... | WhatsApp | My Courses | HARS... | IP AWS 22Nov - Go... | Git B-1 2023 - Goo... | devopstrain23/myc... | Docker B-1 2023 - ... | KB - B1-2023 - Goo... | Jenkins B1- 2023 - ... | All Bookmarks

Getting Started

Username

harsh

Password

.....

Confirm password

.....

Full name

harsh

E-mail address

harshad7908@gmail.com

Jenkins 2.414.2

Skip and continue as admin Save and Continue

Inbox x IntelliPaat O x EC2 Insti x Dashbo x EC2 | us x Instance x My Cou x Start Co x Jenkins | x Linux x Instance x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:instanceId=i-0d5df3053db0d7e72

eid | harshad7908@gmail... | WhatsApp | My Courses | HARS... | IP AWS 22Nov - Go... | Git B-1 2023 - Goo... | devopstrain23/myc... | Docker B-1 2023 - ... | KB - B1-2023 - Goo... | Jenkins B1- 2023 - ... | All Bookmarks

aws Services Search [Alt+S]

CloudWatch RDS EC2 S3 Amazon Redshift IAM

New EC2 Experience

Tell us what you think

EC2 Dashboard
EC2 Global View
Events

▼ Instances

Instances

Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations

▼ Images

AMIs
AMI Catalog

▼ Elastic Block Store

Volumes
Snapshots

Instances (1/1) Info

Find instance by attribute or tag (case-sensitive)

Instance ID = i-0d5df3053db0d7e72 Clear filters

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS
☒	harsh-slave01	i-0d5df3053db0d7e72	Pending	t2.micro	-	No alarms +	us-east-1c	ec2-54-221-112-

Instance: i-0d5df3053db0d7e72 (harsh-slave01)

Details Security Networking Storage Status checks Monitoring Tags

▼ Instance summary Info

Instance ID	Public IPv4 address	Private IPv4 addresses
i-0d5df3053db0d7e72 (harsh-slave01)	54.221.112.32 open address	172.31.30.156
IPv6 address	Instance state	Public IPv4 DNS
-	Pending	ec2-54-221-112-32.compute-1.amazonaws.com open address
Hostname type	Private IP DNS name (IPv4 only)	
ID assigned to 172.31.30.156 ec2 instance	@ ip: 172.31.30.156 ec2 instance	

Waiting for us-east-1.console.aws.amazon.com...

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0d5df3053db0d7e72&osUser=ubuntu&sshPort=22/

CloudWatch RDS EC2 S3 Amazon Redshift IAM

```
System load: 0.6923828125    Processes: 102
Usage of /: 20.6% of 7.57GB   Users logged in: 0
Memory usage: 25%            IPv4 address for eth0: 172.31.30.156
Swap usage: 0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-30-156:~$
```

i-0d5df3053db0d7e72 (harsh-slave01)

PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

3.88.187.179:8080/manage/computer/createtime

Dashboard > Manage Jenkins > Nodes >

Host Key Verification Strategy ?

Non verifying Verification Strategy

Advanced

Availability ?

Keep this agent online as much as possible

Node Properties

☐ Disable deferred wipeout on this node ?

☐ Environment variables

☐ Tool Locations

Save

REST API Jenkins 2.414.2

Nodes

S	Name	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Linux (amd64)	In sync	4.75 GB	0 B	4.75 GB	0ms
	slave01	Linux (amd64)	In sync	5.32 GB	0 B	5.32 GB	34ms
Data obtained		0.29 sec	0.29 sec	0.29 sec	0.29 sec	0.29 sec	0.28 sec

REST API Jenkins 2.414.2

Terminal output showing Jenkins installation on AWS EC2 instance:

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-0ubuntu1-22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$
```

i-0d5df3053db0d7e72 (harsh-slave01)
PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-0ubuntu1-22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$ cd jenkins/
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar
ubuntu@ip-172-31-30-156:~/jenkins$
```



i-0d5df3053db0d7e72 (harsh-slave01)



PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156



```
ubuntu@ip-172-31-28-32:~$
ubuntu@ip-172-31-28-32:~$
ubuntu@ip-172-31-28-32:~$
ubuntu@ip-172-31-28-32:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
7fda91a926aa449cbfaa3160b242fe05
ubuntu@ip-172-31-28-32:~$ mkdir git
ubuntu@ip-172-31-28-32:~$ cd git
ubuntu@ip-172-31-28-32:~/git$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint: git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /home/ubuntu/Git/.git/
ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32







github.com/Nikhharshu/jenkinsassignment/settings/hooks/438309835?tab=deliveries

Settings Recent Deliveries

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Email notifications

Request Response ping 200 2023-10-15 23:37:51

Request

Response

Redeliver

Completed in 1.25 seconds

Headers

Request URL: http://3.88.187.179:8080/github-webhook/
Request method: POST
Accept: */*
content-type: application/x-www-form-urlencoded
User-Agent: GitHub-Hookshot/344614c
X-GitHub-Delivery: bff6f7c0-6b85-11ee-853b-26661647ba22
X-GitHub-Event: ping
X-GitHub-Hook-ID: 438309835
X-GitHub-Hook-Installation-Target-ID: 705322835
X-GitHub-Hook-Installation-Target-Type: repository

Payload

```
{
  "zen": "Non-blocking is better than blocking.",
  "hook_id": 438309835,
  "hook": {
    "type": "Repository",
    "id": 438309835,
    "name": "web",
    "active": true,
    "events": [
      "push"
    ],
    "config": {
      "content_type": "form",
      "insecure_ssl": "0",
      "url": "http://3.88.187.179:8080/github-webhook/"
    },
    "updated_at": "2023-10-15T18:07:49Z"
  }
}
```

Dashboard > JOB01 >

Status

Changes

Workspace

Build Now

Configure

Delete Project

GitHub Hook Log

GitHub

Rename

Project JOB01

Add description

Disable Project

Permalinks

Build History trend

Success > Console Output

Oct 15, 2023, 6:11 PM

Atom feed for all Atom feed for failures

3.88.187.179:8080/job/JOB01/1/console

REST API Jenkins 2.414.2

Jenkins Dashboard > JOB01 > #1

Build #1 (Oct 15, 2023, 6:11:48 PM)

Keep this build forever

Started 50 sec ago
Took 7.6 sec on slave01

Add description

Started by user harsh

Revision: 5630567e2fa7c9adff2db7267d183e545200a557
Repository: <https://github.com/Nikharshu/jenkinsassignment.git>
• refs/remotes/origin/Develop

REST API Jenkins 2.414.2

Jenkins Dashboard > JOB01 > #1 > Console Output

Console Output

View as plain text

Edit Build Information

Delete build '#1'

Git Build Data

Started by user harsh

Running as SYSTEM

Building remotely on slave01 in workspace /home/ubuntu/jenkins/workspace/JOB01

The recommended git tool is: NONE

No credentials specified

Cloning the remote Git repository

Cloning repository <https://github.com/Nikharshu/jenkinsassignment.git>

> git init /home/ubuntu/jenkins/workspace/JOB01 # timeout=10

Fetching upstream changes from <https://github.com/Nikharshu/jenkinsassignment.git>

> git --version # timeout=10

> git --version # 'git version 2.34.1'

> git fetch --tags --force --progress -- <https://github.com/Nikharshu/jenkinsassignment.git> +refs/heads/*:refs/remotes/origin/* # timeout=10

> git config remote.origin.url <https://github.com/Nikharshu/jenkinsassignment.git> # timeout=10

> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10

Avoid second fetch

> git rev-parse refs/remotes/origin/Develop^{commit} # timeout=10

Checking out Revision 5630567e2fa7c9adff2db7267d183e545200a557 (refs/remotes/origin/Develop)

> git config core.sparsecheckout # timeout=10

> git checkout -f 5630567e2fa7c9adff2db7267d183e545200a557 # timeout=10

Commit message: "developfile"

First time build. Skipping changelog.

Dashboard > JOB01 > #1 > Console Output

Console Output

- View as plain text
- Edit Build Information
- Delete build '#1'
- Git Build Data

```
Started by user harsh
Running as SYSTEM
Building remotely on slave01 in workspace /home/ubuntu/jenkins/workspace/JOB01
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/nikharshu/jenkinsassignment.git
> git init /home/ubuntu/jenkins/workspace/JOB01 # timeout=10
Fetching upstream changes from https://github.com/nikharshu/jenkinsassignment.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
> git fetch --tags --force --progress -- https://github.com/nikharshu/jenkinsassignment.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/nikharshu/jenkinsassignment.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/Develop^{commit} # timeout=10
Checking out Revision 5630567e2fa7c9adff2db7267d183e545200a557 (refs/remotes/origin/Develop)
> git config core.sparsecheckout # timeout=10
> git checkout -f 5630567e2fa7c9adff2db7267d183e545200a557 # timeout=10
Commit message: "developfile"
First time build. Skipping changelog.
Finished: SUCCESS
```

REST API Jenkins 2.414.2

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0d5df3053db0d7e72&osUser=ubuntu&sshPort=22#

CloudWatch RDS EC2 S3 Amazon Redshift IAM

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhdsb to provide /usr/bin/jhdsb (jhdsb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-0ubuntu1-22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$ cd jenkins/
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar  workspace
ubuntu@ip-172-31-30-156:~/jenkins$
```

i-0d5df3053db0d7e72 (harsh-slave01)

PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/rmic to provide /usr/bin/rmic (rmic) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jaotc to provide /usr/bin/jaotc (jaotc) in auto mode
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-0ubuntu1-22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$ cd jenkins/
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar  workspace
ubuntu@ip-172-31-30-156:~/jenkins$ cd workspace
ubuntu@ip-172-31-30-156:~/jenkins/workspace$ ls
JOB01
ubuntu@ip-172-31-30-156:~/jenkins/workspace$
```

i-0d5df3053db0d7e72 (harsh-slave01)
PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-11-jdk:amd64 (11.0.20.1+1-0ubuntu1-22.04) ...
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$ cd jenkins/
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar  workspace
ubuntu@ip-172-31-30-156:~/jenkins$ cd workspace
ubuntu@ip-172-31-30-156:~/jenkins/workspace$ ls
JOB01
ubuntu@ip-172-31-30-156:~/jenkins/workspace$ cd JOB01/
ubuntu@ip-172-31-30-156:~/jenkins/workspace/JOB01$ ls
developfile  masterfile
ubuntu@ip-172-31-30-156:~/jenkins/workspace/JOB01$
```

i-0d5df3053db0d7e72 (harsh-slave01)
PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

```
to https://github.com/Nikhharshu/jenkinsassignment.git
* [new branch] Develop -> Develop
* [new branch] master -> master
ubuntu@ip-172-31-28-32:~/Git$ git branch\
> git branch\ls
git: 'branchgit' is not a git command. See 'git --help'.
ubuntu@ip-172-31-28-32:~/Git$ git branch
* Develop
  master
ubuntu@ip-172-31-28-32:~/Git$ touch newfile
ubuntu@ip-172-31-28-32:~/Git$ git add newfile
ubuntu@ip-172-31-28-32:~/Git$ git commit -m "newfile"
[Develop 3d61c4b] newfile
  committer: Ubuntu <ubuntu@ip-172-31-28-32.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newfile
ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)
PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

```
ubuntu@ip-172-31-28-32:~/Git$ git commit -m "newfile"
[Develop 3d61c4b] newfile
  committer: Ubuntu <ubuntu@ip-172-31-28-32.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newfile
ubuntu@ip-172-31-28-32:~/Git$ git push origin Develop
Username for 'https://github.com': Nikharshu
Password for 'https://Nikhharshu@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 239 bytes | 239.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
to https://github.com/Nikhharshu/jenkinsassignment.git
 5630567..3d61c4b Develop -> Develop
ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)
PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

github.com/Nikharshu/jenkinsassignment

Nikharshu / jenkinsassignment

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

jenkinsassignment Public

Develop 2 branches 0 tags

Your Develop branch isn't protected

Ubuntu newfile

developfile	developfile	46 minutes ago
masterfile	masterfile	50 minutes ago
newfile	newfile	3 minutes ago

Help people interested in this repository understand your project by adding a README.

About

No description, website, or topics provided.

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Dashboard > JOB01 > #2 > Console Output

Console Output

View as plain text

Edit Build Information

Delete build '#2'

Polling Log

Git Build Data

Previous Build

Console Output

```
Started by GitHub push by Nikharshu
Running as SYSTEM
Building remotely on s1ave01 in workspace /home/ubuntu/jenkins/workspace/JOB01
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /home/ubuntu/jenkins/workspace/JOB01/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Nikharshu/jenkinsassignment.git # timeout=10
Fetching upstream changes from https://github.com/Nikharshu/jenkinsassignment.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
> git fetch --tags --force --progress -- https://github.com/Nikharshu/jenkinsassignment.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/Develop^{commit} # timeout=10
Checking out Revision 3d61c4bf06d533d49e9d026e08b2b98dbb50f903 (refs/remotes/origin/Develop)
> git config core.sparsecheckout # timeout=10
> git checkout -f 3d61c4bf06d533d49e9d026e08b2b98dbb50f903 # timeout=10
Commit message: "newfile"
> git rev-list --no-walk 5630567e2fa7c9adff2db7267d183e545200a557 # timeout=10
Finished: SUCCESS
```

REST API Jenkins 2.414.2

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0d5df3053db0d7e72&osUser=ubuntu&sshPort=22#/
AWS Services Search [Alt+S]
CloudWatch RDS EC2 S3 Amazon Redshift IAM

```
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-30-156:~$ ls
jenkins
ubuntu@ip-172-31-30-156:~$ cd jenkins/
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar
ubuntu@ip-172-31-30-156:~/jenkins$ ls
remoting  remoting.jar  workspace
ubuntu@ip-172-31-30-156:~/jenkins$ cd workspace
ubuntu@ip-172-31-30-156:~/jenkins/workspace$ ls
JOB01
ubuntu@ip-172-31-30-156:~/jenkins/workspace$ cd JOB01/
ubuntu@ip-172-31-30-156:~/jenkins/workspace/JOB01$ ls
developfile  masterfile
ubuntu@ip-172-31-30-156:~/jenkins/workspace/JOB01$ ls
developfile  masterfile  newfile
ubuntu@ip-172-31-30-156:~/jenkins/workspace/JOB01$
```

i-0d5df3053db0d7e72 (harsh-slave01)
PublicIPs: 54.221.112.32 PrivateIPs: 172.31.30.156

CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences