

Inte x

EC2 x

EC2 x

EC2 x

JOB x

Cor x

My x

Star x

Jen x

Liu x

Lau x

Nik x

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&iinstanceId=i-Oca274fa2855e890d8osUser=ubuntu&sshPort=22/?

CloudWatch RDS EC2 S3 Amazon Redshift IAM

Get:20 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-updates/multiverse amd64 Packages [25.8 kB]
Get:21 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-updates/multiverse Translation-en [7484 B]
Get:22 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-updates/multiverse amd64 c-n-f Metadata [620 B]
Get:23 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/main amd64 Packages [45.7 kB]
Get:24 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/main Translation-en [16.3 kB]
Get:25 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/main amd64 c-n-f Metadata [1420 B]
Get:26 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/restricted amd64 c-n-f Metadata [116 B]
Get:27 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/universe amd64 Packages [25.0 kB]
Get:28 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/universe Translation-en [116.3 kB]
Get:29 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/universe amd64 c-n-f Metadata [880 B]
Get:30 http://us-east-1.ec2.archive.ubuntu.com/ubuntu focal-backports/multiverse amd64 c-n-f Metadata [116 B]
Get:31 http://security.ubuntu.com/ubuntu focal-security/main amd64 Packages [2500 kB]
Get:32 http://security.ubuntu.com/ubuntu focal-security/main Translation-en [390 kB]
Get:33 http://security.ubuntu.com/ubuntu focal-security/main amd64 c-n-f Metadata [13.2 kB]
Get:34 http://security.ubuntu.com/ubuntu focal-security/restricted amd64 Packages [2267 kB]
Get:35 http://security.ubuntu.com/ubuntu focal-security/restricted Translation-en [317 kB]
Get:36 http://security.ubuntu.com/ubuntu focal-security/restricted amd64 c-n-f Metadata [572 B]
Get:37 http://security.ubuntu.com/ubuntu focal-security/universe amd64 Packages [891 kB]
Get:38 http://security.ubuntu.com/ubuntu focal-security/universe Translation-en [1186 kB]
Get:39 http://security.ubuntu.com/ubuntu focal-security/universe amd64 c-n-f Metadata [119.2 kB]
Get:40 http://security.ubuntu.com/ubuntu focal-security/multiverse amd64 Packages [23.6 kB]
Get:41 http://security.ubuntu.com/ubuntu focal-security/multiverse Translation-en [5504 B]
Get:42 http://security.ubuntu.com/ubuntu focal-security/multiverse amd64 c-n-f Metadata [548 B]
Fetched 28.9 MB in 6s (5017 KB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
111 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-30-159:~\$

i-Oca274fa2855e890d (harsh-prod)
PublicIPs: 54.226.161.23 PrivateIPs: 172.31.30.159

CloudShell Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

Inb x Inte x EC2 x EC2 x EC2 x New x EC2 x Cor x My x Star x Jen x Liu x Lau x Nik x +

Not secure | 3.88.187.179 8080/manage/computer/new

Jenkins

Search (CTRL+K)

harsh log out

Dashboard > Manage Jenkins > Nodes > New node

New node

Node name

prod

Type

☒ Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

☐ Copy Existing Node

Create

Dashboard > Manage Jenkins > Nodes >

Host Key Verification Strategy ?

Non verifying Verification Strategy

Advanced

Availability ?

Keep this agent online as much as possible

Node Properties

☐ Disable deferred wipeout on this node ?

☐ Environment variables

☐ Tool Locations

REST API Jenkins 2.414.2

Dashboard > All >

Enter an item name

JOB02

» Required field

 **Freestyle project**
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

 **Pipeline**
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

 **Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline

Jenkins

Dashboard > JOB02 >

Project JOB02

Status

Changes

Workspace

Build Now

Configure

Delete Project

GitHub Hook Log

GitHub

Rename

Permalinks

Build History

No builds

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?connType=standard&instanceId=i-0c8ce97afd18f4c14&osUser=ubuntu®ion=us-east-1&sshPort=22#

CloudWatch RDS EC2 S3 Amazon Redshift IAM

```
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Nikhharshu/jenkinsassignment.git
  5630567..3d61c4b Develop -> Develop
ubuntu@ip-172-31-28-32:~/Git$ git branch
* Develop
  master
ubuntu@ip-172-31-28-32:~/Git$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-28-32:~/Git$ touch newmasterfile
ubuntu@ip-172-31-28-32:~/Git$ git add .
ubuntu@ip-172-31-28-32:~/Git$ git commit -m "newmasterfile"
[master 192a946] newmasterfile
  Committer: Ubuntu <ubuntu@ip-172-31-28-32.ec2.internal>
  Your name and email address were configured automatically based
  on your username and hostname. Please check that they are accurate.
  You can suppress this message by setting them explicitly. Run the
  following command and follow the instructions in your editor to edit
  your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newmasterfile
ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

CloudShell Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

```
master
ubuntu@ip-172-31-28-32:~/Git$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-28-32:~/Git$ touch newmasterfile
ubuntu@ip-172-31-28-32:~/Git$ git add .
ubuntu@ip-172-31-28-32:~/Git$ git commit -m "newmasterfile"
[master 192a946] newmasterfile
  Committer: Ubuntu <ubuntu@ip-172-31-28-32.ec2.internal>
  Your name and email address were configured automatically based
  on your username and hostname. Please check that they are accurate.
  You can suppress this message by setting them explicitly. Run the
  following command and follow the instructions in your editor to edit
  your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 newmasterfile
ubuntu@ip-172-31-28-32:~/Git$ git push origin
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

```
CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

ubuntu@ip-172-31-28-32:~/Git$ git push origin master
Username for 'https://github.com': Nikharshu
Password for 'https://Nikharshu@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 251 bytes | 251.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Nikharshu/jenkinsassignment.git
   fc2006d..192a946  master -> master
ubuntu@ip-172-31-28-32:~/Git$
```

i-0c8ce97afd18f4c14 (harsh-master)

PublicIPs: 3.88.187.179 PrivateIPs: 172.31.28.32

Dashboard > JOB02 > #1 > Console Output

Console Output

- View as plain text
- Edit Build Information
- Delete build '#1'
- Polling Log
- Git Build Data

```
Started by Github push by Nikharshu
Running as SYSTEM
Building remotely on /prod in workspace /home/ubuntu/jenkins/workspace/JOB02
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/nikharshu/jenkinsassignment.git
> git init /home/ubuntu/jenkins/workspace/JOB02 # timeout=10
Fetching upstream changes from https://github.com/nikharshu/jenkinsassignment.git
> git --version # timeout=10
> git --version # 'git version 2.25.1'
> git fetch --tags --force --progress -- https://github.com/nikharshu/jenkinsassignment.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git config remote.origin.url https://github.com/nikharshu/jenkinsassignment.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 192a94688a36d2e8860715c02867c505d0e10b81 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 192a94688a36d2e8860715c02867c505d0e10b81 # timeout=10
Commit message: "newmasterfile"
First time build. Skipping changelog.
Finished: SUCCESS
```

REST API Jenkins 2.14.2

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0ca274fa2855e890d&osUser=ubuntu&sshPort=22#

CloudWatch RDS EC2 S3 Amazon Redshift IAM

```
Adding debian:OISTE_WISeKey_Global_Root_CA.pem
Adding debian:Buypass_Class_2_Root_CA.pem
Adding debian:AffirmTrust_Commercial.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:DigiCert_Global_Root_G2.pem
Adding debian:Autoridad de Certificacion Fimprofesional CIF A62634068.pem
Adding debian:USERTrust_ECC_Certification_Authority.pem
Adding debian:Hongkong_Post_Root_CA_3.pem
Adding debian:GlobalSign_Root_CA_-_R3.pem
Adding debian:GlobalSign_Root_CA_-_R6.pem
Adding debian:Comodo_AAA_Services_root.pem
done.
Processing triggers for mime-support (3.64ubuntu1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.9) ...
Processing triggers for systemd (245.4-4ubuntu3.21) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for ca-certificates (20211016ubuntu0.20.04.1) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
done.
ubuntu@ip-172-31-30-159:~$ ls
jenkins
ubuntu@ip-172-31-30-159:~$ cd jenkins/
ubuntu@ip-172-31-30-159:~/jenkins$ ls
remoting  remoting.jar  workspace
ubuntu@ip-172-31-30-159:~/jenkins$
```

i-0ca274fa2855e890d (harsh-prod)

PublicIPs: 54.226.161.23 PrivateIPs: 172.31.30.159

CloudShell Feedback

© 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

```
Inte x EC2 x EC2 x JOB x EC2 x Con x My x Star x Jeni x Linu x Lau x Wei x +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0ca274fa2855e890d&osUser=ubuntu&sshPort=22#
evid harshad7908@gsma... WhatsApp My Courses | HARS... IP AWS 22Nov - Go... Git B-1 2023 - Goo... devopstrain23/myc... Docker B-1 2023 - K8 - B1-2023 - Goo... Jenkins B1- 2023 - All Bookmarks
AWS Services Search [Alt+S] CloudWatch RDS EC2 S3 Amazon Redshift IAM
Adding debian:eFkI_Root_Certification_Authority.pem
Adding debian:Global_Root_G2.pem
Adding debian:Autoridad de Certificacioin Firmaprofesional_CIF_A62634068.pem
Adding debian:USERtrust_BOC_Certification_Authority.pem
Adding debian:Hongkong_Post_Root_CA_3.pem
Adding debian:GlobalSign_Root_CA_-_R3.pem
Adding debian:GlobalSign_Root_CA_-_R6.pem
Adding debian:Comodo_AAA_Services_root.pem
done.
Processing triggers for mime-support (3.64ubuntu1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.9) ...
Processing triggers for systemd (245.4-4ubuntu3.21) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for ca-certificates (20211016ubuntu0.20.04.1) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
done.
ubuntu@ip-172-31-30-159:~$ ls
jenkins
ubuntu@ip-172-31-30-159:~$ cd jenkins/
ubuntu@ip-172-31-30-159:~/jenkins$ ls
remoting remoting.jar workspace
ubuntu@ip-172-31-30-159:~/jenkins$ cd workspace/
ubuntu@ip-172-31-30-159:~/jenkins/workspace$ ls
JOB02
ubuntu@ip-172-31-30-159:~/jenkins/workspace$
```

i-0ca274fa2855e890d (harsh-prod)

PublicIPs: 54.226.161.23 PrivateIPs: 172.31.30.159

```
CloudShell Feedback © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences
Inte x EC2 x EC2 x JOB x EC2 x Con x My x Star x Jeni x Linu x Lau x Wei x +
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0ca274fa2855e890d&osUser=ubuntu&sshPort=22#
evid harshad7908@gsma... WhatsApp My Courses | HARS... IP AWS 22Nov - Go... Git B-1 2023 - Goo... devopstrain23/myc... Docker B-1 2023 - K8 - B1-2023 - Goo... Jenkins B1- 2023 - All Bookmarks
AWS Services Search [Alt+S] CloudWatch RDS EC2 S3 Amazon Redshift IAM
Adding debian:GlobalSign_Root_CA_-_R3.pem
Adding debian:GlobalSign_Root_CA_-_R6.pem
Adding debian:Comodo_AAA_Services_root.pem
done.
Processing triggers for mime-support (3.64ubuntu1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.9) ...
Processing triggers for systemd (245.4-4ubuntu3.21) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for ca-certificates (20211016ubuntu0.20.04.1) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
done.
ubuntu@ip-172-31-30-159:~$ ls
jenkins
ubuntu@ip-172-31-30-159:~$ cd jenkins/
ubuntu@ip-172-31-30-159:~/jenkins$ ls
remoting remoting.jar workspace
ubuntu@ip-172-31-30-159:~/jenkins$ cd workspace/
ubuntu@ip-172-31-30-159:~/jenkins/workspace$ ls
JOB02
ubuntu@ip-172-31-30-159:~/jenkins/workspace$ cd JOB02/
ubuntu@ip-172-31-30-159:~/jenkins/workspace/JOB02$ ls
ls: command not found
ubuntu@ip-172-31-30-159:~/jenkins/workspace/JOB02$ ls
masterfile newmasterfile
ubuntu@ip-172-31-30-159:~/jenkins/workspace/JOB02$
```

i-0ca274fa2855e890d (harsh-prod)

PublicIPs: 54.226.161.23 PrivateIPs: 172.31.30.159