


```
In [ ]: |
        import numpy as np
         import pandas as pd
         import matplotlib.pyplot as plt
        from sklearn.datasets import make_blobs
In [ ]: X,Y = make_blobs(n_samples=500,n_features=2,centers=5,random_state=3)
In [ ]:
        plt.figure(0)
         plt.scatter(X[:,0],X[:,1],c=Y)
         plt.show()
         10.0
          7.5
          5.0
          2.5
          0.0
         -2.5
         -5.0
         -7.5
                             -5
                                                 Ś.
                  -10
                                       Ó
                                                           10
In [ ]:
         color = ["green","red","yellow","blue","orange"]
         clusters = {}
        for i in range(k):
             center = 10*(2*np.random.random((X.shape[1],))-1)
             points = []
             cluster = {
                 "center":center,
                 "points":points,
                 "color":color[i]
             }
             clusters[i] = cluster
In [ ]: print(clusters)
        {0: {'center': array([-0.53948567, -4.99002492]), 'points': [], 'color': 'green'},
        1: {'center': array([-4.0003705 , 3.05827539]), 'points': [], 'color': 'red'}, 2:
        {'center': array([-4.4061116, -3.7088346]), 'points': [], 'color': 'yellow'}, 3:
        {'center': array([-8.86629643, 0.72809729]), 'points': [], 'color': 'blue'}, 4:
        {'center': array([-4.2499521, 7.7633045]), 'points': [], 'color': 'orange'}}
In [ ]: def distance(x1,x2):
             return np.sqrt(np.sum((x1-x2)**2))
         def assignPointsToCluster(clusters):
             for i in range(X.shape[0]):
                 clust_x = X[i]
                 dist = []
                 for kx in range(k):
                     d = distance(clust_x,clusters[kx]['center'])
                     dist.append(d)
```


```
idx = np.argmin(dist)
        clusters[idx]['points'].append(clust_x)
def updateCluster(clusters):
    for kx in range(k):
        pts = np.array(clusters[kx]['points'])
        if(pts.shape[0]>0):
            new_centers = np.mean(pts,axis=0)
            clusters[kx]['center'] = new_centers
            clusters[kx]['points'] = []
def plotClusters(clusters):
    plt.figure()
    for kx in range(k):
        pts = np.array(clusters[kx]['points'])
            plt.scatter(pts[:,0],pts[:,1],color=clusters[kx]['color'])
        except:
            pass
        cent = clusters[kx]['center']
        plt.scatter(cent[0],cent[1],color='black',marker="*")
```

```
In [ ]: epoch = 10
    for i in range(epoch):
        assignPointsToCluster(clusters)
        plotClusters(clusters)
        updateCluster(clusters)
```









In []: