

Python Basic Assignment 4

1. What exactly is []?

The empty list represented by [] is a list that contains no items. This is similar to "" which represents an empty string

2. In a list of values stored in a variable called spam, how would you assign the value 'hello' as the third value? (Assume [2, 4, 6, 8, 10] are in spam.)

spam[2]='hello' (Note: Lists follows zero based indexing)

```
In [2]: spam=[2,4,6,8,10]
print(spam)
spam[2]='hello' #List uses zero based indexing
print(spam)

[2, 4, 6, 8, 10]
[2, 4, 'hello', 8, 10]
```

3. What is the value of spam[int(int('3' * 2) / 11)]?

'd' (Note that '3' * 2 is the string '33', which is passed to int() before being divided by 11. This eventually evaluates to 3, spam[3] is equal to d.)

```
In [3]: spam=['a','b','c','d']
print("spam[int(int('3'*2)//11)] ->", spam[int(int('3'*2)//11)])

spam[int(int('3'*2)//11)] -> d
```

4. What is the value of spam[-1]?

'd' (Lists support Negative indexing, Hence spam[-1] returns 'd')

```
In [4]: spam=['a','b','c','d']
print('spam[-1] -> ', spam[-1])

spam[-1] -> d
```

5. What is the value of spam[:2]?

spam[:2] returns all elements in the list spam from 0 to 2 excluding 2

```
In [5]: print(spam)
print(spam[:2])
```

```
['a', 'b', 'c', 'd']
['a', 'b']
```

6. What is the value of `bacon.index('cat')`?

The value of `bacon.index('cat')` is 1 (Note: index method returns the index of first occurrence of 'cat')

```
In [6]: bacon=[3.14, 'cat', 11, 'cat', True]
        print("bacon.index('cat') ->",bacon.index('cat'))

bacon.index('cat') -> 1
```

7. How does `bacon.append(99)` change the look of the list value in `bacon`?

The append method adds new elements to the end of the list

```
In [7]: print(bacon)
        bacon.append(99) # appends 99 to the end of the list
        print(bacon)

[3.14, 'cat', 11, 'cat', True]
[3.14, 'cat', 11, 'cat', True, 99]
```

8. How does `bacon.remove('cat')` change the look of the list in `bacon`?

The remove method removes the first occurrence of the element in the list

```
In [8]: print(bacon)
        bacon.remove('cat')
        print(bacon)

[3.14, 'cat', 11, 'cat', True, 99]
[3.14, 11, 'cat', True, 99]
```

9. What are the list concatenation and list replication operators?

The operator for list concatenation is `+`, while the operator for replication is `*`. (This is the same as for strings.)

```
In [9]: list_1 = ['ML', 'DL', 'AI', 'CV', 'NLP']
        list_2 = ['RNN', 'CNN', 'SVN']
        print(list_1 + list_2) # List Concatenation
        print(list_2*2) # List Replication

['ML', 'DL', 'AI', 'CV', 'NLP', 'RNN', 'CNN', 'SVN']
['RNN', 'CNN', 'SVN', 'RNN', 'CNN', 'SVN']
```

10. What is difference between the list methods `append()` and `insert()`?

While `append()` will add values only to the end of a list, `insert()` can add them anywhere in the list.

```
In [10]: list = [1,2,3,4,5]
list.append(6)
print(list)
list.insert(2, 'Demo')
print(list)

[1, 2, 3, 4, 5, 6]
[1, 2, 'Demo', 3, 4, 5, 6]
```

11. What are the two methods for removing items from a list?

The `del` statement and the `remove()` method are two ways to remove values from a list

12. Describe how list values and string values are identical.

Both lists and strings can be passed to `len()` function, have indexes and slices, be used in for loops, be concatenated or replicated, and be used with the `in` and `not in` operators.

13. What's the difference between tuples and lists?

Lists are Mutable, Indexable and Slicable. they can have values added, removed, or changed. Tuples are Immutable but Indexable and Slicable. the tuple values cannot be changed at all. Also, tuples are represented using parentheses, `()`, while lists use the square brackets, `[]`.

14. How do you type a tuple value that only contains the integer 42?

`(42,)` (The trailing comma is mandatory. otherwise its considered as a `int` by python Interpreter)

```
In [11]: tup1=(42)
tup2=(42,)
print(type(tup1))
print(type(tup2))

<class 'int'>
<class 'tuple'>
```

15. How do you get a list value's tuple form? How do you get a tuple value's list form?

The `tuple()` and `list()` functions, respectively are used to convert a list to tuple and vice versa

16. Variables that "contain" list values are not necessarily lists themselves. Instead, what do they contain?

They contain references to list values.

17. How do you distinguish between `copy.copy()` and `copy.deepcopy()`?

The `copy.copy()` function will do a shallow copy of a list, while the `copy.deepcopy()` function will do a deep copy of a list. That is, only `copy.deepcopy()` will duplicate any lists inside the list.

In []: