Practical -1

Basic HTML Tags

 Create an HTML web page which displays the effects and use of following tags. Also write the importance of each tag with its attributes in comment section.
a. <html></html>
b. <head></head>
c. <body></body>
d. <title></td></tr><tr><td>e. <i></td></tr><tr><td>f. </td></tr><tr><td>g. <u></td></tr><tr><td>h.</td></tr><tr><td>i. <pre></td></tr><tr><td>j. <a></td></tr><tr><td>k. </td></tr><tr><td>I.</td></tr><tr><td>m. <h1></td></tr><tr><td>n. <hr></td></tr><tr><td>o. <sub></td></tr><tr><td>p. <sup></td></tr><tr><td>q. <small></td></tr><tr><td>r. </td></tr><tr><td>s. </td></tr><tr><td>t. <mark></td></tr><tr><td>u. </td></tr></tbody></table></title>

v. <ins>

HTML CODE

```
<!-- Defines Html version 5 -->
<!DOCTYPE html>
<html>
<!-- The text between <html> and </html> describes an HTML document-->
       <head>
       <!-- it provides information about the HTML document -->
              <title>Assignment 1 </title>
               <!-- it provides a title for the HTML -->
       </head>
<body>
<!-- it describes the visible page content-->
 <i> Convert Text into Italic </i>
       <!-- it will convert the text into italic -->
<br/><br> <!-- tag inserts a single line break. -->
  <br/>this is bold Text </b>
       <!-- It will convert the text into bold -->
  <br>
  <u> This Is Underline Text </u>
       <!-- It Will displayed with an underline-->
   This Is an Paragraph
       <!-- describes a paragraph -->
```

```
<
<!-- defines preformatted text-->
*****
   This
     is
      Pre-Tag
          ******
 <a href="http://www.google.com"> Hyper Link</a>
      <!--defines a hyperlink, which is used to link from one page to another.-->
 <br>
 <img src="1.png" height="150px" width="150px">
      <!-- it is used to embed an image in an HTML page.-->
 <h1>Heading 1</h1> <!-- describes the main heading. -->
 <h2>Heading 2</h2>
 <h3>Heading 3</h3>
 <h4>Heading 4</h4>
 <h5>Heading 5</h5>
 <h6>Heading 6</h6>
 <hr size=5 color="red">
      <!-- displayed as a horizontal rule that is used to separate content >
 H<sub>2</sub>0
      <!-- tag defines subscript text-->
 <br>
```

```
CO<sup>2</sup>
       <!-- tag defines superscript text. Superscript text appears half a character above the
normal line-->
  <br>
  <small> Small Text </small>
       <!-- tag defines smaller text-->
  <br>
  <em>This is Em Tag</em>
       <!-- tag is used to define emphasized text.-->
  <br>
  <strong>Strong Tag</strong>
       <!-- tag is used to define text with strong importance.-->
  <br>
  <mark>This Is Mark Tag </mark>
       <!-- defines text that should be marked or highlighted.-->
  <br>
  <del>Delete tag</del>
       <!--defines text that has been deleted from a document. -->
  <br>
```

<!--defines a text that has been inserted into a document.--->

<ins>insert tag</ins>

</body>

</html>

OUTPUT: -

Convert Text into Italic
This is bold Text
This Is Underline Text

This Is an Paragraph

This

is

Pre-Tag

Hyper Link



Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

 H_2O

 CO^2

Small Text This is Em Tag

Strong Tag This Is Mark Tag

Delete tag

insert tag