Dharmsinh Desai University

Department of MCA

Semester – 1

Web Designing Termwork

Submitted By

Roll No :- <u>MA028</u>

Name : <u>Nikhil .R. Lathiya</u>

INDEX

Index.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
    <link rel="stylesheet" href="css/nav.css" />
    <link rel="stylesheet" href="css/footer.css" />
    <link rel="stylesheet" href="css/style.css" />
  </head>
  <body>
    <header>
      <nav>
        <a href="../index.html" style="border: none">
          <label for="" class="logo">TaskCrafter</label>
        </a>
        <div class="list">
          <ul class="navbar-links">
            <li>
              <a href="../index.html">Home</a>
            </li>
            <li>
              <a href="#about">About Us</a>
            </li>
            <li>
              <a href="./pages/contactUs.html">Contact</a>
            </li>
          </ul>
          <div class="user">
            <img src="../images/boy.png" alt="" />
            <div class="username">Hi Nikhil!!!</div>
          </div>
        </div>
      </nav>
    </header>
    <center>
      <br />
      <h1>Task Categories</h1>
      <div class="card_sec_1">
        <div class="card">
          <a href="./pages/health.html">
```

```html
      <img src="/images/healthcare.png" alt="" />
      <div class="card_details">Healthcare</div>
    </a>
  </div>

  <div class="card">
   <a href="./pages/coding.html">
     <img src="/images/web-design.png" alt="" />
     <div class="card_details">Coding</div>
   </a>
  </div>

  <div class="card">
   <a href="./pages/education.html">
     <img src="/images/education.png" alt="" />
     <div class="card_details">Education</div>
   </a>
  </div>

  <div class="card">
   <a href="./pages/shopping.html">
     <img src="/images/shopping.png" alt="" />
     <div class="card_details">Shopping</div>
   </a>
  </div>
 </div>

 <div class="card_sec_2">
  <div class="card">
   <a href="./pages/finance.html">
     <img src="/images/saving.png" alt="" />
     <div class="card_details">Finance</div>
   </a>
  </div>

  <div class="card">
   <a href="./pages/work.html">
     <img src="/images/briefcase.png" alt="" />
     <div class="card_details">Work</div>
   </a>
  </div>

  <div class="card">
   <a href="./pages/calender.html">
```

```html
      <img src="/images/calendar.png" alt="" />
      <div class="card_details">Calendar</div>
    </a>
  </div>


  <div class="card">
    <a href="./pages/fitness.html">
      <img src="/images/dumbbell.png" alt="" />
      <div class="card_details">Fitness</div>
    </a>
  </div>
 </div>
</center>
<center>
 <div class="about" id="about">
  <h1>About Us</h1>
  <p>
```

A To-Do List application with eight distinct categories offers a
comprehensive and organized approach to managing tasks across various
aspects of life. The application encompasses categories such as
personal, work, shopping, coding, health, fitness, education, and
finance, allowing users to efficiently structure their
responsibilities. Each category is equipped with essential
functionalities, including the ability to add, delete, and edit tasks,
providing users with a flexible and customizable task management
experience.

```html
      <br />
      <br />
```

The personal category caters to individual tasks and reminders,
ensuring users can keep track of personal commitments and goals. In
the work category, users can manage professional tasks, deadlines, and
projects, fostering productivity in a work-oriented environment. The
shopping category streamlines the process of creating and organizing
shopping lists, enhancing efficiency during trips to the store or
online purchases. For coding enthusiasts, the coding category allows
for the structured management of coding tasks, facilitating project
development and programming goals.

```html
      <br /><br />
```

The health and fitness category aids users in maintaining a healthy
lifestyle by organizing exercise routines, meal plans, and wellness
goals. In the education category, students and learners can manage
study schedules, assignments, and academic deadlines, promoting
academic success. The finance category serves as a valuable tool for

budgeting and financial planning, enabling users to keep track of expenses, incomes, and financial goals. Each category prominently displays the number of pending tasks on the index page, providing users with a quick and convenient overview of their outstanding responsibilities.

```
    <br /><br />
  </p>
 </div>
</center>

<div class="footer" id="contact">
 <hr />
 <div class="copyright">Made By Nikhil Lathiya</div>
 <br />
 <div class="social-media">
  <span style="color: rgb(42, 1, 45)">
   <font size="5px">Connect With Me On</font></span
  >
  <a
   href="https://www.linkedin.com/in/nikhil-lathiya-071092221/"
   style="border: none"
   target="_blank"
  >
   <img
    src="/images/social_media/linkedin-logo-png-1854.png"
    alt=""
    srcset=""
   />
  </a>
  <a
   href="https://www.instagram.com/nikhil_lathiya_31/"
   style="border: none"
   target="_blank"
  >
   <img
    src="/images/social_media/logo-ig-png-32464.png"
    alt=""
    srcset=""
   />
  </a>
  <a
   href="https://github.com/Nikhil31Lathiya"
   style="border: none"
```

```html
          target="_blank"
        >
          <img src="/images/social_media/github.png" alt="" srcset="" />
        </a>
        <a
          href="https://www.instagram.com/nikhil_lathiya_31/"
          style="border: none"
          target="_blank"
        >
          <img
            src="/images/social_media/snapchat-logo-png-1450 (1).png"
            alt=""
            srcset=""
          />
        </a>
      </div>
    </div>
  </body>
</html>
```

OUTPUT :-

Home About Us Contact Hi Nikhil!!!

TASK CATEGORIES

Healthcare

Coding

Education

Shopping

Finance

Work

Calendar

Fitness

ABOUT US

A To-Do List application with eight distinct categories offers a comprehensive and organized approach to managing tasks across various aspects of life. The application encompasses categories such as personal, work, shopping, coding, health, fitness, education, and finance, allowing users to efficiently structure their responsibilities. Each category is equipped with essential functionalities, including the ability to add, delete, and edit tasks, providing users with a flexible and customizable task management experience.

The personal category caters to individual tasks and reminders, ensuring users can keep track of personal commitments and goals. In the work category, users can manage professional tasks, deadlines, and projects, fostering productivity in a work-oriented environment. The shopping category streamlines the process of creating and organizing shopping lists, enhancing efficiency during trips to the store or online purchases. For coding enthusiasts, the coding category allows for the structured management of coding tasks, facilitating project development and programming goals.

The health and fitness category aids users in maintaining a healthy lifestyle by organizing exercise routines, meal plans, and wellness goals. In the education category, students and learners can manage study schedules, assignments, and academic deadlines, promoting academic success. The finance category serves as a valuable tool for budgeting and financial planning, enabling users to keep track of expenses, incomes, and financial goals. Each category prominently displays the number of pending tasks on the index page, providing users with a quick and convenient overview of their outstanding responsibilities.

Made By Nikhil Lathiya

Connect With Me On

ContactUs.html

```html
<!DOCTYPE html>

<html lang="en">

 <head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Task Crafter</title>

  <link

    rel="stylesheet"

    href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css"

   />

  <link rel="preconnect" href="https://fonts.googleapis.com" />

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />

  <link rel="stylesheet" href="../css/nav.css" />

  <link rel="stylesheet" href="../css/footer.css" />

  <link rel="stylesheet" href="../css/contactUs.css" />

 </head>


 <body>
  <nav>

   <a href="../index.html" style="border: none">

    <label for="" class="logo">TaskCrafter</label>

   </a>

   <div class="list">

    <ul class="navbar-links">

     <li>

      <a href="../index.html">Home</a>

     </li>
```

```html
    <li>
      <a href="#about">About Us</a>
    </li>
    <li>
      <a href="./contactUs.html">Contact</a>
    </li>
    <li></li>
   </ul>
   <div class="user">
     <img src="../images/boy.png" alt="" />
     <div class="username">Hi Nikhil!!!</div>
   </div>
  </div>
  <label for="" id="icon">
    <button class="menu_button">
      <i class="fa fa-bars"></i>
    </button>
  </label>
 </nav>
 <center>
  <div class="contact-form">
   <div class="form1">
    <h1>Your Queries :</h1>
    <form action="" name="form2" onsubmit="validate()">
     <table
       style="
         width: 80%;
         color: white;
         text-align: center;
```

```
        line-height: 50px;

        font-size: 20px;

      "

    >

      <tr>

        <td style="width: 30%; text-align: end">Enter Name :</td>

        <td>

          <input type="text" id="" style="width: 70%" name="cname" />

        </td>

      </tr>

      <tr>

        <td style="width: 30%; text-align: end">Enter Email :</td>

        <td>

          <input type="email" id="" style="width: 70%" name="cemail" />

        </td>

      </tr>

      <tr>

        <td style="width: 30%; text-align: end">Enter Contact :</td>

        <td>

          <input type="tel" id="" style="width: 70%" name="cphone" />

        </td>

      </tr>

      <tr>

        <td style="width: 30%; text-align: end">Your Query :</td>

        <td>

          <textarea

            id=""

            cols="40"

            rows="5"
```

```html
            style="border-radius: 10px"

            name="cquery"

          ></textarea>

        </td>

      </tr>

      <tr>

        <td colspan="2">

          <input type="submit" value="Submit" class="submit_btn" />

          <input type="reset" value="Reset" class="reset_btn" />

        </td>

      </tr>

    </table>

  </form>

  </div>

 </div>

</center>


<div class="footer" id="contact">
 <hr />
 <div class="copyright">Made By Nikhil Lathiya</div>
 <div class="social-media">
  <span style="color: rgb(42, 1, 45)">
   <font size="5px">Connect With Me On</font></span
  >
  <a
   href="https://www.linkedin.com/in/nikhil-lathiya-071092221/"
   style="border: none"
   target="_blank"
  >
```

```html
    <img
      src="/images/social_media/linkedin-logo-png-1854.png"
      alt=""
      srcset=""
    />
  </a>
  <a
    href="https://www.instagram.com/nikhil_lathiya_31/"
    style="border: none"
    target="_blank"
  >
    <img
      src="/images/social_media/logo-ig-png-32464.png"
      alt=""
      srcset=""
    />
  </a>
  <a
    href="https://github.com/Nikhil31Lathiya"
    style="border: none"
    target="_blank"
  >
    <img src="/images/social_media/github.png" alt="" srcset="" />
  </a>
  <a
    href="https://www.instagram.com/nikhil_lathiya_31/"
    style="border: none"
    target="_blank"
  >
```

```html
        <img
          src="/images/social_media/snapchat-logo-png-1450 (1).png"
          alt=""
          srcset=""
        />
      </a>
    </div>
  </div>
</body>
<script>
  function validate() {
    let cname = document.forms["form2"]["cname"].value;
    let cemail = document.forms["form2"]["cemail"].value;
    let cphone = document.forms["form2"]["cphone"].value;
    let cquery = document.forms["form2"]["cquery"].value;

    console.log(cname);

    if (cname === "") {
      alert("Please Enter Name.");
    } else if (cemail === "") {
      alert("Please Enter Email.");
    } else if (cphone === "") {
      alert("Please Enter Contact Number.");
    } else if (cquery === "") {
      alert("Please Enter Your Query.");
    }
  }
</script> </html>
```

ContactUs.CSS

```css
input{
   border-radius: 10px;
   line-height: 30px;

   font-size: 20px;
   border: 0;
   text-align: center;
}

input:focus{
   outline: 3px solid #0CAFFF;
}

.contact-form{
   background: #24252670;
   border-radius: 10px;
   margin: 6%;
   width: 70%;
   height: 35vw;
   margin-bottom: 3%;
   max-height: 35vw;
}

h1{
   color: orange;
   padding: 1%;

}

textarea{
   border-radius: 10px;
   margin-top: 10px;
   font-size: 20px;
}

textarea:focus{
   outline: 3px solid #0CAFFF;

}

.submit_btn, .reset_btn{
```

```css
    width: 12%;
    padding: 1%;
    color: white;
    font-weight: bold;
    margin: 1%;
}

.submit_btn{
    background:#04444D;
    height: 49px;
    border-radius: 10px;
    font-weight: bold;
    margin-top: 0;
    border: none;
}


.reset_btn{
    background: #4a0602;
    color: white;
    border: none;
    height: 49px;
    border-radius: 10px;
    font-weight: bold;
    margin-top: 0;
    border: none;
}

.form1{
    padding-top: 5%;
    background: #35383985;

}
```

OUTPUT :-

Health.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Health</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/health.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
    </nav>
```

```html
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```
      >Work</a
    >
  </li>
  <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
      >Calendar</a
    >
  </li>
</ul>
</div>
<div class="content">
  <div class="heading">
    <img
      src="../images/healthcare.png"
      alt=""
      width="80px"
      height="80px"
    />
    <center></center>
    <h1>Health</h1>
  </div>
  <div class="addTask">
    <form action="" class="form1">
      <center>
        <table class="form-table">
          <tr>
            <td style="font-size: 25px">Enter Task Name</td>
            <td style="width: 60%; text-align: start">
              <input
                type="text"
                name=""
                id="name"
                style="width: 97%"
                class="text_in"
              />
            </td>
          </tr>
          <tr>
            <td style="font-size: 25px">Enter Task Description</td>
            <td>
              <textarea
                name=""
                id="details"
```

```html
          cols="82"
          rows="5"
        ></textarea>
      </td>
    </tr>
    <tr>
      <td colspan="2" style="text-align: center">
        <input
          class="submit"
          type="button"
          value="Submit"
          class="submit"
          onclick="create()"
        />
        <input type="reset" value="Clear" class="clear" />
      </td>
    </tr>
  </table>
  </center>
  </form>
</div>
<div class="tasklist">
  <table border="1" class="task_table">
    <thead>
      <tr>
        <th width="10%">Complete</th>
        <th>Task List</th>
        <th>Task Details</th>
        <th>Edit</th>
        <th>Delete</th>
      </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
  </table>
</div>
</div>
</div>
</body>
</html>
```

Health.Js

```javascript
let healthData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  healthData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
        <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
        <td class="${isCompletedClass}">${record.task}</td>
        <td class="${isCompletedClass}">${record.details}</td>
        <td style="width:15%; text-align:center;">
         <button onclick="editData(${record.id})" class="submit">Edit</button>
        </td>
        <td style="width:15%; text-align:center;">
         <button onclick="deleteData(${record.id})" class="clear">Delete</button>
        </td>
      </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedHealthData = localStorage.getItem("healthObject");
  if (storedHealthData) {
    healthData = JSON.parse(storedHealthData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
    if (task === "") {
      alert("Please Enter Your Health Task");
    } else {
      var details = document.getElementById("details").value;

      if (editMode) {
        var editedObj = healthData.find((rec) => rec.id === editedItemId);
        editedObj.task = task;
        editedObj.details = details;
        editMode = false;
        editedItemId = null;
      } else {
        var newObj = {
          id: healthData.length + 1,
          task: task,
          details: details,
          completed: false,
        };
        healthData.push(newObj);
      }

      localStorage.setItem("healthObject", JSON.stringify(healthData));

      readAll();

      document.getElementById("name").value = "";
      document.getElementById("details").value = "";
    }
}

function toggleCompletion(id) {
  const obj = healthData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("healthObject", JSON.stringify(healthData));

  readAll();
}

function editData(id) {
  var obj = healthData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
  }

  function deleteData(id) {
    const index = healthData.findIndex((rec) => rec.id === id);

    if (index !== -1) {
      healthData.splice(index, 1);

      localStorage.setItem("healthObject", JSON.stringify(healthData));

      readAll();
      document.getElementById("name").value = "";
      document.getElementById("details").value = "";
    }
  }

  function clearTextBoxes() {
    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
```

Output :-

Coding.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Coding</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/coding.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
    </nav>
```

```
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```html
      >Work</a
    >
  </li>
  <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
      >Calendar</a
    >
  </li>
</ul>
</div>
<div class="content">
  <div class="heading">
    <img
      src="../images/web-design.png"
      alt=""
      width="80px"
      height="80px"
    />
    <center></center>
    <h1>Coding</h1>
  </div>
  <div class="addTask">
    <form action="" class="form1">
      <center>
        <table class="form-table">
          <tr>
            <td style="font-size: 25px">Enter Task Name</td>
            <td style="width: 60%; text-align: start">
              <input
                type="text"
                name=""
                id="name"
                style="width: 97%"
                class="text_in"
              />
            </td>
          </tr>
          <tr>
            <td style="font-size: 25px">Enter Task Description</td>
            <td>
              <textarea
                name=""
                id="details"
```

```html
            cols="82"
            rows="5"
          ></textarea>
        </td>
      </tr>
      <tr>
        <td colspan="2" style="text-align: center">
          <input
            class="submit"
            type="button"
            value="Submit"
            class="submit"
            onclick="create()"
          />
          <input type="reset" value="Clear" class="clear" />
        </td>
      </tr>
    </table>
  </center>
</form>
</div>
<div class="tasklist">
  <table border="1" class="task_table">
    <thead>
      <tr>
        <th width="10%">Complete</th>
        <th>Task List</th>
        <th>Task Details</th>
        <th>Edit</th>
        <th>Delete</th>
      </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
  </table>
</div>
</div>
</div>
</body>
</html>
```

Coding.js

```javascript
let codingData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  codingData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
        <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
        <td>${record.task}</td>
        <td>${record.details}</td>
        <td style="width:15%; text-align:center;">
          <button onclick="editData(${record.id})" class="submit">Edit</button>
        </td>
        <td style="width:15%; text-align:center;">
          <button onclick="deleteData(${record.id})" class="clear">Delete</button>
        </td>
      </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedCodingData = localStorage.getItem("codingObject");
  if (storedCodingData) {
    codingData = JSON.parse(storedCodingData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
    if (task === "") {
      alert("Please Enter Your Coding Task");
    } else {
      var details = document.getElementById("details").value;

      if (editMode) {
        var editedObj = codingData.find((rec) => rec.id === editedItemId);
        editedObj.task = task;
        editedObj.details = details;
        editMode = false;
        editedItemId = null;
      } else {
        var newObj = {
          id: codingData.length + 1,
          task: task,
          details: details,
          completed: false,
        };
        codingData.push(newObj);
      }

      localStorage.setItem("codingObject", JSON.stringify(codingData));

      readAll();

      document.getElementById("name").value = "";
      document.getElementById("details").value = "";
    }
}

function toggleCompletion(id) {
  const obj = codingData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("codingObject", JSON.stringify(codingData));

  readAll();
}

function editData(id) {
  var obj = codingData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```javascript
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
}

function deleteData(id) {

  const index = codingData.findIndex((rec) => rec.id === id);

  if (index !== -1) {

    codingData.splice(index, 1);

    localStorage.setItem("codingObject", JSON.stringify(codingData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function clearTextBoxes() {
  document.getElementById("name").value = "";
  document.getElementById("details").value = "";
}
```

Output :-

TaskCrafter

Home   About Us   Contact   Hi Nikhil!!!

Coding

| Enter Task Name | |
| Enter Task Description | |

Submit   Clear

Complete	Task List	Task Details	Edit	Delete
☑	challenge	complete coding challenge	Edit	Delete
☐	To-Do App with JS	Dynamic task management, local storage.	Edit	Delete
☑	Python Data Analysis	Analyze data using Python libraries like Pandas	Edit	Delete

Education.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Education</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/education.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
```

```html
</nav>
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
```

```html
        href="../pages/work.html"
        >Work</a
      >
    </li>
    <li>
      <img src="../images/calendar.png" alt="Calendar" /><a
        href="../pages/calender.html"
        >Calendar</a
      >
    </li>
  </ul>
</div>
<div class="content">
  <div class="heading">
    <img
      src="../images/education.png"
      alt=""
      width="80px"
      height="80px"
    />
    <center></center>
    <h1>Education</h1>
  </div>
  <div class="addTask">
    <form action="" class="form1">
      <center>
        <table class="form-table">
          <tr>
            <td style="font-size: 25px">Enter Task Name</td>
            <td style="width: 60%; text-align: start">
              <input
                type="text"
                name=""
                id="name"
                style="width: 97%"
                class="text_in"
              />
            </td>
          </tr>
          <tr>
            <td style="font-size: 25px">Enter Task Description</td>
            <td>
              <textarea
                name=""
```

```html
              id="details"
              cols="82"
              rows="5"
            ></textarea>
          </td>
        </tr>
        <tr>
          <td colspan="2" style="text-align: center">
            <input
              class="submit"
              type="button"
              value="Submit"
              class="submit"
              onclick="create()"
            />
            <input type="reset" value="Clear" class="clear" />
          </td>
        </tr>
      </table>
    </center>
  </form>
</div>
<div class="tasklist">
  <table border="1" class="task_table">
    <thead>
      <tr>
        <th width="10%">Complete</th>
        <th>Task List</th>
        <th>Task Details</th>
        <th>Edit</th>
        <th>Delete</th>
      </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
  </table>
</div>
</div>
</div>
</body>
</html>
```

Education.js

```javascript
let educationData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  educationData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
        <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
        <td>${record.task}</td>
        <td>${record.details}</td>
        <td style="width:15%; text-align:center;">
          <button onclick="editData(${record.id})" class="submit">Edit</button>
        </td>
        <td style="width:15%; text-align:center;">
          <button onclick="deleteData(${record.id})" class="clear">Delete</button>
        </td>
      </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedEducationData = localStorage.getItem("educationObject");
  if (storedEducationData) {
    educationData = JSON.parse(storedEducationData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
  if (task === "") {
    alert("Please Enter Your Education Task");
  } else {
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = educationData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: educationData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      educationData.push(newObj);
    }

    localStorage.setItem("educationObject", JSON.stringify(educationData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = educationData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("educationObject", JSON.stringify(educationData));

  readAll();
}

function editData(id) {
  var obj = educationData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```javascript
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
  }

  function deleteData(id) {

    const index = educationData.findIndex((rec) => rec.id === id);

    if (index !== -1) {

      educationData.splice(index, 1);

      localStorage.setItem("educationObject", JSON.stringify(educationData));

      readAll();

      document.getElementById("name").value = "";
      document.getElementById("details").value = "";
    }
  }

  function clearTextBoxes() {
    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
```

Output :-

Finance.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Finance</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/finance.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
    </nav>
```

```html
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          ><span class="hello">Finance</span></a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```
      >Work</a
    >
  </li>
  <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
      >Calendar</a
    >
  </li>
</ul>
</div>
<div class="content">
 <div class="heading">
  <img src="../images/saving.png" alt="" width="80px" height="80px" />
  <center></center>
  <h1>Finance</h1>
 </div>
 <div class="addTask">
  <form action="" class="form1">
   <center>
    <table class="form-table">
     <tr>
      <td style="font-size: 25px">Enter Task Name</td>
      <td style="width: 60%; text-align: start">
       <input
         type="text"
         name=""
         id="name"
         style="width: 97%"
         class="text_in"
        />
      </td>
     </tr>
     <tr>
      <td style="font-size: 25px">Enter Task Description</td>
      <td>
       <textarea
         name=""
         id="details"
         cols="82"
         rows="5"
        ></textarea>
      </td>
     </tr>
```

```html
      <tr>
       <td colspan="2" style="text-align: center">
        <input
          class="submit"
          type="button"
          value="Submit"
          class="submit"
          onclick="create()"
        />
        <input type="reset" value="Clear" class="clear" />
       </td>
      </tr>
     </table>
    </center>
   </form>
  </div>
  <div class="tasklist">
   <table border="1" class="task_table">
    <thead>
     <tr>
      <th width="10%">Complete</th>
      <th>Task List</th>
      <th>Task Details</th>
      <th>Edit</th>
      <th>Delete</th>
     </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
   </table>
  </div>
 </div>
 </div>
 </body>
</html>
```

Finance.js

```javascript
let financeData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  financeData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
      <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
      <td>${record.task}</td>
      <td>${record.details}</td>
      <td style="width:15%; text-align:center;">
        <button onclick="editData(${record.id})" class="submit">Edit</button>
      </td>
      <td style="width:15%; text-align:center;">
        <button onclick="deleteData(${record.id})" class="clear">Delete</button>
      </td>
    </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedFinanceData = localStorage.getItem("financeObject");
  if (storedFinanceData) {
    financeData = JSON.parse(storedFinanceData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
```

```javascript
    let task = document.getElementById("name").value;

  if (task === "") {
    alert("Please Enter Your Finance Task");
  } else {
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = financeData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: financeData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      financeData.push(newObj);
    }

    localStorage.setItem("financeObject", JSON.stringify(financeData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = financeData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("financeObject", JSON.stringify(financeData));

  readAll();
}

function editData(id) {
  var obj = financeData.find((rec) => rec.id === id);
  editMode = true;
```

```javascript
    editedItemId = id;
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
}

function deleteData(id) {

  const index = financeData.findIndex((rec) => rec.id === id);

  if (index !== -1) {

    financeData.splice(index, 1);

    localStorage.setItem("financeObject", JSON.stringify(financeData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function clearTextBoxes() {
  document.getElementById("name").value = "";
  document.getElementById("details").value = "";
}
```

Output :-

TaskCrafter

Home   About Us   Contact   Hi Nikhil!!!

Finance

Health

Coding

Education

Finance

Fitness

Shopping

Work

Calendar

Enter Task Name | Rent |

Enter Task Description

[Submit] [Clear]

Complete	Task List	Task Details	Edit	Delete
☐	Payment	Pay 50 Rupees to Raman	Edit	Delete
☐	Receive	5000 rupees to be received form suresh	Edit	Delete

Shopping.html :-

```html
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Shopping</title>
   <link rel="stylesheet" href="../css/nav.css" />
   <link rel="stylesheet" href="../css/footer.css" />
   <link rel="stylesheet" href="../css/taskList.css" />

   <script src="../js/shopping.js"></script>
 </head>
 <body onload="readAll()" style="overflow-y: hidden">
  <nav>
    <a href="../index.html" style="border: none">
     <label for="" class="logo">TaskCrafter</label>
    </a>
    <div class="list">
     <ul class="navbar-links">
       <li>
         <a href="../index.html">Home</a>
       </li>
       <li>
         <a href="#about">About Us</a>
       </li>
       <li>
         <a href="./contactUs.html">Contact</a>
       </li>
       <li></li>
     </ul>
     <div class="user">
       <img src="../images/boy.png" alt="" />
       <div class="username">Hi Nikhil!!!</div>
     </div>
    </div>
    <label for="" id="icon">
     <button class="menu_button">
       <i class="fa fa-bars"></i>
     </button>
    </label>
  </nav>
```

```html
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          ><span class="hello">Shopping</span></a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```html
        >Work</a
    >
  </li>
  <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
      >Calendar</a
    >
  </li>
</ul>
</div>
<div class="content">
 <div class="heading">
  <img src="../images/shopping.png" alt="" width="80px" height="80px" />
  <center></center>
  <h1>Shopping</h1>
 </div>
 <div class="addTask">
  <form action="" class="form1">
   <center>
    <table class="form-table">
     <tr>
      <td style="font-size: 25px">Enter Task Name</td>
      <td style="width: 60%; text-align: start">
       <input
         type="text"
         name=""
         id="name"
         style="width: 97%"
         class="text_in"
       />
      </td>
     </tr>
     <tr>
      <td style="font-size: 25px">Enter Task Description</td>
      <td>
       <textarea
         name=""
         id="details"
         cols="82"
         rows="5"
       ></textarea>
      </td>
     </tr>
```

```html
        <tr>
          <td colspan="2" style="text-align: center">
            <input
              class="submit"
              type="button"
              value="Submit"
              class="submit"
              onclick="create()"
            />
            <input type="reset" value="Clear" class="clear" />
          </td>
        </tr>
      </table>
    </center>
  </form>
</div>
<div class="tasklist">
  <table border="1" class="task_table">
    <thead>
      <tr>
        <th width="10%">Complete</th>
        <th>Task List</th>
        <th>Task Details</th>
        <th>Edit</th>
        <th>Delete</th>
      </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
  </table>
</div>
</div>
</div>
</body>
</html>
```

Shopping.js :-

```javascript
let shoppingData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  shoppingData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
        <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
        <td>${record.task}</td>
        <td>${record.details}</td>
        <td style="width:15%; text-align:center;">
          <button onclick="editData(${record.id})" class="submit">Edit</button>
        </td>
        <td style="width:15%; text-align:center;">
          <button onclick="deleteData(${record.id})" class="clear">Delete</button>
        </td>
      </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedShoppingData = localStorage.getItem("shoppingObject");
  if (storedShoppingData) {
    shoppingData = JSON.parse(storedShoppingData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
  if (task === "") {
    alert("Please Enter Your Shopping Task");
  } else {
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = shoppingData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: shoppingData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      shoppingData.push(newObj);
    }

    localStorage.setItem("shoppingObject", JSON.stringify(shoppingData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = shoppingData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("shoppingObject", JSON.stringify(shoppingData));

  readAll();
}

function editData(id) {
  var obj = shoppingData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
}

function deleteData(id) {
  const index = shoppingData.findIndex((rec) => rec.id === id);

  if (index !== -1) {
    shoppingData.splice(index, 1);

    localStorage.setItem("shoppingObject", JSON.stringify(shoppingData));

    readAll();
    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function clearTextBoxes() {
  document.getElementById("name").value = "";
  document.getElementById("details").value = "";
}
```

OUTPUT :-

Complete	Task List	Task Details	Edit	Delete
☐	Laptop	Purchase a laptop from amazon	Edit	Delete
☐	mobile	purchase a moblie from filpkart	Edit	Delete
☐	Go to market	buy vagitables and fruits	Edit	Delete

TaskCrafter — Home About Us Contact Hi Nikhil!!!

Health
Coding
Education
Finance
Fitness
Shopping
Work
Calendar

Shopping

Enter Task Name

Enter Task Description

Submit   Clear

Work.html :-

```html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Work</title>
  <link rel="stylesheet" href="../css/nav.css" />
  <link rel="stylesheet" href="../css/footer.css" />
  <link rel="stylesheet" href="../css/taskList.css" />

  <script src="../js/work.js"></script>
 </head>
 <body onload="readAll()" style="overflow-y: hidden">
  <nav>
   <a href="../index.html" style="border: none">
    <label for="" class="logo">TaskCrafter</label>
   </a>
   <div class="list">
    <ul class="navbar-links">
     <li>
      <a href="../index.html">Home</a>
     </li>
     <li>
      <a href="#about">About Us</a>
     </li>
     <li>
      <a href="./contactUs.html">Contact</a>
     </li>
     <li></li>
    </ul>
    <div class="user">
     <img src="../images/boy.png" alt="" />
     <div class="username">Hi Nikhil!!!</div>
    </div>
   </div>
   <label for="" id="icon">
    <button class="menu_button">
     <i class="fa fa-bars"></i>
    </button>
   </label>
  </nav>
```

```html
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```html
      ><span class="hello">Work</span></a
    >
  </li>
  <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
      >Calendar</a
    >
  </li>
</ul>
</div>
<div class="content">
  <div class="heading">
    <img
      src="../images/briefcase.png"
      alt=""
      width="80px"
      height="80px"
    />
    <center></center>
    <h1>Work</h1>
  </div>
  <div class="addTask">
    <form action="" class="form1">
      <center>
        <table class="form-table">
          <tr>
            <td style="font-size: 25px">Enter Task Name</td>
            <td style="width: 60%; text-align: start">
              <input
                type="text"
                name=""
                id="name"
                style="width: 97%"
                class="text_in"
              />
            </td>
          </tr>
          <tr>
            <td style="font-size: 25px">Enter Task Description</td>
            <td>
              <textarea
                name=""
                id="details"
```

```html
          cols="82"
          rows="5"
        ></textarea>
      </td>
    </tr>
    <tr>
      <td colspan="2" style="text-align: center">
        <input
          class="submit"
          type="button"
          value="Submit"
          class="submit"
          onclick="create()"
        />
        <input type="reset" value="Clear" class="clear" />
      </td>
    </tr>
    </table>
  </center>
 </form>
</div>
<div class="tasklist">
 <table border="1" class="task_table">
  <thead>
   <tr>
     <th width="10%">Complete</th>
     <th>Task List</th>
     <th>Task Details</th>
     <th>Edit</th>
     <th>Delete</th>
    </tr>
   </thead>
   <tbody id="root" class="data_table"></tbody>
  </table>
 </div>
</div>
</div>
</body>
</html>
```

Work.js :-

```javascript
let workData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  workData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
      <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
      <td class="${isCompletedClass}">${record.task}</td>
      <td class="${isCompletedClass}">${record.details}</td>
      <td style="width:15%; text-align:center;">
        <button onclick="editData(${record.id})" class="submit">Edit</button>
      </td>
      <td style="width:15%; text-align:center;">
        <button onclick="deleteData(${record.id})" class="clear">Delete</button>
      </td>
    </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedWorkData = localStorage.getItem("workObject");
  if (storedWorkData) {
    workData = JSON.parse(storedWorkData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
  if (task === "") {
    alert("Please Enter Your Work Task");
  } else {
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = workData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: workData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      workData.push(newObj);
    }

    localStorage.setItem("workObject", JSON.stringify(workData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = workData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("workObject", JSON.stringify(workData));

  readAll();
}

function editData(id) {
  var obj = workData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
}

function deleteData(id) {
  const index = workData.findIndex((rec) => rec.id === id);

  if (index !== -1) {
    workData.splice(index, 1);

    localStorage.setItem("workObject", JSON.stringify(workData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function clearTextBoxes() {
  document.getElementById("name").value = "";
  document.getElementById("details").value = "";
}
```

OUTPUT :-

Calendar.html :-

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Work</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/calendar.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
    </nav>
```

```
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```html
><span class="hello">Work</span></a
  >
</li>
<li>
  <img src="../images/calendar.png" alt="Calendar" /><a
    href="../pages/calender.html"
    >Calendar</a
  >
</li>
</ul>
</div>
<div class="content">
  <div class="heading">
    <img src="../images/calendar.png" alt="" width="80px" height="80px" />
    <center></center>
    <h1>Calander</h1>
  </div>
  <div class="addTask">
    <form action="" class="form1">
      <center>
        <table class="form-table">
          <tr>
            <td style="font-size: 25px">Enter Task Name</td>
            <td style="width: 60%; text-align: start">
              <input
                type="text"
                name=""
                id="name"
                style="width: 97%"
                class="text_in"
              />
            </td>
          </tr>
          <tr>
            <td style="font-size: 25px">Enter Task Description</td>
            <td>
              <textarea
                name=""
                id="details"
                cols="82"
                rows="5"
              ></textarea>
            </td>
          </tr>
```

```html
        <tr>
          <td colspan="2" style="text-align: center">
            <input
              class="submit"
              type="button"
              value="Submit"
              class="submit"
              onclick="create()"
            />
            <input type="reset" value="Clear" class="clear" />
          </td>
        </tr>
      </table>
    </center>
  </form>
</div>
<div class="tasklist">
  <table border="1" class="task_table">
    <thead>
      <tr>
        <th width="10%">Complete</th>
        <th>Task List</th>
        <th>Task Details</th>
        <th>Edit</th>
        <th>Delete</th>
      </tr>
    </thead>
    <tbody id="root" class="data_table"></tbody>
  </table>
</div>
</div>
</div>
</body>
</html>
```

Calendar.js :-

```javascript
let calendarData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  calendarData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
      <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
      <td>${record.task}</td>
      <td>${record.details}</td>
      <td style="width:15%; text-align:center;">
        <button onclick="editData(${record.id})" class="submit">Edit</button>
      </td>
      <td style="width:15%; text-align:center;">
        <button onclick="deleteData(${record.id})" class="clear">Delete</button>
      </td>
    </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedCalendarData = localStorage.getItem("calendarObject");
  if (storedCalendarData) {
    calendarData = JSON.parse(storedCalendarData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let task = document.getElementById("name").value;
```

```javascript
  if (task === "") {
    alert("Please Enter Your Calendar Task");
  } else {
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = calendarData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: calendarData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      calendarData.push(newObj);
    }

    localStorage.setItem("calendarObject", JSON.stringify(calendarData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = calendarData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("calendarObject", JSON.stringify(calendarData));

  readAll();
}

function editData(id) {
  var obj = calendarData.find((rec) => rec.id === id);
  editMode = true;
  editedItemId = id;
```

```
    document.getElementById("name").value = obj.task;
    document.getElementById("details").value = obj.details;
  }

  function deleteData(id) {
    const index = calendarData.findIndex((rec) => rec.id === id);

    if (index !== -1) {
      calendarData.splice(index, 1);

      localStorage.setItem("calendarObject", JSON.stringify(calendarData));

      readAll();
      document.getElementById("name").value = "";
      document.getElementById("details").value = "";
    }
  }

  function clearTextBoxes() {
    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
```

Output :-

Fitness.html:-

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Fitness</title>
    <link rel="stylesheet" href="../css/nav.css" />
    <link rel="stylesheet" href="../css/footer.css" />
    <link rel="stylesheet" href="../css/taskList.css" />

    <script src="../js/fitness.js"></script>
  </head>
  <body onload="readAll()" style="overflow-y: hidden">
    <nav>
      <a href="../index.html" style="border: none">
        <label for="" class="logo">TaskCrafter</label>
      </a>
      <div class="list">
        <ul class="navbar-links">
          <li>
            <a href="../index.html">Home</a>
          </li>
          <li>
            <a href="#about">About Us</a>
          </li>
          <li>
            <a href="./contactUs.html">Contact</a>
          </li>
          <li></li>
        </ul>
        <div class="user">
          <img src="../images/boy.png" alt="" />
          <div class="username">Hi Nikhil!!!</div>
        </div>
      </div>
      <label for="" id="icon">
        <button class="menu_button">
          <i class="fa fa-bars"></i>
        </button>
      </label>
    </nav>
```

```html
<div class="container">
  <div class="sidebar">
    <ul class="sidebar-list">
      <li>
        <img src="../images/healthcare.png" alt="Health" /><a
          href="../pages/health.html"
          >Health</a
        >
      </li>

      <li>
        <img src="../images/web-design.png" alt="Coding" /><a
          href="../pages/coding.html"
          ><span class="hello">Coding</span></a
        >
      </li>
      <li>
        <img src="../images/education.png" alt="Education" /><a
          href="../pages/education.html"
          >Education</a
        >
      </li>
      <li>
        <img src="../images/saving.png" alt="Finance" /><a
          href="../pages/finance.html"
          >Finance</a
        >
      </li>
      <li>
        <img src="../images/dumbbell.png" alt="Fitness" /><a
          href="../pages/fitness.html"
          >Fitness</a
        >
      </li>

      <li>
        <img src="../images/shopping.png" alt="Shopping" /><a
          href="../pages/shopping.html"
          >Shopping</a
        >
      </li>
      <li>
        <img src="../images/briefcase.png" alt="Work" /><a
          href="../pages/work.html"
```

```html
      >Work</a
     >
   </li>
   <li>
    <img src="../images/calendar.png" alt="Calendar" /><a
      href="../pages/calender.html"
     >Calendar</a
    >
   </li>
  </ul>
 </div>
 <div class="content">
  <div class="heading">
   <!-- <center> -->
   <img src="../images/dumbbell.png" alt="" width="80px" height="80px" />
   <!-- </center> -->
   <center></center>
   <h1>Fitness</h1>
  </div>
  <div class="addTask">
   <form action="" class="form1">
    <center>
     <table class="form-table">
      <tr>
       <td style="font-size: 25px">Enter Task Name</td>
       <td style="width: 60%; text-align: start">
        <input
          type="text"
          name=""
          id="name"
          style="width: 97%"
          class="text_in"
        />
       </td>
      </tr>
      <tr>
       <td style="font-size: 25px">Enter Task Description</td>
       <td>
        <textarea
          name=""
          id="details"
          cols="82"
          rows="5"
        ></textarea>
```

```html
        </td>
      </tr>
      <tr>
        <td colspan="2" style="text-align: center">
          <input
            class="submit"
            type="button"
            value="Submit"
            class="submit"
            onclick="create()"
          />
          <input type="reset" value="Clear" class="clear" />
        </td>
      </tr>
    </table>
    </center>
    </form>
  </div>
  <div class="tasklist">
    <table border="1" class="task_table">
      <thead>
        <tr>
          <th width="10%">Complete</th>
          <th>Task List</th>
          <th>Task Details</th>
          <th>Edit</th>
          <th>Delete</th>
        </tr>
      </thead>
      <tbody id="root" class="data_table"></tbody>
    </table>
  </div>
  </div>
  </div>
  </body>
</html>
```

Fitness.Js:-

```javascript
let fitnessData = [];

function readAll() {
  var tableData = document.querySelector(".data_table");
  var elements = "";

  fitnessData.map((record) => {
    const isChecked = record.completed ? "checked" : "";
    const isCompletedClass = record.completed ? "completed" : "";

    elements += `<tr class="${isCompletedClass}">
      <td> <input type="checkbox" id="checkbox-${record.id}"
onclick="toggleCompletion(${record.id})" ${isChecked}/> </td>
      <td>${record.task}</td>
      <td>${record.details}</td>
      <td style="width:15%; text-align:center;">
       <button onclick="editData(${record.id})" class="submit">Edit</button>
       </td>
       <td style="width:15%; text-align:center;">
       <button onclick="deleteData(${record.id})" class="clear">Delete</button>
     </td>
    </tr>`;
  });

  tableData.innerHTML = elements;
}

document.addEventListener("DOMContentLoaded", function () {
  let storedFitnessData = localStorage.getItem("fitnessObject");
  if (storedFitnessData) {
    fitnessData = JSON.parse(storedFitnessData);
  }
  readAll();
  clearTextBoxes();
});

let editMode = false;
let editedItemId = null;

function create() {
  let name = document.getElementById("name").value;
```

```javascript
  if (name === "") {
    alert("Please Enter Your Fitness Task");
  } else {
    var task = document.getElementById("name").value;
    var details = document.getElementById("details").value;

    if (editMode) {
      var editedObj = fitnessData.find((rec) => rec.id === editedItemId);
      editedObj.task = task;
      editedObj.details = details;
      editMode = false;
      editedItemId = null;
    } else {
      var newObj = {
        id: fitnessData.length + 1,
        task: task,
        details: details,
        completed: false,
      };
      fitnessData.push(newObj);
    }

    localStorage.setItem("fitnessObject", JSON.stringify(fitnessData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function toggleCompletion(id) {
  const obj = fitnessData.find((rec) => rec.id === id);
  obj.completed = !obj.completed;

  localStorage.setItem("fitnessObject", JSON.stringify(fitnessData));

  readAll();
}

function editData(id) {
  var obj = fitnessData.find((rec) => rec.id === id);
  editMode = true;
```

```
  editedItemId = id;
  document.getElementById("name").value = obj.task;
  document.getElementById("details").value = obj.details;
}

function deleteData(id) {
  const index = fitnessData.findIndex((rec) => rec.id === id);

  if (index !== -1) {
    fitnessData.splice(index, 1);

    localStorage.setItem("fitnessObject", JSON.stringify(fitnessData));

    readAll();

    document.getElementById("name").value = "";
    document.getElementById("details").value = "";
  }
}

function clearTextBoxes() {
  document.getElementById("name").value = "";
  document.getElementById("details").value = "";
}
```

Output :-

	TaskCrafter				Home About Us Contact Hi Nikhil!!!

Fitness

🏋️ Health		
💻 Coding	Enter Task Name	[ ]
📚 Education		
🤝 Finance	Enter Task Description	[ ]
🏋️ Fitness		
🛍️ Shopping	**Submit** **Clear**	
💼 Work		
📅 Calendar		

Complete	Task List	Task Details	Edit	Delete
☐	HIIT workout	Do a 20-minute HIIT workout	Edit	Delete
☐	Run	Go for a run	Edit	Delete
☐	Push-Ups	Do 30 Push-Ups	Edit	Delete

Nav.css :-

```css
* {
    margin: 0;
    padding: 0;
    list-style: none;
    text-decoration: none;
}

nav {
    height: 75px;
    width: 100vw;
    background: #050c21;
    position: fixed;
    top: 0;
    z-index: 1000;
    display: flex;
    border-bottom: 2px solid #FFD700;
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.2);
}

.logo {
    margin: auto;
    margin-left: 40px;
    align-items: center;
    font-size: 35px;
    font-weight: bold;
    color: #fff;
    padding: 0 20px;
    line-height: 75px;
}

nav ul {
    float: right;
}

nav li {
    display: inline-block;
    line-height: 75px;
}
```

```css
nav a {
    color: #fff;
    font-size: 20px;
    border-bottom: 2px solid transparent;
    padding: 4px 7px;
    border-radius: 3px;
    font-weight: bold;
    transition: color 0.3s ease, border-bottom 0.3s ease, background 0.3s ease;
}

nav #icon {
    margin: auto;
    line-height: 75px;
    float: right;
    display: none;
    cursor: pointer;
}

.logo:hover {
    cursor: pointer;
    color: #9ceaf1;
}

a.active,
a:hover {
    color: #03a9f4;
    border-bottom: 2px solid #03a9f4;
}

.nav-search:hover {
    border: 1px solid #00bcd4; /* Cyan border on hover for search */
    color: #00bcd4; /* Cyan color on hover for search */
    background: rgba(0, 188, 212, 0.2); /* Slightly transparent cyan background on hover */
    transition: transform 0.2s ease-in-out, background 0.2s ease;
}

.list {
    margin-left: 50%;
    margin-right: 0;
    width: 100%;
    float: right;
    display: flex;
    align-items: center;
    justify-content: end;
```

```css
}

.user {
    display: flex;
    justify-content: center;
    align-items: center;
    color: #fff;
    width: auto;
    font-size: 20px;
}

.user img {
    width: 25%;
    border-radius: 50%;
}

header{
    padding: 0;
}
```

style.css :-

```css
h1 {
    margin-top: 5%;
    font-family: 'Raleway', sans-serif;
    font-size: 2.5em;
    color: #1565C0; /* Royal Blue */
    text-align: center;
    text-transform: uppercase;
    letter-spacing: 2px;
    font-weight: bold;
    margin-bottom: 20px;
}

html {
    scroll-behavior: smooth;
}

body {
    background: #edf2f7 !important;
}
```

```css
.card_sec_1,
.card_sec_2 {
    display: flex;
    margin-top: 3%;
    width: 90%;
    margin-left: 4%;
    gap: 5%;
}

.card {
    width: 20%;
    height: 15.vw;
    border: 1px solid #04444D;
    border-radius: 15px;
    box-shadow: 0px 10px 20px rgba(0, 0, 0, 0.1);
    background: white;
    text-align: center;
    transition: background 0.3s ease-in-out, transform 0.3s ease-in-out;
}

.card:hover {
    background: #bee3f8; /* Subtle turquoise on hover */
    transform: scale(1.05);
}

.card img {
    padding: 2%;
    width: 10vw;
}

.card_details {
    height: auto;
    padding: 5%;
    font-size: 1.5em;
    background: #04444D;
    color: white;
    font-weight: bold;
    border-bottom-left-radius: 15px;
    border-bottom-right-radius: 15px;
}

.about,
.details {
```

```css
    background: white;
    width: 87%;
    margin-top: 15px;
    border-radius: 15px;
    height: 700px;

}


.about h1,
.details h1 {
    padding: 1%;
    color: #1565C0; /* Royal Blue */
}


.about p,
.details p {
    text-align: justify;
    padding: 1%;
    font-size: 25px;
    color: #333; /* Dark Gray for readability */
}
```

taskList.CSS :-

```css
h1 {
    margin-top: 5%;
    font-family: 'Raleway', sans-serif;
    font-size: 2.5em;
    color: #1565C0; /* Royal Blue */
    text-align: center;
    letter-spacing: 2px;
    font-weight: bold;
    margin-bottom: 20px;
    margin-left: 20px;
}

.container {
    display: flex;
    margin-top: 75px;
    width: 100vw;
}
```

```css
.sidebar {
    background-color: #ecf0f1;
    width: 20vw;
    height: 100vw;
    padding: 20px;
    box-shadow: 2px 0px 6px rgba(0, 0, 0, 0.1);
}

.sidebar-list {
    list-style: none;
    padding: 0;
    margin: 0;
}

.sidebar-list li {

    margin-left: 25px;
    margin-bottom: 15px;
    margin-top: 50px;
    text-align:start;
    font-size: 18px;
}

.sidebar-list img {
    width: 30px;
    margin-right: 10px;
}

.sidebar-list a {
    text-decoration: none;
    color: #333;
    font-weight: bold;
    font-size: 1.2em;
    transition: color 0.3s ease-in-out;
}

.sidebar-list a:hover {
    color: #3498db;
}


.form1{
```

```css
    background-color: white;
    border-radius: 15px;
    width: 100%;
}

table{
    width: 70%;
}

tr{
    border: none;
}

.heading{
    display: flex;
    width: 80vw;
}

.submit{
    background: #3a9e83;
    color: white;
    font-weight: bold;
    font-size: medium;
    width: 100px;
    line-height: 40px;
    border-radius: 15px;
    border: none;

}

.submit:hover{
    cursor: pointer;
}

.clear:hover{
    cursor: pointer;
}
.clear{
    background: #a30d02;
    color: white;
    font-weight: bold;
    font-size: medium;
    width: 100px;
    line-height: 40px;
```

```css
    border-radius: 15px;
    border: none;
}

.heading img{
    margin-top: 0;
}

.heading h1{
    margin-top: 1.5%;
    color: #04444D;
    font-size: 2em;

}

.content {
    background: #bdbfc0 !important;
    width: 100%;
    height: 900px;
    padding-left: 20px;
    color: black;
}

.addTask {
    border-radius: 10px;
    padding: 20px;
    padding-top: 0;
    padding-left: 0;
}

.form-table{
    width: 70%;
    font-size: larger;
    text-align: center;
}

input{
    text-align: center;
    line-height: 28px;
    width: 100%;
    font-size: larger;
}

.text_in{
```

```css
    outline: 1px solid black;
}

textarea{
    width: 98%;
    font-size: 22px;
    outline: 1px solid black;
}

.addTask h2 {
    color: #04444D;
}

.tasklist {
    background: white;
    padding: 20px;
    width: 96%;
    border-radius: 15px;
    height: 360px;
    overflow-y: scroll;
}

.task_table{
    border: 1px solid black;
    border-radius: 15px;
}

.task_table td{
    border: 1px solid black;
    max-width: 100px;
    overflow-wrap: break-word ;
    font-size: 20px;
}

.task_table th{
    border: 1px solid black;
    max-width: 100px;
}
form {
    display: flex;
    flex-direction: column;
    gap: 10px;
}
```

```css
form label {
    font-weight: bold;
}

form input {
    padding: 5px;
    border: 1px solid #bdc3c7; /* Silver */
    border-radius: 5px;
}

form button {
    background-color: #2c3e50; /* Midnight Blue */
    color: white;
    padding: 10px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

table {
    width: 100%;
    border-collapse: collapse;
    margin-top: 20px;
}

table th, table td {
    padding: 10px;
    text-align: center;

}

table th {
    background-color: #2c3e50; /* Midnight Blue */
    color: white;
}

.completed {
    color: #888; /* Dull color */
    text-decoration: line-through; /* Add a stroke line */
 }
```

Footer.CSS :-

```css
body {
    background: #161616;
    color: #b3b3b3;
}

header {
    background: #4b052c; /* Darker gray for the header background */
    color: #ffffff; /* White text color for header */
}

.footer {
    display: flex;
    flex-direction: column;
    align-items: center;
    background-color: #83a4c5;
    padding: 10px 0;
}

.social-media {
    display: flex;
    gap: 20px;
    padding: 10px;
}

.social-media img {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    transition: transform 0.3s ease-in-out;
}

.social-media span{
    margin-top: 5px;
}
.social-media img:hover {
    transform: scale(1.2);
}

.copyright {
    color: #21041f; /* Light gray text color */
    text-align: center;
```

```css
    font-weight: bold;
    margin-top: 10px;
    font-size:30px ;
}

.connect {
    color: #b3b3b3; /* Light gray text color */
    font-size: 1.2em;
    margin-bottom: 5px;
}

.social-media span {
    color: #b3b3b3; /* Light gray text color */
    font-size: 0.8em;
}
```