

Dharmsinh Desai University

Department of MCA

Semester - III Web Development With PHP

Termwork Report on

REAL ESTATE LISTING SITE

Submitted by

Roll No	<u>Name</u>	<u>Student Id</u>
MCA003	Ayush V. Chauhan	23MAPBG006
MCA005	Nikhil R. Lathiya	23MAPBG026



INDEX

SrNo	Title	Pg no
1	Definition	1
2	Code Structure	2
3	Code	3
4	Output	50

PROJECT DEFINITION

Zameen Dekho is a web-based application designed to provide users with an easy and efficient platform to search for properties either for sale or for rent. The primary goal of the application is to connect users with available properties based on their preferences, while offering a streamlined interface for managing property listings. Users can also add properties to their wishlist, allowing them to keep track of their favorite listings for future reference.

Key features include:

- 1. Property Listing.
- 2. User Wishlist.
- 3. Wishlist Management.
- 4. Admin Panel.

Technologies:

- Laravel
- Bootstrap
- MySQL

FILE STRUCTURE



CODE

CONTROLLERS:

```
HomeController.php
<?php
namespace App\Http\Controllers;
use App\Models\Property master;
use Illuminate\Http\Request;
class HomeController extends Controller
 public function home()
    return view('home')->with(['properties'=> Property_master::all()]);
LoginController.php
<?php
namespace App\Http\Controllers;
use App\Models\User master;
use Illuminate\Http\Request;
class LoginController extends Controller
  public function index_page()
    return view('zameen dekho');
  // Function to show login form
  public function login_form()
    return view('login_page_admin');
```

```
}
  public function user_login()
    return view('login_page_user');
  public function authenticate user(Request $request)
    $find_user = User_master::where('role','=','user')->where('username','=',$request-
>username)->first();
    if($find user)
      $user_id = $find_user->id;
      // If the username matches
      if($find_user->password == md5($request->password))
        // If the password matches then ....
        session(['user' => $user_id]);
        if(session()->has('user'))
           return redirect('/home');
      }
    }
  }
  public function authenticate_admin(Request $request)
    $admin_details = User_master::where('role','=','admin')->where('username','=',$request-
>username)->first();
    if(!is null($admin details) && ($admin details->password == md5($request->password)))
      // If the admin user is found and the password matches then....
      return redirect()->route('admin-dashboard');
    }
 }
```

PropertyController.php

```
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Property master;
use App\Models\Wishlist;
class PropertyController extends Controller
  public function admin dashboard()
    return view('admin_dashboard');
  }
  public function new_property()
    // Return form for new property
    return view('new property');
  }
  public function save new property(Request $request)
    $new property = new Property master(); // Object of model
    // Taking inputs
    $new property->owner = $request->owner;
    $new_property->owner_contact = $request->owner_contact;
    $new_property->address = $request->address;
    $new_property->image_url = $request->image_url;
    $new_property->description = $request->description;
    $new property->amount = $request->amount;
    $new property->action = $request->action;
    $new property->save(); // Inserting into the database
    return redirect()->route('all properties');
  }
  // Funtion to fetch details of all properties
  public function all properties()
```

```
{
  // Fetching data from the database and returning to the view
  return view('property master')->with(['all properties' => Property master::all()]);
}
// function to return the update form
public function update form($id)
  // Finding details of the particular id and returning it to the view with details
  return view('update property')->with(['details' => Property master::find($id)]);
}
// Function to save update on proterty details
public function save property update(Request $request, $id)
{
  $update_property = Property_master::find($id); // finding the property details
  // Performing update on database entry
  $update property->update([
    'owner' => $request->owner,
    'owner contact' => $request->owner contact,
    'address' => $request->address,
    'image url' => $request->image url,
    'description' => $request->description,
    'amount' => $request->amount,
    'action' => $request->action
  1);
  return redirect()->route('all_properties');
}
public function delete property($id)
  $property details = Property master::find($id);
  if (!is null($property details)) {
    $wishlist = Wishlist::where('property id','=', $property details->id)->first();
    if(!is null($wishlist))
      if($wishlist->delete())
```

```
$property_details->delete(); // If entry found in the database then deleting it
        }
      }
    return redirect()->route('all_properties');
  // Search filter by name
  public function search property(Request $request)
    return view('property master')->with(['all properties' => Property master::where('owner',
'=', $request->owner)->get(),"owner" => $request->owner]);
}
UserController.js
<?php
namespace App\Http\Controllers;
use App\Models\Property master;
use App\Models\User master;
use App\Models\Wishlist;
use Illuminate\Http\Request;
class UserController extends Controller
  public function new_user()
    return view('register_user');
  }
  public function register user(Request $request)
    $password = md5($request->password);
    $new user = new User master();
    $new user->name = $request->name;
    $new user->contact no = $request->contact no;
    $new user->username = $request->username;
    $new user->password = $password;
```

```
$new user->role = "user";
    $new user->save();
    return redirect()->route('user-login');
  }
  public function add_wishlist($id)
    $find property = Property master::find($id);
    if ($find property) {
       $user id = session()->get('user'); // get user id from the session
      if ($user id) {
         // If session has userid then....
         $new item = new Wishlist();
         $new item->property id = $id;
         $new_item->user_id = $user_id;
         $new_item->save();
         return redirect()->route('wishlist');
      }
    }
  }
  public function wishlist()
    $user id = session()->get('user'); // get user id from the session
    $wishlist = Wishlist::join('property masters', 'wishlists.property id', '=',
'property masters.id')->where('wishlists.user id', '=', $user id)->select('property masters.*')-
>get();
    $data = compact('wishlist');
    return view('wishlist')->with($data);
  }
  public function remove_wishlist($id)
    $user id = session()->get('user');
    $property = Wishlist::where('property id', '=', $id)->where('user id', '=', $user id) ->first();
    $property->delete();
    return redirect()->route('wishlist');
  }
  public function update_user()
```

```
{
  $user_id = session()->get('user');
  return view('update_user')->with(['user' => User_master::find($user id)]);
}
public function save_user_update(Request $request, $id)
  $user = User master::find($id);
  if ($request->password != "") {
    // If there is a password to be updated then....
    $user->update([
       'name' => $request->name,
      'contact no' => $request->contact no,
      'username' => $request->username,
       'password' => $request->password
    1);
    return redirect('user-login');
  } else {
    // If there is no password to be updated then....
    $user->update([
       'name' => $request->name,
      'contact no' => $request->contact no,
      'username' => $request->username,
    ]);
    return redirect()->route('home');
  }
}
// Function to delete the user
public function delete_user($id)
  $user = User_master::find($id); // Find the details of the user
  if($user)
    // if the details of the user is found then
    $wishlist = Wishlist::where('user id','=',$user->id)->first();
    if($wishlist)
      if($wishlist->delete())
         if($user->delete())
```

```
{
            return redirect()->route('zameen_dekho');
        }
    }
  }
}
MODELS:
Property_master.php
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Property_master extends Model
  use HasFactory;
  protected $table = 'property_masters';
  protected $primaryKey = 'id';
  // Used for query builder for updating
  protected $fillable = [
    'owner',
    'owner_contact',
    'address',
    'image_url',
    'description',
    'amount',
    'action'
 ];
}
User_master.php
<?php
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class User_master extends Model
{
  use HasFactory;
  protected $table = "user masters";
  protected $primaryKey = 'id';
  protected $fillable = [
    'name',
    'contact no',
    'username',
    'password',
    'role'
 ];
}
Wishlist.php
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
class Wishlist extends Model
{
 //
MIGRATIONS:
2024_10_17_130358_create_user_masters_table.php
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
```

```
return new class extends Migration {
  /**
  * Run the migrations.
  public function up(): void
    Schema::create('user masters', function (Blueprint $table) {
      $table->id()->autoIncrement();
      $table->string('name');
      $table->string('contact no')->unique();
      $table->string('username')->unique();
      $table->text('password');
      $table->enum('role',['admin','user']);
      $table->timestamps();
    });
  }
  * Reverse the migrations.
  public function down(): void
    Schema::dropIfExists('user masters');
};
2024_10_17_131311_create_property_masters_table.php
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration {
  * Run the migrations.
  public function up(): void
    Schema::create('property_masters', function (Blueprint $table) {
```

```
$table->id()->autoIncrement();
      $table->string('owner');
      $table->string('owner contact');
      $table->text('address')->unique();
      $table->string('image_url');
      $table->text('description');
      $table->bigInteger('amount');
      $table->enum('action',['rent','sale']);
      $table->timestamps();
    });
  }
  /**
   * Reverse the migrations.
  public function down(): void
    Schema::dropIfExists('property_masters');
};
2024_10_17_180900_create_wishlists_table.php
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
   * Run the migrations.
  public function up(): void
    Schema::create('wishlists', function (Blueprint $table) {
      $table->id();
      $table->unsignedBigInteger('property id');
      $table->unsignedBigInteger('user id');
```

```
$table->foreign('property_id')->references('id')->on('property_masters')-
>onDelete('cascade')->onUpdate('cascade');
    $table->foreign('user_id')->references('id')->on('user_masters')->onDelete('cascade')-
>onUpdate('cascade');
    $table->timestamps();
    });
}

/**
    * Reverse the migrations.
    */
public function down(): void
{
    Schema::dropIfExists('wishlists');
}

};
```

RESOURCES/VIEWS

.header {

```
admin_dashboard.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Zameen Dekho - Admin Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  <style>
```

```
background-color: #00796b;
      color: white;
      padding: 20px;
      text-align: center;
    .header img {
      width: 50px;
      height: auto;
      margin-right: 10px;
    }
    .dashboard-card {
      box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
      border-radius: 10px;
      padding: 30px;
    .dashboard-card h3 {
      font-size: 1.8rem;
      color: #00796b;
      font-weight: bold;
    }
    .btn-custom {
      width: 150px;
      margin: 10px;
    }
  </style>
</head>
<body class="bg-light">
  <!-- Header Section -->
  <div class="header d-flex align-items-center justify-content-center">
    <h2 class="mb-0">Zameen Dekho</h2>
  </div>
  <!-- Dashboard Content -->
  <div class="container d-flex justify-content-center my-5">
    <div class="w-75">
```

```
<div class="card dashboard-card">
        <div class="card-body text-center">
          <h3>Admin Dashboard</h3>
          <a href="{{ route('new_property') }}" class="btn btn-primary btn-custom">New
Property</a>
          <a href="{{ route('all_properties') }}" class="btn btn-danger btn-custom">Property
Master</a>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
home.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho - User Home</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjlSv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background-color: #f0f8ff;
    }
    .card {
```

```
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
  border-radius: 10px;
  overflow: hidden;
  transition: transform 0.3s ease;
  border: none;
}
.card:hover {
  transform: translateY(-5px);
}
.card-img-top {
  height: 200px;
  object-fit: cover;
}
.card-body {
  background-color: #ffffff;
  padding: 15px;
}
.card-title {
  font-size: 1.2rem;
  font-weight: bold;
  color: #2c3e50;
}
.property-details {
  font-size: 0.9rem;
  color: #555;
}
.btn-primary {
  background-color: #3498db;
  border-color: #3498db;
}
.btn-primary:hover {
  background-color: #2980b9;
  border-color: #2980b9;
}
```

```
.btn-dark {
     background-color: #2ecc71;
     border-color: #2ecc71;
   }
   .btn-dark:hover {
     background-color: #27ae60;
     border-color: #27ae60;
   }
   .btn-success {
     background-color: #f39c12;
     border-color: #f39c12;
   }
   .btn-success:hover {
     background-color: #e67e22;
     border-color: #e67e22;
   }
 </style>
</head>
<body>
 <div class="container my-4">
   <h3 class="mb-4">User Home - All Properties</h3>
   <a href="{{ route('wishlist') }}" class="btn btn-dark mb-3">Wishlist</a>
   <a href="{{ route('update-user') }}" class="btn btn-success mb-3">Update Profile</a>
   <div class="row mt-3">
     @foreach ($properties as $p)
       <div class="col-md-4 my-3">
         <div class="card h-100">
           <img class="card-img-top" src="{{ $p->image_url }}" alt="Property Image">
           <div class="card-body">
             <h5 class="card-title">{{ $p->owner }}</h5>
             <b>Contact:</b> {{ $p->owner contact }}
             <b>Address:</b> {{ $p->Address }}
             <b>Description:</b> {{ $p->description }}
             <b>Amount:</b> ₹{{ number format($p-
>amount) }}
```

```
<b>Action:</b>
                 @if ($p->action == 'sale')
                   <span style="color: #e74c3c; font-weight: bold;">{{ ucfirst($p-
>action) }}</span>
                 @else
                   <span style="color: #2ecc71; font-weight: bold;">{{ ucfirst($p-
>action) }}</span>
                 @endif
               <a href="{{ url('add wishlist') }}/{{ $p->id }}" class="btn btn-primary mt-
2">Interested</a>
             </div>
          </div>
        </div>
      @endforeach
    </div>
  </div>
</body>
</html>
login_page_admin.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Admin Login - Zameen Dekho</title>
 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3IHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdsIK1eN7N6jIeHz"
crossorigin="anonymous">
  </script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet"
```

```
integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background: linear-gradient(135deg, #f0f4c3, #aed581);
      font-family: 'Arial', sans-serif;
    }
    .login-card {
      background-color: #fff;
      border-radius: 10px;
      padding: 20px;
      box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
      margin-top: 20px;
      max-width: 400px;
      width: 90%;
    }
    .login-card .logo-container {
      text-align: center;
      margin-bottom: 15px;
    }
    .login-card .logo-container img {
      width: 100px;
      height: auto;
    }
    .login-card h4 {
      font-size: 1.6rem;
      color: #2e7d32;
      font-weight: bold;
      text-align: center;
      margin-bottom: 20px;
    }
    .form-label {
      color: #555;
    }
```

```
.btn-dark {
      background-color: #2e7d32;
      border-color: #2e7d32;
      transition: background-color 0.3s ease, transform 0.3s ease;
    }
    .btn-dark:hover {
      background-color: #1b5e20;
      border-color: #1b5e20;
      transform: translateY(-3px);
    }
    .error-message {
      background-color: #ffebee;
      color: #d32f2f;
      border: 1px solid #d32f2f;
      padding: 10px;
      margin-bottom: 15px;
      border-radius: 5px;
      text-align: center;
    }
    .form-control {
      border-radius: 5px;
  </style>
</head>
<body>
  <div class="d-flex flex-column justify-content-center align-items-center vh-100">
    <!-- Login Card Section -->
    <div class="card login-card">
      <div class="logo-container">
        <img src="zammen.png" alt="Zameen Dekho Logo">
      </div>
      <h4>Admin Login</h4>
      <!-- Display the error message if it exists in the session -->
      @if (session('status'))
        <div class="error-message">
          {{ session('status') }}
```

```
</div>
      @endif
      <form action="{{ route('authenticate admin') }}" method="POST">
        @csrf <!-- CSRF Token for security -->
        <div class="form-group mb-3">
          <label for="username" class="form-label">Username</label>
          <input type="text" name="username" class="form-control" id="username"
required>
        </div>
        <div class="form-group mb-3">
          <label for="password" class="form-label">Password</label>
          <input type="password" name="password" class="form-control" id="password"
required>
        </div>
        <div class="d-flex justify-content-center">
          <button type="submit" id="submit btn" class="btn btn-dark w-100">Login</button>
        </div>
      </form>
    </div>
  </div>
</body>
</html>
login_page_user.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Login</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
```

```
integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background: linear-gradient(135deg, #e0f7fa, #80deea);
      font-family: 'Arial', sans-serif;
    }
    .login-card {
      background-color: #fff;
      border-radius: 10px;
      padding: 20px;
      box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
      margin-top: 20px;
      max-width: 400px;
      width: 90%;
    }
    .login-card .logo-container {
      text-align: center;
      margin-bottom: 15px;
    }
    .login-card .logo-container img {
      width: 100px;
      height: auto;
    }
    .login-card h4 {
      font-size: 1.6rem;
      color: #00796b;
      font-weight: bold;
      text-align: center;
      margin-bottom: 20px;
```

```
}
    .form-label {
      color: #555;
    }
    .btn-dark {
      background-color: #00796b;
      border-color: #00796b;
      transition: background-color 0.3s ease, transform 0.3s ease;
    }
    .btn-dark:hover {
      background-color: #004d40;
      border-color: #004d40;
      transform: translateY(-3px);
    .error-message {
      background-color: #ffebee;
      color: #d32f2f;
      border: 1px solid #d32f2f;
      padding: 10px;
      margin-bottom: 15px;
      border-radius: 5px;
      text-align: center;
    }
    .form-control {
      border-radius: 5px;
    }
  </style>
</head>
<body>
  <div class="d-flex flex-column justify-content-center align-items-center vh-100">
    <!-- Login Card Section -->
    <div class="card login-card">
      <div class="logo-container">
        <img src="zammen.png" alt="Zameen Dekho Logo">
      </div>
```

```
<h4>User Login</h4>
      <!-- Display the error message if it exists in the session -->
      @if (session('status'))
        <div class="error-message">
          {{ session('status') }}
        </div>
      @endif
      <form action="{{ route('authenticate user') }}" method="POST">
        @csrf <!-- CSRF Token for security -->
        <div class="form-group mb-3">
          <label for="username" class="form-label">Username</label>
          <input type="text" name="username" class="form-control" id="username"
required>
        </div>
        <div class="form-group mb-3">
          <label for="password" class="form-label">Password</label>
          <input type="password" name="password" class="form-control" id="password"
required>
        </div>
        <div class="d-flex justify-content-center">
          <button type="submit" id="submit btn" class="btn btn-dark w-100">Login</button>
        </div>
      </form>
    </div>
  </div>
</body>
</html>
new_property.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho - New Property Entry</title>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background-color: #f8f9fa;
      font-family: 'Arial', sans-serif;
    }
    .card {
      box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
      border-radius: 10px;
      border: none;
    }
    .card h3 {
      font-size: 1.8rem;
      color: #00796b;
      font-weight: bold;
      margin-bottom: 20px;
    }
    .form-label {
      font-weight: 500;
      color: #555;
    }
    .btn-primary {
      background-color: #00796b;
      border-color: #00796b;
      transition: background-color 0.3s ease, transform 0.3s ease;
    }
    .btn-primary:hover {
```

```
background-color: #004d40;
      border-color: #004d40;
      transform: translateY(-3px);
    }
    .alert-danger {
      background-color: #ffebee;
      color: #d32f2f;
      border: 1px solid #d32f2f;
      border-radius: 5px;
   }
  </style>
</head>
<body>
  <div class="container my-5">
    @if ($errors->any())
      <div class="alert alert-danger">
        @foreach ($errors->all() as $error)
            {{ $error }}
          @endforeach
        </div>
    @endif
    <div class="card my-5 p-4">
      <div class="card-body">
        <h3 class="text-center">New Property Entry</h3>
        <form action="{{ route('save_new_property') }}" method="post">
          @csrf
          <div class="row mb-3">
            <label for="owner" class="col-sm-2 col-form-label">Owner Name:</label>
            <div class="col-sm-10">
              <input type="text" name="owner" class="form-control" id="owner" required>
            </div>
          </div>
          <div class="row mb-3">
            <label for="owner_contact" class="col-sm-2 col-form-label">Owner
Contact:</label>
            <div class="col-sm-10">
```

```
<input type="text" name="owner contact" class="form-control"
id="owner contact" required>
             </div>
          </div>
          <div class="row mb-3">
             <label for="address" class="col-sm-2 col-form-label">Address:</label>
             <div class="col-sm-10">
               <input type="text" name="address" class="form-control" id="address"
required>
             </div>
          </div>
          <div class="row mb-3">
             <label for="image_url" class="col-sm-2 col-form-label">Image URL:</label>
             <div class="col-sm-10">
               <input type="text" name="image_url" class="form-control" id="image_url"
required>
            </div>
          </div>
          <div class="row mb-3">
             <label for="description" class="col-sm-2 col-form-label">Description:</label>
             <div class="col-sm-10">
               <input type="text" name="description" class="form-control" id="description"
required>
            </div>
          </div>
          <div class="row mb-3">
             <label for="amount" class="col-sm-2 col-form-label">Amount:</label>
             <div class="col-sm-10">
               <input type="text" name="amount" class="form-control" id="amount"
required>
            </div>
          </div>
          <div class="row mb-3">
             <label for="action" class="col-sm-2 col-form-label">Action:</label>
             <div class="col-sm-10">
               <select name="action" class="form-select" id="action" required>
                 <option value="">Select Action</option>
                 <option value="rent">Rent</option>
                 <option value="sale">Sell</option>
               </select>
             </div>
```

```
</div>
          <div class="d-flex justify-content-center">
            <button type="submit" class="btn btn-primary">Add</button>
          </div>
        </form>
      </div>
    </div>
  </div>
</body>
</html>
property_master.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho - Property Master</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjlSv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background-color: #f8f9fa;
      font-family: 'Arial', sans-serif;
    }
    .card {
      box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
      border-radius: 10px;
```

```
border: none;
}
.card h3 {
  font-size: 1.8rem;
  color: #00796b;
  font-weight: bold;
}
.form-label {
  font-weight: 500;
  color: #555;
}
.btn-primary {
  background-color: #00796b;
  border-color: #00796b;
  transition: background-color 0.3s ease, transform 0.3s ease;
}
.btn-primary:hover {
  background-color: #004d40;
  border-color: #004d40;
 transform: translateY(-3px);
}
.btn-danger {
  background-color: #e74c3c;
  border-color: #e74c3c;
}
.btn-danger:hover {
  background-color: #c0392b;
  border-color: #c0392b;
}
.alert-danger {
  background-color: #ffebee;
  color: #d32f2f;
  border: 1px solid #d32f2f;
  border-radius: 5px;
```

```
}
    .table-container {
      overflow-x: auto;
    }
    .table img {
      border-radius: 5px;
  </style>
</head>
<body>
  <div class="container my-5">
    @if ($errors->any())
      <div class="alert alert-danger">
        @foreach ($errors->all() as $error)
            {{ $error }}
          @endforeach
        </div>
    @endif
    <div class="card my-3">
      <div class="card-body">
        <h3 class="text-center mb-4">Property Master</h3>
        <form action="{{ route('search property') }}" method="post">
          @csrf
          <div class="row mb-3">
            <label for="owner" class="col-sm-2 col-form-label">Owner Name:</label>
            <div class="col-sm-10">
               <input type="text" value="{{ $owner ?? " }}" name="owner" class="form-</pre>
control" id="owner">
            </div>
          </div>
          <div class="d-flex justify-content-start mb-3">
            <button type="submit" class="btn btn-primary me-2">Search</button>
            <a href="{{ route('all properties') }}" class="btn btn-danger me-2">Reset
Form</a>
            <a href="{{ route('new property') }}" class="btn btn-primary">New Property</a>
          </div>
```

```
</form>
    </div>
   </div>
   <div class="card">
    <div class="card-body">
      <h3 class="text-center my-3">All Properties</h3>
      <div class="table-container">
       <thead class="table-dark">
          Sr.no
            Image
            Owner Name
            Owner Contact
            Address
            Description
            Amount
            Action
            Update
            Delete
          </thead>
         @foreach ($all properties as $p)
            {{ $loop->iteration }}
             <img src="{{ $p->image_url }}" style="width: 120px;" alt="Property
Image">
             {{ $p->owner }}
             {{ $p->owner_contact }}
             {{ $p->address }}
             {{ $p->description }}
             {{ $p->amount }}
             <span style="color: {{ $p->action == 'sale' ? 'red' : 'green' }}; font-
weight:bold;">
                {{ ucfirst($p->action) }}
               </span>
```

```
<a href="{{ url('update_property') }}/{{ $p->id }}" class="btn btn-
warning">Edit</a>
                  <a href="{{ url('delete_property') }}/{{ $p->id }}" class="btn btn-
danger">Remove</a>
                  @endforeach
            </div>
      </div>
   </div>
 </div>
</body>
</html>
register_user.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Register - Zameen Dekho</title>
 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
 </script>
 k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
```

```
<style>
  body {
    background: linear-gradient(135deg, #e0f7fa, #80deea);
    font-family: 'Arial', sans-serif;
  }
  .login-card {
    background-color: #fff;
    border-radius: 10px;
    padding: 30px;
    box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
  }
  .login-card h4 {
    font-size: 1.8rem;
    color: #00796b;
    font-weight: bold;
    margin-bottom: 20px;
  }
  .form-label {
    color: #333;
  }
  .btn-dark {
    background-color: #00796b;
    border-color: #00796b;
    transition: background-color 0.3s ease, transform 0.3s ease;
  }
  .btn-dark:hover {
    background-color: #004d40;
    border-color: #004d40;
    transform: translateY(-3px);
  }
  .error-message {
    background-color: #ffebee;
    color: #d32f2f;
    border: 1px solid #d32f2f;
    padding: 10px;
```

```
margin-bottom: 15px;
      border-radius: 5px;
    }
    .form-control {
      border-radius: 5px;
    }
    .card-body {
      max-height: 80vh;
      overflow-y: auto;
  </style>
</head>
<body>
  <div class="d-flex justify-content-center align-items-center vh-100">
    <div class="card login-card w-75 w-md-50 w-lg-40 shadow-sm">
      <div class="card-body">
        <h4 class="text-center">Welcome New User</h4>
        <!-- Display the error message if it exists in the session -->
        @if (session('status'))
          <div class="error-message text-center">
             {{ session('status') }}
          </div>
        @endif
        <form action="{{ route('register-user') }}" method="POST">
           @csrf <!-- CSRF Token for security -->
          <div class="form-group mb-3">
             <label for="name" class="form-label">Name</label>
             <input type="text" name="name" class="form-control" id="name" required>
           </div>
          <div class="form-group mb-3">
             <label for="contact_no" class="form-label">Contact No:</label>
             <input type="text" name="contact no" class="form-control" id="contact no"
required>
          </div>
           <div class="form-group mb-3">
             <label for="username" class="form-label">Username</label>
```

```
<input type="text" name="username" class="form-control" id="username"
required>
          </div>
          <div class="form-group mb-3">
            <label for="password" class="form-label">Password</label>
            <input type="password" name="password" class="form-control" id="password"
required>
          </div>
          <div class="d-flex justify-content-center">
            <button type="submit" id="submit btn" class="btn btn-dark w-
50">Register</button>
          </div>
        </form>
      </div>
    </div>
  </div>
</body>
</html>
update_property.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho - Update Property</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
```

```
body {
  background-color: #f8f9fa;
  font-family: 'Arial', sans-serif;
}
.card {
  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
  border-radius: 10px;
  border: none;
}
.card h3 {
  font-size: 1.8rem;
  color: #00796b;
  font-weight: bold;
  margin-bottom: 20px;
.form-label {
  font-weight: 500;
  color: #555;
}
.btn-primary {
  background-color: #00796b;
  border-color: #00796b;
  transition: background-color 0.3s ease, transform 0.3s ease;
}
.btn-primary:hover {
  background-color: #004d40;
  border-color: #004d40;
  transform: translateY(-3px);
}
.alert-danger {
  background-color: #ffebee;
  color: #d32f2f;
  border: 1px solid #d32f2f;
  border-radius: 5px;
```

```
.property-image {
      width: 100%;
      max-width: 300px;
      height: auto;
      margin-top: 10px;
      border-radius: 5px;
      box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
  </style>
</head>
<body>
  <div class="container my-5">
    @if ($errors->any())
      <div class="alert alert-danger">
        @foreach ($errors->all() as $error)
            {{ $error }}
          @endforeach
        </div>
    @endif
    <div class="card my-5 p-4">
      <div class="card-body">
        <h3 class="text-center">Update Property</h3>
        <form action="{{ url('save property update') }}/{{ $details->id }}" method="post">
          @csrf
          <div class="row mb-3">
            <label for="owner" class="col-sm-2 col-form-label">Owner Name:</label>
            <div class="col-sm-10">
              <input type="text" value="{{ $details->owner }}" name="owner" class="form-
control" id="owner" required>
            </div>
          </div>
          <div class="row mb-3">
            <label for="owner contact" class="col-sm-2 col-form-label">Owner
Contact:</label>
            <div class="col-sm-10">
              <input value="{{ $details->owner contact }}" type="text"
name="owner contact" class="form-control" id="owner contact" required>
```

```
</div>
           </div>
          <div class="row mb-3">
             <label for="address" class="col-sm-2 col-form-label">Address:</label>
             <div class="col-sm-10">
               <input type="text" value="{{ $details->address }}" name="address" class="form-
control" id="address" required>
             </div>
          </div>
          <div class="row mb-3">
             <label for="image_url" class="col-sm-2 col-form-label">Image URL:</label>
             <div class="col-sm-10">
               <input value="{{ $details->image_url }}" type="text" name="image_url"
class="form-control" id="image url" required>
               <img src="{{ $details->image_url }}" alt="Property Image" class="property-
image">
             </div>
           </div>
           <div class="row mb-3">
             <label for="description" class="col-sm-2 col-form-label">Description:</label>
             <div class="col-sm-10">
               <input type="text" name="description" class="form-control" value="{{ $details-
>description }}" id="description" required>
             </div>
          </div>
           <div class="row mb-3">
             <label for="amount" class="col-sm-2 col-form-label">Amount:</label>
             <div class="col-sm-10">
               <input type="text" value="{{ $details->amount }}" name="amount" class="form-
control" id="amount" required>
             </div>
          </div>
          <div class="row mb-3">
             <label for="action" class="col-sm-2 col-form-label">Action:</label>
             <div class="col-sm-10">
               <select name="action" class="form-select" id="action" required>
                 <option value="{{ $details->action }}">{{ ucfirst($details->action) }}</option>
                 <option value="rent">Rent</option>
                 <option value="sale">Sell</option>
               </select>
             </div>
```

```
</div>
          <div class="d-flex justify-content-center">
            <button type="submit" class="btn btn-primary">Update</button>
          </div>
        </form>
      </div>
    </div>
  </div>
</body>
</html>
update_user.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Update Profile</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjlSv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background: linear-gradient(135deg, #e0f7fa, #80deea);
      font-family: 'Arial', sans-serif;
    }
    .update-card {
      background-color: #fff;
      border-radius: 10px;
```

```
padding: 30px;
  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);
  margin-top: 40px;
  max-width: 500px;
  width: 90%;
}
.update-card h4 {
  font-size: 1.8rem;
  color: #00796b;
  font-weight: bold;
  text-align: center;
  margin-bottom: 20px;
}
.form-label {
  color: #555;
.form-control {
  border-radius: 5px;
}
.btn-dark {
  background-color: #00796b;
  border-color: #00796b;
  transition: background-color 0.3s ease, transform 0.3s ease;
}
.btn-dark:hover {
  background-color: #004d40;
  border-color: #004d40;
  transform: translateY(-3px);
}
.error-message {
  background-color: #ffebee;
  color: #d32f2f;
  border: 1px solid #d32f2f;
  padding: 10px;
  margin-bottom: 15px;
```

```
border-radius: 5px;
      text-align: center;
    }
  </style>
</head>
<body>
  <div class="d-flex flex-column justify-content-center align-items-center vh-100">
    <div class="card update-card">
      <h4>Update Profile</h4>
      <!-- Display the error message if it exists in the session -->
      @if (session('status'))
        <div class="error-message">
          {{ session('status') }}
        </div>
      @endif
      <form action="{{ route('save_user_update', $user->id) }}" method="POST">
        @csrf <!-- CSRF Token for security -->
        <div class="form-group mb-3">
          <label for="name" class="form-label">Name</label>
          <input type="text" value="{{ $user->name }}" name="name" class="form-control"
id="name" required>
        </div>
        <div class="form-group mb-3">
          <label for="contact_no" class="form-label">Contact No:</label>
          <input type="text" value="{{ $user->contact no }}" name="contact no" class="form-
control" id="contact no" required>
        </div>
        <div class="form-group mb-3">
          <label for="username" class="form-label">Username</label>
          <input type="text" value="{{ $user->username }}" name="username" class="form-
control" id="username" required>
        </div>
        <div class="form-group mb-3">
          <label for="password" class="form-label">Password</label>
          <input type="password" name="password" class="form-control" id="password">
        </div>
        <div class="d-flex justify-content-center">
```

```
<button type="submit" id="submit btn" class="btn btn-dark w-
100">Update</button>
        </div>
      </form>
    </div>
  </div>
</body>
</html>
wishlist.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho - Wishlist</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background-color: #f8f9fa;
    }
    .card {
      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
      border-radius: 10px;
      overflow: hidden;
      transition: transform 0.3s ease;
      border: none;
    }
```

```
.card:hover {
  transform: translateY(-5px);
}
.card-img-top {
  height: 200px;
  object-fit: cover;
}
.card-body {
  background-color: #ffffff;
  padding: 20px;
}
.card-title {
  font-size: 1.3rem;
  font-weight: bold;
  color: #2c3e50;
  margin-bottom: 15px;
}
.property-details {
  font-size: 0.95rem;
  color: #555;
  margin-bottom: 8px;
}
.property-details b {
  color: #333;
  font-weight: 600;
}
.property-details span {
  display: inline-block;
  margin-left: 5px;
  color: #777;
}
.btn-danger {
  background-color: #e74c3c;
```

```
border-color: #e74c3c;
   }
   .btn-danger:hover {
     background-color: #c0392b;
     border-color: #c0392b;
   }
 </style>
</head>
<body>
 <div class="container my-4">
   <h3 class="mb-4">Wishlist</h3>
   <div class="row mt-3">
     @foreach ($wishlist as $p)
       <div class="col-md-4 my-3">
         <div class="card h-100">
           <img class="card-img-top" src="{{ $p->image_url }}" alt="Property Image">
           <div class="card-body">
             <h5 class="card-title">{{ $p->owner }}</h5>
             <b>Contact:</b><span>{{ $p-
>owner contact }}</span>
             <b>Address:</b><span>{{ $p-
>Address }}</span>
             <b>Description:</b><span>{{ $p-
>description }}</span>
             <b>Amount:</b><span>₹{{ number format($p-
>amount) }}</span>
             <b>Action:</b>
               @if (p->action == 'sale')
                <span style="color: #e74c3c; font-weight: bold;">{{ ucfirst($p-
>action) }}</span>
              @else
                <span style="color: #2ecc71; font-weight: bold;">{{ ucfirst($p-
>action) }}</span>
               @endif
             <a href="{{ url('remove wishlist') }}/{{ $p->id }}" class="btn btn-danger mt-
3">Remove</a>
           </div>
```

```
</div>
        </div>
      @endforeach
    </div>
  </div>
</body>
</html>
zameen_dekho.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zameen Dekho</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"</pre>
    integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcldslK1eN7N6jleHz"
crossorigin="anonymous">
  </script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet"
    integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <style>
    body {
      background: linear-gradient(135deg, #e0f7fa, #b2ebf2);
      font-family: 'Arial', sans-serif;
    }
    .logo-container {
      text-align: center;
      margin-top: 60px;
    }
    .logo-container img {
      width: 180px;
```

```
height: auto;
  border-radius: 50%;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
}
.content-container {
  text-align: center;
  margin-top: 30px;
  background-color: #fff;
  border-radius: 15px;
  padding: 40px;
  box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
  max-width: 500px;
  margin-left: auto;
  margin-right: auto;
}
.content-container h3 {
  font-size: 2.5rem;
  margin-bottom: 30px;
  color: #00796b;
  font-weight: bold;
}
.content-container a {
  margin: 10px;
  padding: 12px 25px;
  font-size: 1.1rem;
  border-radius: 8px;
  transition: background-color 0.3s ease, transform 0.3s ease;
}
.content-container a.btn-primary {
  background-color: #00796b;
  border-color: #00796b;
}
.content-container a.btn-primary:hover {
  background-color: #004d40;
  border-color: #004d40;
  transform: translateY(-3px);
```

```
}
    .content-container a.btn-dark {
      background-color: #37474f;
      border-color: #37474f;
    }
    .content-container a.btn-dark:hover {
      background-color: #263238;
      border-color: #263238;
      transform: translateY(-3px);
    }
  </style>
</head>
<body>
  <div class="container">
    <!-- Logo Section -->
    <div class="logo-container">
      <img src="zammen.png" alt="Zameen Dekho Logo">
    </div>
    <!-- Content Section -->
    <div class="content-container">
      <h3>ZameenDekho.com</h3>
      <a href="{{ route('new-user') }}" class="btn btn-primary">Register New User</a>
      <a href="{{ route('user-login') }}" class="btn btn-dark">Login</a>
    </div>
  </div>
</body>
</html>
```

ROUTES


```
Web.php
<?php
use App\Http\Controllers\HomeController;
use App\Http\Controllers\LoginController;
use App\Http\Controllers\PropertyController;
use App\Http\Controllers\UserController;
use Illuminate\Support\Facades\Route;
Route::get('/',[LoginController::class,'index page'])->name('zameen dekho');
// Admin related routes
Route::get('/admin-login', [LoginController::class, 'login form'])->name
('admin-login');
Route::get('/admin-dashboard',[PropertyController::class,'admin dashboard'])->name('admin-
dashboard');
Route::post('/authenticate admin',[LoginController::class,'authenticate admin'])-
>name('authenticate admin');
// User Related Routes
Route::get('/new-user',[UserController::class,'new user'])->name('new-user');
Route::post('/register-user',[UserController::class,'register_user'])->name('register-user');
Route::get('/user-login',[LoginController::class,'user login'])->name('user-login');
Route::post('/authenticate user',[LoginController::class,'authenticate user'])-
>name('authenticate user');
Route::get('/update-user',[UserController::class,'update user'])->name('update-user');
Route::post('/save-user-update/{id}', [UserController::class, 'save user update'])-
>name('save_user_update');
Route::get('/home',[HomeController::class,'home'])->name('home');
// Routes related to properties
Route::get('/new property', [PropertyController::class, 'new property'])-
>name('new property');
Route::post('/save new property', [PropertyController::class, 'save new property'])-
>name('save new property');
Route::get('/all properties',[PropertyController::class,'all properties'])->name('all properties');
```


Route::get('/update_property/{id}',[PropertyController::class,'update_form'])>name('update_form');
Route::post('/save_property_update/{id}',[PropertyController::class,'save_property_update'])>name('save_property_update');
Route::get('/delete_property/{id}',[PropertyController::class,'delete_property'])>name('delete_property');


// Route to search property
Route::post('/search_property',[PropertyController::class,'search_property'])>name('search_property');


Route::get('/add_wishlist/{id}',[UserController::class, 'add_wishlist'])->name('add_wishlist');
Route::get('/wishlist',[UserController::class,'wishlist'])->name('wishlist');
Route::get('/remove_wishlist/{id}',[UserController::class,'remove_wishlist'])>name('remove_wishlist');

OUTPUTS











Wishlist Update Profile



Rakesh Sharma

Contact: 9876543210

Address:

Description: Spacious 2BHK apartment with modern

Amount: ₹25,000

Action: Rent



Priya Singh

Contact: 9812345678

Address:

Description: 1BHK fully furnished flat near the metro

Amount: ₹18,000

Action: Rent



Amitabh Deshmukh

Contact: 9922334455

Address:

Description: 3BHK penthouse with a great city view.

Amount: ₹40,000

Action: Rent

Wishlist



Sunita Verma

Contact: 9955667788

Address:

Description: 2BHK apartment near the business district.

Amount: ₹30,000 Action: Rent



Sanjay Mehta

Contact: 9123456789

Address:

Description: Luxurious 4BHK apartment with sea view.

Amount: ₹35,000,000

Action: Sale



Rakesh Sharma

Contact: 9876543210


Address:


Description:

Spacious 2BHK apartment with modern amenities.

Amount: ₹25,000 Action: Rent







Admin Dashboard New Property Property Master

