

References

- [1] Available online, . : <https://www.grepow.com/semi-solid-state-battery/300wh-kg-series-high-energy-density-battery-pack.html>.
- [2] Barth, J.M., Condomines, J.P., Bronz, M., Lustosa, L.R., Moschetta, J.M., Join, C., Fliess, M., 2018. Fixed-wing uav with transitioning flight capabilities: Model-based or model-free control approach? a preliminary study, in: 2018 International Conference on Unmanned Aircraft Systems (ICUAS), IEEE. pp. 1157–1164.
- [3] Beard, R.W., McLain, T.W., 2012. Small Unmanned Aircraft: Theory and Practice. Princeton University Press.
- [4] Botero, E.M., Alonso, J.J., 2017. Conceptual design and optimization of small transitioning uavs using suave, in: 18th AIAA/ISSMO Multidisciplinary Analysis and Optimization Conference, p. 4149.
- [5] Casau, P., Cabecinhas, D., Silvestre, C., 2011. Autonomous transition flight for a vertical take-off and landing aircraft, in: 2011 50th IEEE Conference on Decision and Control and European Control Conference, IEEE. pp. 3974–3979.
- [6] Elmeseiry, N., Alshaer, N., Ismail, T., 2021. A detailed survey and future directions of unmanned aerial vehicles (uavs) with potential applications. Aerospace 8, 363.

-
- [7] Hadi, G.S., Putra, H.M., Dewi, P.T., Budiarto, A., Budiyono, A., 2016. Switching control approach for stable transition state process on hybrid vertical take-off and landing uav. *Journal of Unmanned System Technology* 4, 51–56.
 - [8] Hepperle, M., 2012. Electric flight - potential and limitations, in: *Energy Efficient Technologies and Concepts of Operation*. URL: <https://elib.dlr.de/78726/>.
 - [9] Hoerner, S.F., 1992. Fluid-dynamic drag: theoretical, experimental and statistical information. *Hoerner Fluid Dynamics*.
 - [10] Holland, G., Webster, P., Curry, J., Tyrell, G., Gauntlett, D., Brett, G., Becker, J., Hoag, R., Vaglianti, W., 2001. The aerosonde robotic aircraft: A new paradigm for environmental observations. *Bulletin of the American meteorological society* 82, 889–902.
 - [11] Jobe, C.E., 1985. Prediction and verification of aerodynamic drag, part i: prediction. *Progress in Astronautics and Aeronautics*, edited by CE Eugene 98, 14–15.
 - [12] Kikumoto, C., Urakubo, T., Sabe, K., Hazama, Y., 2022. Back-transition control with large deceleration for a dual propulsion vtol uav based on its maneuverability. *IEEE Robotics and Automation Letters* 7, 11697–11704.
 - [13] McGeer, T., Holland, G.J., 1993. Small autonomous aircraft for economical oceanographic observations on a wide scale. *Oceanography* 6, 129–135.
 - [14] Michael, N., Mellinger, D., Lindsey, Q., Kumar, V., 2010. The grasp multiple micro-uav testbed. *IEEE Robotics & Automation Magazine* 17, 56–65.

-
- [15] Newcome, L.R., 2004. Unmanned aviation: a brief history of unmanned aerial vehicles. AIAA.
 - [16] Pamadi, B.N., 2004. Performance, stability, dynamics, and control of airplanes. AIAA.
 - [17] Quan, Q., 2017. Introduction to multicopter design and control. volume 10. Springer.
 - [18] Quan, Q., Dai, X., Wang, S., 2020. Multicopter design and control practice: a series experiments based on MATLAB and Pixhawk. Springer Nature.
 - [19] Rashad, R., Goerres, J., Aarts, R., Engelen, J.B., Stramigioli, S., 2020. Fully actuated multirotor uavs: A literature review. IEEE Robotics & Automation Magazine 27, 97–107.
 - [20] Theys, B., De Vos, G., De Schutter, J., 2016. A control approach for transitioning vtol uavs with continuously varying transition angle and controlled by differential thrust, in: 2016 international conference on unmanned aircraft systems (ICUAS), IEEE. pp. 118–125.
 - [21] Ugwueze, O., Statheros, T., Horri, N., Bromfield, M.A., Simo, J., 2023. An efficient and robust sizing method for evtol aircraft configurations in conceptual design. Aerospace 10, 311.