

1. Student Average Calculator

```
[  
  { name: "John", marks: [80, 90, 85] },  
  { name: "Emma", marks: [95, 92, 98] }  
]
```

Task

- Calculate the average marks of each student.
- Return an array containing student names and averages.

2. Total Revenue

```
[  
  { category: "Electronics", amount: 500 },  
  { category: "Books", amount: 100 },  
  { category: "Electronics", amount: 300 }  
]
```

Task

- Find the total revenue from all sales.

3. Count Words

"The fox is quick. The fox is smart."

Task

- Convert all words to lowercase.
- Count how many times the word "fox" appears.

4. Employee Salary List

```
[  
  { name: "A", salary: 50000 },  
  { name: "B", salary: 40000 },  
  { name: "C", salary: 60000 }  
]
```

Task

- Extract only employee salaries.
- Find the total salary paid.

5. Available Products

```
[  
  { name: "Laptop", stock: 5 },  
  { name: "Phone", stock: 0 },  
  { name: "Tablet", stock: 10 }  
]
```

Task

- Remove out-of-stock products.
- Return the names of available products.

6. Post Likes Analysis

```
[  
  { postId: 1, likes: 100 },  
  { postId: 2, likes: 200 }  
]
```

Task

- Find total likes across all posts.

7. Highly Rated Movies

```
[  
  { title: "Movie A", rating: 8.5 },  
  { title: "Movie B", rating: 6.0 }  
]
```

Task

- Keep only movies with rating greater than 8.
- Return movie titles.

8. Customer Spending

```
[  
  { customer: "John", amount: 50000 },  
  { customer: "Emma", amount: 20000 }  
]
```

Task

- Find total spending of all customers.

9. Bank Transactions

```
[
  { type: "credit", amount: 1000 },
  { type: "debit", amount: 300 },
  { type: "credit", amount: 500 }
]
```

Task

- Find total credit amount only.

10. User Actions

```
[
  { user: "A", action: "login" },
  { user: "B", action: "logout" },
  { user: "C", action: "login" }
]
```

Task

- Count how many users performed "login".

11. GitHub Stars

```
[
  { repo: "A", stars: 100 },
  { repo: "B", stars: 200 }
]
```

Task

- Find the total number of stars.

12. Product Prices

```
[
  { name: "Laptop", price: 50000 },
  { name: "Phone", price: 20000 },
  { name: "Tablet", price: 15000 }
]
```

Task

- Extract all prices.
- Find the highest price.

13. Even Numbers

[1, 2, 3, 4, 5, 6]

Task

- Keep only even numbers.
- Return their squares.

14. Student Marks

[45, 80, 60, 90, 30]

Task

- Keep marks greater than 50.
- Find their average.

15. Shopping Cart

```
[  
  { item: "Book", price: 200 },  
  { item: "Pen", price: 20 },  
  { item: "Bag", price: 500 }  
]
```

Task

- Calculate total cart value.

16. Names List

["john", "emma", "alex"]

Task

- Convert all names to uppercase.

17. Numbers Sum

[10, 20, 30, 40]

Task

- Find the sum of all numbers using `reduce()`.

18. Adult Users

```
[  
  { name: "John", age: 25 },  
  { name: "Emma", age: 16 },  
  { name: "Alex", age: 20 }  
]
```

Task

- Keep users whose age is 18 or above.
- Return their names.

19. Product Discount

```
[  
  { name: "Laptop", price: 50000 },  
  { name: "Phone", price: 20000 }  
]
```

Task

- Apply a 10% discount to every product.
- Return the updated prices.

20. Exam Results

```
[  
  { name: "John", marks: 80 },  
  { name: "Emma", marks: 40 },  
  { name: "Alex", marks: 70 }  
]
```

Task

- Keep students with marks ≥ 50 .
- Return their names.