A pause at the right moment.

Payment risk review for the details that travel with a transfer: the message, the recipient, the account.

ONE ASSESSMENT ENGINE

Consumer transfer

UPI payment with message context

Business invoice

Vendor details checked against records

01

The risky detail often arrives beside the payment

Forms capture amount and destination. Context can change what the same payment means.

SYNTHETIC EXAMPLE / UPI TRANSFER

₹25,000

New recipient · reserve@upi

“Move your money to a safe account now.
Do not call the bank.”

MESSAGE TEXT IS EVIDENCE, NOT AN INSTRUCTION

WHAT THE REVIEW CAN SAY

Review the request before proceeding.

Recorded signals

New recipient

Safe-account language

Request to avoid verification

A recommendation follows configured policy. It is not a fraud verdict.

Two payment paths share one decision engine

Adapters retain the details each workflow needs, then normalize into a common assessment.

01 Consumer transfer

Capture amount, UPI recipient and optional request message.
Compare recipient and payment patterns with stored history.

02 Invoice payment

Capture invoice amount, vendor and requested bank account.
Compare the destination with the vendor record.

SHARED ENGINE

01

Normalize

One transaction contract

02

Find evidence

Rules plus optional context

03

Apply policy

Continue · verify · review

04

Explain

Evidence-grounded summary

Keep evidence, policy and explanation separate

Each stage has a bounded job. Model output cannot authorize or execute a payment.

01	ADAPTERS	**UPI transfer / Vendor invoice**	Validate fields and normalize the request
02	EVIDENCE	**Rules ✦ optional context classification**	Gemini Developer API; Vertex AI remains optional
03	POLICY	**Continue / Verify / Review**	Versioned thresholds map evidence to a recommendation
04	EXPLANATION	**Gemini explanation**	Separate optional call; deterministic fallback on failure

HACKATHON PATH Local app + SQLite + Gemini Developer API free tier. Vertex AI and Cloud Run stay optional.

Show the evidence, then measure the behavior

A short demo moves across both workflows and includes a normal repeat payment.

DEMO CASES

01	Safe-account message, new UPI recipient	REVIEW
02	Legitimate large consumer payment	VERIFY
03	Urgent, ambiguous family request	VERIFY
04	Invoice with changed vendor account	REVIEW
05	Repeat invoice, matching account	CONTINUE
06	Context provider timeout	VERIFY

EVALUATION PLAN

40 synthetic examples

20 development / 20 held out

Compare rules-only with the configured classifier on identical inputs.

Report intervention recall, intervention rate on legitimate cases, ambiguous routing and provider failures. Measure latency separately.

A focused prototype fits a 48–72 hour build window

Deliver the two simulators and an auditable recommendation path before extending scope.

FIRST 48 HOURS

Contracts and fixtures

Two adapters, deterministic rules, policy checks and a shared API.

Simulators and investigation view

Consumer transfer, invoice payment, case history and recorded evidence.

Local setup

Gemini Developer API free tier for Flash or Flash-Lite. Rate limits apply; use synthetic inputs.

NEXT 24 HOURS / BUFFER

Held-out evaluation

Compare policy behavior, record failures and measure latency by stage.

Cloud readiness check

Test persistence and both flows before describing a cloud deployment.

MVP boundary

Synthetic data. Simulated outcomes. No payment execution.