

▮ **Data Dictionary:** `applicants`

Each entry in the `applicants` node represents an individual applicant profile.

▮ **Top-Level Fields**

Field Name	Data Type	Description
<code>id</code>	string	Unique identifier for the applicant (also used as Firebase key).
<code>name</code>	string	Full name of the applicant.
<code>email</code>	string	Email address of the applicant.
<code>phone</code>	string	Contact number including country code (e.g., +91 9876543210).
<code>source</code>	string	Source of application (e.g., "Job Site", "Referral").
<code>course</code>	string	Name of the academic course pursued.
<code>specialization</code>	string	Specialization or major in the course.
<code>institute</code>	string	Name of the academic institute.
<code>experience</code>	float	Total professional experience in years.
<code>current_ctc</code>	float	Current annual salary (CTC) in INR.
<code>expected_ctc</code>	float	Expected annual salary in INR.
<code>notice_period</code>	string	Notice period (e.g., "Immediate", "30 Days").
<code>current_mode</code>	string	Current working mode (e.g., "Onsite", "Remote", "Hybrid").
<code>current_duration</code>	string	Current job duration (e.g., "Full Time", "Part Time").
<code>preferred_mode</code>	string	Preferred working mode.
<code>preferred_duration</code>	string	Preferred job duration.
<code>city</code>	string	Current city of residence.
<code>state</code>	string	Current state of residence.
<code>country</code>	string	Country of residence (default: "India").
<code>resume_url</code>	string	Firebase Storage path to uploaded resume (e.g., resumes/646019.pdf).
<code>created_at</code>	timestamp	ISO timestamp when applicant was added (e.g., "2025-07-23T21:03:23").
<code>updated_at</code>	timestamp	ISO timestamp of the last update.

▮ **Nested Field:** `skills`

Skill Name	Data Type	Description
<Skill>	float	Years of experience in the skill (e.g., Docker: 1.5).

- `skills` is a dynamic dictionary where keys are skill names (e.g., "Docker", "Leadership"), and values are years of experience (float).

- Example:

```
"skills": {
  "Docker": 0,
  "Leadership": 0,
  "Machine Learning": 0
}
```

□ Data Dictionary: applications

Each entry under `applications` represents a job application submitted by an applicant for a specific job.

□ Top-Level Fields

Field Name	Data Type	Description
id	string	Unique identifier for the application (also the Firebase key).
job_id	string	Unique ID of the job being applied to.
applicant_id	string	Unique ID of the applicant who submitted the application.
applied_at	timestamp	ISO timestamp of when the application was submitted.
status	string	Current status of the application (e.g., "applied", "selected", "hired").
rejected	string	"true" or "false" indicating if the application was rejected.

□ Activity Timestamps

These track progress through the application stages:

Pred-defined Stages	Field Name	Data Type	Description		-----		-----
-		-----			offered		
timestamp		Time when the offer was made.			selected		timestamp
		Time when the applicant was shortlisted/selected.			hired		timestamp
		Time when the applicant was officially marked as hired.					

□ Data Dictionary: clients

The `clients` node stores the list of all client organizations that have posted or may post jobs on the platform.

Structure

Field Name	Data Type	Description
[index]	string	Name of the client company.

- The keys are numeric indexes (e.g., 0, 1, 2...) used for ordered storage.
- The values are the **client names**.
- New clients can be added dynamically as they join the platform or post a job.

Data Dictionary: education

The `education` node stores the mapping between academic degrees (courses) and their corresponding specializations (majors). This data is dynamic and can grow as new courses or specializations are added by users.

Structure

Field Name (Key)	Data Type	Description
<course_name>	object	The name of the academic course or degree.
<course_name>[index]	string	A specialization/major offered under the course.

- Top-level keys are **course names** (e.g., "Bachelor of Science", "Bachelor of Technology").
- Each course contains an indexed list of **specializations**.

Behavior

- This structure supports **dynamic addition** of:
 - New courses (e.g., "Master of Business Administration").
 - New specializations under existing or new courses.
- Used in dropdowns for applicant education entry, allowing selection or custom input.

Usage

- Referenced when rendering course and specialization fields in forms.
- Updated when users submit new combinations of courses and majors not already in the database.

Data Dictionary: jobs

Field Name	Data Type	Example Value	Description
benefits	String	"gdfg"	Benefits offered by the employer (e.g., health insurance, PTO).
budget	String	"dfgdfgdfgdfgdf"	Budget or salary range for the job. Could be numeric or

			textual (e.g., "\$50k-\$70k").
client	String	"Acme Corp"	The name of the client or company posting the job.
contact	String	""	Contact email/phone or other details for inquiries about the job.
contact_person	String	""	Name of the main contact person for this position.
department	String	"dfgdfgdfg"	Department or division within the organization offering the job.
description	String	"dfgdfg"	Detailed description of the role, duties, and expectations.
experience_required	Integer	0	Number of years of prior work experience required.
hiring_process	Array of Strings	["applied", "dfgdfg", "selected", "offered"]	Sequence of hiring stages (e.g., "applied" → "screening" → "selected" → "offered").
id	String	"340037"	Unique identifier for the job posting (often matches jobs but stored as string).
job_duration	String	"Full Time"	Duration or type of employment (e.g., Full Time, Part Time, Contract).
job_title	String	"fdfgfgfg"	Official job title.
location	String	"dfgdfgdfg"	Location of the job, can be city, state, or remote.
posted_at	DateTime (ISO)	"2025-08-16T00:24:09.804120+05:30"	Date and time the job was posted, in ISO 8601 format with timezone.
posted_by	String	"dfgdfgdfgdfgdfg"	Name or ID of the recruiter, HR representative, or system posting the job.
qualifications	String	"dfgdfgdfgdfg"	Required qualifications for the role (degrees, certifications, skills).
responsibilities	String	"dfgdf"	Main responsibilities associated with the role.
skills	String / Array	(empty in example)	Skills required for the job (could be comma-separated or

			stored as an array).
--	--	--	----------------------

Data Dictionary: Hired Records

Field Name	Data Type	Example Value	Description
applicant_id	String	"646019"	Unique identifier for the applicant in the applicant tracking system (ATS).
application_id	String	"988710"	Unique identifier for the application submitted by the applicant for a job.
comments	String	""	Any remarks, notes, or feedback related to the hiring process.
hired_on	Date (YYYY-MM-DD)	"2025-08-05"	The date the candidate was officially marked as hired.
id	String	"036774"	Duplicate of hired in this example; might serve as a system record ID.
job_id	String	"866955"	Identifier of the job to which the candidate was hired.
joining_date	Date (YYYY-MM-DD)	"2025-08-05"	The date the candidate is scheduled (or actually) joined the company.
notice_period_days	Integer	0	Number of days between offer acceptance and joining date (or required notice from previous employer).
offered_ctc	Numeric	0	Offered cost-to-company (total annual compensation) value; stored as integer or decimal.
status	String	"Joined"	Current status of the hire (e.g., "Joined", "Offered", "Declined").