

Figure 1 Create Teachers




Figure 2 CreateSchools

GET

⌵

http://localhost:8080/api/schools

Params

Authorization

Headers (7)

Body

Scripts

Settings

Query Params

	Key	Value
	Key	Value

Body

Cookies

Headers (5)

Test Results

⌲

{ } JSON ⌵

▶ Preview

🔗 Visualize

⌵

```
1  [  
2    {  
3      "id": 1,  
4      "schoolName": "Greenwood High School",  
5      "schoolAdress": "456 Oak Avenue",  
6      "teacherId": 1  
7    }  
8  ]
```

Figure 3GetSchools




Figure 4GetSchoolById




Figure 5 UpdateSchool

GET ⌵ http://localhost:8080/api/schools/searchByName?name=Bluebird Academy

Params ● Authorization Headers (7) Body Scripts Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value
<input checked="" type="checkbox"/>	name	Bluebird Academy
	Key	Value

Body Cookies Headers (5) Test Results ↺

{} JSON ⌵ ▶ Preview 🔗 Visualize ⌵

```
1  [  
2    {  
3      "id": 1,  
4      "schoolName": "Bluebird Academy",  
5      "schoolAdress": "456 Oak Avenue",  
6      "teacherId": 1  
7    }  
8  ]
```

Figure 6GetSchoolByName




Figure 7DeleteSchool