PEACHTREE LABS

1450 Peachtree Industrial Blvd, Lower Level · Atlanta, GA 30309 · (404) 555-0178 · CLIA 11D0000000

FINAL REPORT
Accession: PL-26-1015-0447

Patient: TALWAR, ANJALI **DOB:** 03/14/1958 · F **MRN:** 004417829
Collected: 10/15/2026 07:42 **Received:** 10/15/2026 08:10 **Reported:** 10/15/2026 13:05
Ordering: Linda Chen, MD **Fasting:** Yes (12 h) **Copy to:** Samuel Brooks, MD

Test	Result	Flag	Reference Range	Units
BASIC METABOLIC PANEL				
Sodium	139		136–145	mmol/L
Potassium	**3.3**	**L**	**3.5–5.1**	**mmol/L**
Chloride	102		98–107	mmol/L
Carbon Dioxide (CO2)	25		22–29	mmol/L
BUN	18		7–20	mg/dL
Creatinine	**1.12**	**H**	**0.57–1.00**	**mg/dL**
eGFR	**54**	**L**	**>59**	**mL/min/1.73m²**
Glucose, fasting	**104**	**H**	**70–99**	**mg/dL**
Calcium	9.4		8.7–10.3	mg/dL
LIPID PANEL				
Cholesterol, Total	**228**	**H**	**<200**	**mg/dL**
LDL Cholesterol (calc)	**151**	**H**	**<100**	**mg/dL**
HDL Cholesterol	48		>39	mg/dL
Triglycerides	145		<150	mg/dL
HEPATIC FUNCTION PANEL				
ALT (SGPT)	22		0–32	IU/L
AST (SGOT)	25		0–40	IU/L
Alkaline Phosphatase	88		44–121	IU/L
Bilirubin, Total	0.6		0.0–1.2	mg/dL
Albumin	4.1		3.8–4.9	g/dL
CBC				
WBC	6.8		3.4–10.8	x10³/µL
Hemoglobin	**11.6**	**L**	**11.7–15.5**	**g/dL**
Hematocrit	35.9		35.0–45.0	%
Platelets	241		150–450	x10³/µL
THYROID / DIABETES				
TSH	2.1		0.45–4.50	µIU/mL
Hemoglobin A1c	**5.9**	**H**	**4.8–5.6**	**%**

H = above reference range · L = below reference range. Results reviewed by laboratory director. Electronically signed: R. Patel, MD, PhD, 10/15/2026 13:05.