```
import pandas as pd
df = pd.read_csv("/content/01.Data Cleaning and Preprocessing.csv")
print("First few of the DataFrame:")
#First few of the DataFrame:
print(df.head())
First few of the DataFrame:
      Observation Y-Kappa ChipRate BF-CMratio BlowFlow ChipLevel4
                  23.10 16.520 121.717 1177.607
    a
        31-00:00
                                                         169.805
                   27.60 16.810
                                     79.022 1328.360
    1
        31-01:00
                                                          341.327
        31-02:00
                   23.19 16.709
                                      79.562 1329.407
                                                          239,161
    2
                                      81.011 1334.877
93.244 1334.168
    3
        31-03:00
                   23.60
                           16.478
                                                          213.527
                   22.90 15.618
    4
        31-04:00
                                                          243.131
       T-upperExt-2 T-lowerExt-2 UCZAA WhiteFlow-4 ... SteamFlow-4
                     329.545 1.443 599.253 ...
    0
            358.282
                                                            67.122
    1
            351.050
                          329.067 1.549
                                             537.201 ...
                                                               60.012
                          329.260 1.600
                                             549.611 ...
            350.022
                                                               61.304
    2
            350.938
                          331.142 1.604
                                             623.362 ...
                                                               68.496
    3
                                             638.672 ...
    4
            351.640
                         332.709 NaN
                                                               70.022
       Lower-HeatT-3 Upper-HeatT-3 ChipMass-4 WeakLiquorF BlackFlow-2
    0
            329.432
                          303.099 175.964 1127.197 1319.039
                          304.879
                                      163,202
                                                              1297.317
    1
            330.823
                                                  665.975
    2
            329.140
                          303.383
                                      164.013
                                                  677.534
                                                              1327.072
    3
            328.875
                          302.254
                                      181.487
                                                  767.853
                                                              1324.461
                          300.954
            328.352
                                     183.929
                                                 888.448
                                                              1343.424
       WeakWashF SteamHeatF-3 T-Top-Chips-4 SulphidityL-4
                  54.612
    0
         257.325
                                    252.077
         241.182
                       46.603
                                    251.406
                                                     29.11
    1
                       51.795
                                    251.335
    2
         237.272
                                                      NaN
         239,478
                        54.846
                                     250.312
                                                     29.02
    3
    4
         215.372
                        54.186
                                     249.916
                                                     29.01
    [5 rows x 23 columns]
filtered_df=df[df["BlowFlow"]>10]
print("\nFiltered DataFrame:")
#Filtered DataFrame:
print(filtered_df.head())
₹
    Filtered DataFrame:
      Observation Y-Kappa ChipRate BF-CMratio BlowFlow ChipLevel4
        31-00:00 23.10 16.520 121.717 1177.607 169.805
                         16.810
                 27.60
    1
        31-01:00
                                      79.022 1328.360
                                                          341.327
                           16.709
    2
        31-02:00
                   23.19
                                      79.562 1329.407
                                                          239,161
        31-03:00
                   23.60
                           16.478
                                      81.011 1334.877
    3
                                                          213,527
        31-04:00 22.90 15.618
                                     93.244 1334.168
                                                         243.131
       T-upperExt-2 T-lowerExt-2
                                  UCZAA WhiteFlow-4 ... SteamFlow-4
                     329.545 1.443 599.253 ...
            358.282
    0
                                                            67.122
                                             537.201 ...
            351.050
                          329.067 1.549
                                                               60.012
    1
                                             549.611 ...
    2
            350.022
                          329.260 1.600
                                                              61.304
                                             623.362 ...
    3
            350.938
                          331.142 1.604
                                                               68.496
    4
            351.640
                          332.709
                                   NaN
                                             638.672 ...
                                                               70.022
       Lower-HeatT-3 Upper-HeatT-3 ChipMass-4 WeakLiquorF BlackFlow-2
    0
            329.432
                          303.099
                                     175.964
                                              1127.197
                                                           1319.039
            330.823
                          304.879
                                      163.202
                                                  665.975
                                                              1297.317
    1
                                                  677.534
                                                              1327.072
    2
            329,140
                          303.383
                                      164.013
            328.875
                          302,254
                                      181.487
                                                 767.853
                                                             1324.461
    4
            328.352
                         300.954
                                      183.929
                                                 888.448
                                                              1343.424
       WeakWashF SteamHeatF-3 T-Top-Chips-4 SulphidityL-4
        257.325 54.612 252.077
    0
    1
         241.182
                       46.603
                                    251.406
                                                     29.11
    2
          237.272
                        51.795
                                     251.335
                                                      NaN
    3
          239.478
                        54.846
                                     250.312
                                                     29.02
                        54.186
                                     249.916
                                                     29.01
         215.372
    4
    [5 rows x 23 columns]
```

df_filled=df.fillna(3)
print(df_filled)

```
Observation Y-Kappa ChipRate BF-CMratio BlowFlow ChipLevel4
\overline{2}
    a
           31-00:00
                     23.10 16.520
                                          121.717 1177.607
                                                                 169.805
                               16.810
                                           79.022 1328.360
    1
           31-01:00
                       27.60
                                                                 341.327
           31-02:00
                       23.19
                               16.709
                                           79.562 1329.407
                                                                 239.161
    2
                             16.478
                                           81.011 1334.877
           31-03:00
                                                                 213.527
                      23,60
    3
           31-04:00
                      22.90 15.618
                                           93.244 1334.168
                                                                 243.131
              ...
                       . . .
                                ...
                                             . . .
                                                      . . .
                                                                     . . .
    319
           10-16:00
                       23.75
                               12.667
                                           93.450 1178.252
                                                                 276.955
    320
            9-19:00
                      19.80
                               12.558
                                           94.352 1184.119
                                                                 297.071
    321
            9-20:00
                      23.01
                               12.550
                                           90.842 1188.517
                                                                 289.826
    322
            9-21:00
                       24.32
                               13.083
                                           88.910 1192.879
                                                                 318.006
    323
            9-22:00
                       25.75
                               13.417
                                           85.451 1186.342
                                                                 248.312
         T-upperExt-2 T-lowerExt-2
                                       UCZAA WhiteFlow-4 ... SteamFlow-4
    0
               358.282
                              329.545 1.443
                                                   599.253 ...
                                                                       67.122
                                                   537.201 ...
    1
               351.050
                              329.067 1.549
                                                                       60.012
    2
               350.022
                              329.260 1.600
                                                   549.611 ...
                                                                       61.304
                                                   623.362 ...
               350.938
                              331.142 1.604
                                                                       68,496
    3
    4
               351.640
                              332.709 3.000
                                                   638.672 ...
                                                                       70.022
               347.286
                              310.970 1.523
                                                   513.956 ...
    319
                                                                       61.141
    320
               399.135
                              319.576 1.451
                                                   570.058 ...
                                                                       67.667
                                                   549.306 ...
    321
               373.633
                              314.591 1.457
                                                                       66.446
    322
               364.081
                              308.559 1.523
                                                   504.852 ...
                                                                       61.054
    323
               356.289
                              310.482 1.474
                                                   497.375 ...
                                                                       58,247
         Lower-HeatT-3 Upper-HeatT-3
                                       ChipMass-4 WeakLiquorF BlackFlow-2
    0
               329.432
                              303.099
                                           175.964
                                                        1127.197
                                                                      1319.039
                                           163.202
               330.823
                              304.879
                                                         665.975
                                                                      1297.317
    1
    2
               329.140
                              303.383
                                           164.013
                                                         677.534
                                                                      1327.072
               328.875
                              302.254
                                           181.487
                                                         767.853
                                                                      1324.461
    3
                              300.954
                                           183.929
                                                                      1343.424
    4
               328.352
                                                         888.448
                                              . . .
    319
               330.117
                              304.006
                                           148.174
                                                        1027.201
                                                                      1357.271
    320
               330.848
                              304.616
                                           165.178
                                                         906.962
                                                                      1311.177
    321
               330.226
                              304.686
                                           160.841
                                                         887.125
                                                                      1319.226
    322
               327.346
                              304.363
                                           147.589
                                                         804.423
                                                                      1320.225
    323
               328.092
                              304.093
                                           144.218
                                                         828.328
                                                                      1320.848
         WeakWashF SteamHeatF-3 T-Top-Chips-4 SulphidityL-4
    0
            257.325
                           54.612
                                          252.077
                                                             3.00
            241.182
                           46.603
                                          251.406
                                                            29.11
    1
    2
            237.272
                           51.795
                                           251.335
                                                             3.00
                           54.846
                                          250.312
                                                            29.02
            239.478
    3
            215.372
                           54.186
                                          249.916
                                                            29.01
                           45.264
    319
            381.643
                                          252.947
                                                            30.86
    320
             25,494
                           50.528
                                          252.092
                                                            30.70
    321
              0.638
                           45.549
                                          252.438
                                                            3.00
    322
              0.000
                           43.725
                                          253.176
                                                            31.13
    323
              1.276
                           43.840
                                          253.216
                                                             3.00
    [324 rows x 23 columns]
```

df_dropped=df.dropna()
print(df_dropped)

```
Observation Y-Kappa ChipRate BF-CMratio BlowFlow ChipLevel4
1
      31-01:00
                  27.60
                         16.810
                                      79.022 1328.360
                                                           341.327
      31-03:00
                  23.60
                           16.478
                                      81.011 1334.877
                                                            213.527
3
       1-08:00
                  14.23
                          15.350
                                      85.518 1171.604
                                                           198.538
5
7
      31-06:00
                  22.65 14.100
                                      91.887 1307.852
                                                            288.989
                                      96.208 1334.892
9
      31-08:00
                  24.70 13.850
                                                            362.511
                                         . . .
                   . . .
                            . . .
. .
           . . .
                                      85.998 1330.104
                                                            394.234
312
      31-10:00
                  24.40
                          14.117
317
       4-16:00
                  17.80
                           16.625
                                      78.367 1276.082
                                                            202.744
                                      93.450 1178.252
319
      10-16:00
                  23.75
                           12,667
                                                            276.955
320
       9-19:00
                  19.80
                           12.558
                                      94.352 1184.119
                                                            297.071
322
       9-21:00
                  24.32
                           13.083
                                      88.910 1192.879
                                                            318.006
    T-upperExt-2
                  T-lowerExt-2
                                   UCZAA WhiteFlow-4
                                                      ... SteamFlow-4
                                              537.201 ...
1
                          329.067
          351.050
                                  1.549
                                                                  60.012
3
          350.938
                          331.142 1.604
                                              623.362
                                                       . . .
                                                                  68.496
          344.014
                          325.195 1.436
                                              628.245 ...
                                                                  65.225
```

```
7
                352.321
                                331.162 1.468
                                                     625.549
                                                              . . .
     9
                                327.358 1.515
                                                     553.172 ...
                352.372
                                                                         64.249
                                                             . . .
                348.089
                                                     540.558 ...
                                319.027 1.429
                                                                         62.179
     312
                                                     698.486 ...
     317
                360.127
                                329.266
                                        1.488
                                                                         75.296
                347.286
                                                     513.956 ...
     319
                                310.970 1.523
                                                                         61.141
     320
                399.135
                                319.576 1.451
                                                     570.058 ...
                                                                         67.667
     322
                364.081
                                308.559 1.523
                                                     504.852 ...
                                                                         61.054
          Lower-HeatT-3 Upper-HeatT-3
                                         ChipMass-4 WeakLiquorF BlackFlow-2
     1
                330.823
                                            163,202
                                                           665,975
                                                                       1297,317
                               304.879
     3
                328.875
                                302.254
                                             181.487
                                                           767.853
                                                                        1324.461
     5
                322,103
                                298,517
                                             165,814
                                                           826,243
                                                                        907,641
                329.662
                                301.539
                                             179.886
                                                                        1315.111
                                                           837,178
                332.264
     9
                                305,419
                                             166,120
                                                           909.810
                                                                        1318.725
                   . . .
                                                . . .
                329.831
                                302.652
                                                          827.107
                                                                        1312.372
     312
                                             163.258
     317
                321.658
                                297.088
                                             180.438
                                                          1017.333
                                                                        1052.785
                                             148.174
     319
                330.117
                                304.006
                                                          1027.201
                                                                        1357.271
     320
                330.848
                                304.616
                                             165.178
                                                           906.962
                                                                        1311.177
     322
                327.346
                                304.363
                                             147.589
                                                           804.423
                                                                        1320.225
          WeakWashF SteamHeatF-3 T-Top-Chips-4 SulphidityL-4
     1
             241.182
                            46.603
                                            251.406
                                                             29.110
     3
             239.478
                             54.846
                                            250.312
                                                             29.020
             595.875
                                            249.580
                                                             30.340
     5
                             52.807
     7
             234.047
                             53.805
                                            249.971
                                                             29,220
             180.375
                             48.842
                                            251.121
     9
                                                             29.210
                             49.446
                                            251.406
                                                             29,292
     312
            132.163
     317
             433.089
                             54.675
                                            251.747
                                                             30.320
     319
             381.643
                             45.264
                                            252.947
                                                             30.860
     320
             25.494
                             50.528
                                            252.092
                                                             30.700
     322
               0.000
                             43.725
                                            253.176
                                                             31.130
     [141 rows x 23 columns]
summary_stats = df.describe()
print("\nSummary statistics of the DataFrame:")
print(summary_stats)
₹
     Summary statistics of the DataFrame:
                         ChipRate BF-CMratio
               Y-Kappa
                                                  BlowFlow ChipLevel4
     count 324.000000 319.000000 307.000000
                                                 308.000000
                                                             323.000000
            20.635370
                       14.347937
                                   87.464456 1237.837614
                                                             258.164483
     mean
     std
             3.070036
                        1.499095
                                    7.995012
                                                100.593735
                                                               87.987452
                         9.983000
                                     68.645000
                                                  0.000000
             12,170000
                                                               0.000000
     min
                        13.358000
     25%
             18.382500
                                     81.823000 1193.215250
                                                             213.527000
     50%
             20.845000
                        14.308000
                                    86.739000 1273.138500
                                                             271,792000
     75%
             23.032500 15.517000 92.372000 1289.196000
                                                             321.680000
             27.600000 16.958000 121.717000 1351.240000
     max
                                                             419.014000
            T-upperExt-2 T-lowerExt-2
                                               UCZAA WhiteFlow-4 AAWhiteSt-4
               322.000000
                             322.000000 299.000000
                                                       323.000000
                                                                      173.000000
     count
     mean
               356.904295
                               324.020180
                                            1.492010
                                                         591.732260
                                                                         6.140410
     std
                9.209290
                                7.621402
                                             0.105923
                                                         67.016351
                                                                         0.081609
     min
               339.168000
                               284.633000
                                             1.182000
                                                         405.111000
                                                                         5.890000
               350.241250
                               321.420000
                                                         540.989500
                                                                         6.089000
     25%
                                             1,431500
     50%
               356.843000
                               325.669000
                                             1.498000
                                                         592.895000
                                                                         6.135000
     75%
               362,242250
                               329.175000
                                             1.560500
                                                         639.480500
                                                                         6.199000
               399.135000
                               337.012000
                                             1.747000
                                                         731.394000
                                                                         6.340000
     max
            ... SteamFlow-4
                               Lower-HeatT-3 Upper-HeatT-3
                                                             ChipMass-4
                   323.000000
                                                 322,000000
     count
           . . .
                                 322,000000
                                                              323.000000
     mean
                    66.668285
                                  325.567820
                                                  300.525699
                                                               162.222322
            . . .
     std
                    5.708587
                                   4.609862
                                                  4.568484
                                                               14.160688
                    48.568000
                                  318.051000
                                                  293.312000
                                                              113.922000
     min
            . . .
     25%
                    62.518000
                                  321.385500
                                                  296.513250
                                                              153.032500
     50%
                    67.429000
                                  324.741000
                                                  299.126000
                                                               163.690000
            . . .
     75%
                    71.522000
                                  329.845250
                                                  304.244750
                                                               172,555000
                   76.147000
                                 333.854000
                                                              189.268000
                                                  311.146000
     max
                          BlackFlow-2
                                       WeakWashF
                                                                  T-Top-Chips-4
            WeakLiquorF
                                                   SteamHeatF-3
     count
              323.000000
                           322.000000
                                       323.000000
                                                       322.000000
                                                                       323.000000
              873,828941
                           1175.917016 263.543068
                                                        49,696907
                                                                       251,240087
     mean
     std
              122,073521
                            149.334010 163.666942
                                                         4.551909
                                                                         1.283432
```

838,948000

486.938000

min

248.359000

35.510000

```
25%
        792.019500 1044.817500 134.649000
                                                 46.389750
                                                                250.312000
        865.254000 1150.221500 269.193000
                                                               251.380000
50%
                                                 50.277000
75%
        965.286500 1319.021250 405.563000
                                                 53.294250
                                                               252.323500
       1226.277000 1395.767000 715.715000
                                                 63.332000
                                                               254.122000
max
      SulphidityL-4
          173.000000
count
mean
           30.411671
std
           0.701317
min
           29.010000
           29.970000
25%
50%
           30.370000
75%
           30.820000
           32.840000
```

type(df)

[8 rows x 22 columns]



```
pandas.core.frame.DataFrame
def __init__(data=None, index: Axes | None=None, columns: Axes | None=None, dtype: Dtype |
None=None, copy: bool | None=None) -> None
/usr/local/lib/python3.10/dist-packages/pandas/core/frame.py
Two-dimensional, size-mutable, potentially heterogeneous tabular data.
Data structure also contains labeled axes (rows and columns).
Arithmetic operations align on both row and column labels. Can be
thought of as a dict-like container for Series objects. The primary
```

df.info()



<<class 'pandas.core.frame.DataFrame'> RangeIndex: 324 entries, 0 to 323 Data columns (total 23 columns):

#	Column	Non-Null Count	Dtype
0	Observation	324 non-null	object
1	Ү-Карра	324 non-null	float64
2	ChipRate	319 non-null	float64
3	BF-CMratio	307 non-null	float64
4	BlowFlow	308 non-null	float64
5	ChipLevel4	323 non-null	float64
6	T-upperExt-2	322 non-null	float64
7	T-lowerExt-2	322 non-null	float64
8	UCZAA	299 non-null	float64
9	WhiteFlow-4	323 non-null	float64
10	AAWhiteSt-4	173 non-null	float64
11	AA-Wood-4	323 non-null	float64
12	ChipMoisture-4	323 non-null	float64
13	SteamFlow-4	323 non-null	float64
14	Lower-HeatT-3	322 non-null	float64
15	Upper-HeatT-3	322 non-null	float64
16	ChipMass-4	323 non-null	float64
17	WeakLiquorF	323 non-null	float64
18	BlackFlow-2	322 non-null	float64
19	WeakWashF	323 non-null	float64
20	SteamHeatF-3	322 non-null	float64
21	T-Top-Chips-4	323 non-null	float64
22	SulphidityL-4	173 non-null	float64
dtyp	es: float64(22),	object(1)	
memo	ry usage: 58.3+ K	(B	

df.describe()



	Ү-Карра	ChipRate	BF- CMratio	BlowFlow	ChipLevel4	T- upperExt- 2	T- lowerExt- 2	UCZAA	WhiteFlow- 4	A/
count	324.000000	319.000000	307.000000	308.000000	323.000000	322.000000	322.000000	299.000000	323.000000	1
mean	20.635370	14.347937	87.464456	1237.837614	258.164483	356.904295	324.020180	1.492010	591.732260	
std	3.070036	1.499095	7.995012	100.593735	87.987452	9.209290	7.621402	0.105923	67.016351	
min	12.170000	9.983000	68.645000	0.000000	0.000000	339.168000	284.633000	1.182000	405.111000	
25%	18.382500	13.358000	81.823000	1193.215250	213.527000	350.241250	321.420000	1.431500	540.989500	
50%	20.845000	14.308000	86.739000	1273.138500	271.792000	356.843000	325,669000	1.498000	592.895000	
75%	23.032500	15.517000	92.372000	1289.196000	321.680000	362.242250	329.175000	1.560500	639.480500	
max	27.600000	16.958000	121.717000	1351.240000	419.014000	399.135000	337.012000	1.747000	731.394000	

8 rows × 22 columns

data=df.fillna(method='pad')
data

	Observation	Y- Kappa	ChipRate	BF- CMratio	BlowFlow	ChipLevel4	T- upperExt- 2	T- lowerExt- 2	UCZAA	WhiteFlow- 4	•••	Ste
0	31-00:00	23.10	16.520	121.717	1177.607	169.805	358.282	329.545	1.443	599.253		
1	31-01:00	27.60	16.810	79.022	1328.360	341.327	351.050	329.067	1.549	537.201		
2	31-02:00	23.19	16.709	79.562	1329.407	239.161	350.022	329,260	1.600	549.611		
3	31-03:00	23.60	16.478	81.011	1334.877	213.527	350.938	331.142	1.604	623.362		
4	31-04:00	22.90	15.618	93.244	1334.168	243,131	351,640	332,709	1.604	638,672		
319	10-16:00	23.75	12.667	93.450	1178.252	276.955	347.286	310.970	1.523	513.956		
320	9-19:00	19.80	12.558	94.352	1184.119	297.071	399.135	319.576	1.451	570.058		
321	9-20:00	23.01	12.550	90.842	1188.517	289.826	373.633	314.591	1.457	549.306		
322	9-21:00	24.32	13.083	88.910	1192.879	318.006	364.081	308.559	1.523	504.852		
323	9-22:00	25.75	13.417	85.451	1186.342	248.312	356.289	310.482	1.474	497.375		

324 rows × 23 columns

df.isnull()

→

Z		Observation	Y- Kappa	ChipRate	BF- CMratio	BlowFlow	ChipLevel4	T- upperExt- 2	T- lowerExt- 2	UCZAA	WhiteFlow- 4	•••	Ste
	0	False	False	False	False	False	False	False	False	False	False		
	1	False	False	False	False	False	False	False	False	False	False		

df.isnull().sum()

	_	_
_	_	_

	0
Observation	0
Y-Kappa	0
ChipRate	5
BF-CMratio	17
BlowFlow	16
ChipLevel4	1
T-upperExt-2	2
T-lowerExt-2	2
UCZAA	25
WhiteFlow-4	1
AAWhiteSt-4	151
AA-Wood-4	1
ChipMoisture-4	1
SteamFlow-4	1
Lower-HeatT-3	2
Upper-HeatT-3	2
ChipMass-4	1
WeakLiquorF	1
BlackFlow-2	2
WeakWashF	1
SteamHeatF-3	2
T-Top-Chips-4	1
SulphidityL-4	151

dtype: int64