

CSA0501
DATABASE MANAGEMENT SYSTEMS
LAB EXPERIMENT

K.NIKHIL

192424366

EXP 1:

AIM:

To create, alter, drop, rename, and truncate tables using Data Definition Language (DDL) statements in MySQL, and to insert records into the created tables.

COMMANDS:(CREATE, ALTER, DROP, TRUNCATE, RENAME, INSERT)

ALGORITHM:

1. Start.
2. Create a database and select it using the USE command.
3. Define the structure of the STUDENT table using CREATE TABLE, specifying column names and data types.
4. Similarly, create the FACULTY, DEPARTMENT, and COURSE tables with their respective column definitions.
5. Modify the FACULTY table structure using ALTER TABLE ... ADD to include a new column, Dept.
6. Insert sample records into each table using the INSERT INTO statement.
7. Display the contents of each table using SELECT * FROM table_name to verify the data.
8. Stop.

QUESTIONS:

- 1) Create a table name STUDENT with following structure.

```
mysql> INSERT INTO STUDENT VALUES (101, 'Arjun', 'M', '2003-05-14', 9876543210, 'Chennai');
Query OK, 1 row affected (0.04 sec)

mysql> INSERT INTO STUDENT VALUES (102, 'Divya', 'F', '2004-01-22', 9123456789, 'Madurai');
Query OK, 1 row affected (0.01 sec)
```

- 2) Create a table name FACULTY with following structure.

```
mysql> INSERT INTO FACULTY VALUES ('F001', 'Suresh', 'M', '1980-03-10', '2010-06-01', 9988776655);
Query OK, 1 row affected (0.18 sec)

mysql> INSERT INTO FACULTY VALUES ('F002', 'Priya', 'F', '1985-07-19', '2012-08-15', 9871234567);
Query OK, 1 row affected (0.01 sec)
```

- 3) Create a table name DEPARTMENT with following structure.

```
mysql> INSERT INTO DEPARTMENT VALUES ('D01', 'CSE', 'F001');
Query OK, 1 row affected (0.02 sec)

mysql> INSERT INTO DEPARTMENT VALUES ('D02', 'ECE', 'F002');
Query OK, 1 row affected (0.01 sec)
```

- 4) Create a table name COURSE with following structure.

```
mysql> INSERT INTO COURSE VALUES ('C01', 'DBMS', 'T', '5', 'H101', 'F001');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO COURSE VALUES ('C02', 'Networks', 'T', '5', 'H102', 'F002');
Query OK, 1 row affected (0.01 sec)
```

- 5) Modify the table FACULTY by adding a column name Dept of datatype VARCHAR.

OUTPUTS:

```
mysql> DESC STUDENT;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.07 sec)

```
mysql> DESC FACULTY;
```

Field	Type	Null	Key	Default	Extra
FacNo	varchar(4)	YES		NULL	
FacName	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
DOJ	date	YES		NULL	
MobileNo	bigint	YES		NULL	
Dept	varchar(10)	YES		NULL	

7 rows in set (0.00 sec)

```
mysql> DESC DEPARTMENT;
```

Field	Type	Null	Key	Default	Extra
DeptNo	varchar(4)	YES		NULL	
DeptName	varchar(15)	YES		NULL	
DeptHead	varchar(4)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> DESC COURSE;
```

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	YES		NULL	
CourseDesc	varchar(14)	YES		NULL	
CourseType	char(1)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	varchar(4)	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM STUDENT;
```

RegNo	Name	Gender	DOB	MobileNo	City
101	Arjun	M	2003-05-14	9876543210	Chennai
102	Divya	F	2004-01-22	9123456789	Madurai

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM FACULTY;
```

FacNo	FacName	Gender	DOB	DOJ	MobileNo	Dept
F001	Suresh	M	1980-03-10	2010-06-01	9988776655	CSE
F002	Priya	F	1985-07-19	2012-08-15	9871234567	ECE

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM DEPARTMENT;
```

DeptNo	DeptName	DeptHead
D01	CSE	F001
D02	ECE	F002

```
2 rows in set (0.00 sec)
```